


(Front Panel)

# Imidacloprid 0.72%+Beta-cyfluthrin 0.36% Concentrate Insecticide

- Rainproof within 1 hour of application
- Just one application quickly kills insects
- Fast acting...kills on contact
- Long lasting ...keeps on killing for weeks
- Kills on contact
- Protects up to 30 days
- Rainproof protection
- Treats over 1000 rose bushes
- Makes up to 64 gallons of spray solution
- Ready-to-Spray
- New Convenient Pack
- No Mixing, No Measuring
- Covers 5,334 sq. ft. of lawn
- Contains Merit® and Tempo Ultra®
- Controls ants, fleas, ticks, grubs and other listed pests
- Controls surface and sub-surface insects
- Kills over 50 insect pests
- Exclusive [insert trademark]™ Formula (Technology)
- Next Generation (of )Insect Control
- More powerful (effective)
- Long-Lasting Protection
- Kills surface pests in (24) hours
- Leading(cutting edge) insect control
- Leading (Edge)( insect control) Technology
- Fast Acting Formula
- 2 way (action) Formula
- Powerful Fast Acting (2-Way) Formula



## ACTIVE INGREDIENTS:

Beta-cyfluthrin ..... 0.36%

Imidacloprid ..... 0.72%

OTHER INGREDIENTS ..... 98.92%

Net Contents: 32 fl. oz. (946 mL)



**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

275

(BACK PANEL)

Imidacloprid 0.72% + Beta-cyfluthrin 0.36% READY-TO-SPRAY INSECTICIDE provides up to 30 days rainproof insect protection in a single application. Just hook-up to your garden hose and spray. No mixing and measuring hassles. No messy clean-up. Controlling insects on your roses, flowers and lawn has never been easier.

**READ THE LABEL FIRST!**

<b>QUICK FACTS</b>	
<ul style="list-style-type: none"> <li>• Kills on Contact</li> <li>• Kills ants, fleas, ticks, grubs, and other listed pests.</li> <li>• Keeps on protecting against insects for up to 30 days.</li> <li>• Ready-to-Spray . . . No Mixing, No Measuring</li> </ul>	
<b>KILLS</b>	Aphids, Japanese Beetles, Leafminers, Mole Crickets, Whiteflies, White Grubs, and many other listed pests
<b>COVERAGE</b>	<ul style="list-style-type: none"> <li>• Makes up to 64 gallons of spray solution</li> <li>• Treats over 1000 rose bushes</li> <li>• Covers 5,334 sq. ft. of lawn</li> </ul>
<b>WHERE TO USE</b>	Flowers, Roses, Trees, Shrubs, Lawns and Building Foundations
<b>WHEN TO USE</b>	<ul style="list-style-type: none"> <li>• When insects or damage first appear</li> <li>• Grubs: May through July</li> </ul>
<b>HOW MUCH TO USE</b>	No measuring or mixing needed. Dilutes automatically as you spray.
 	For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724) or visit us on-line at <a href="http://www.BayerAdvanced.com">www.BayerAdvanced.com</a>

**FOR OUTDOOR RESIDENTIAL USE ONLY**

**ACTIVE INGREDIENTS:**

Beta-cyfluthrin ..... 0.36%

Imidacloprid ..... 0.72%

**OTHER INGREDIENTS:\*** ..... 98.92%

**TOTAL** ..... 100.00%

\* Other ingredients include: Water, glycerin (freeze/thaw recovery aid), organic solvent (less than 1% to dissolve the active ingredient for mixing), surfactants and stabilizer (to keep the active ingredient dispersed in water), preservative and antifoam.

Beta-cyfluthrin is the chemical name for Tempo Ultra® Insecticide.

Imidacloprid is the chemical name for Merit® Insecticide.

EPA Reg. No. 72155-XXX

EPA Est. No. \_\_\_\_-AA-\_\_

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### BEFORE YOU USE

Read and follow directions when using.

- When spraying the product on plants with flowers, apply during early morning or late evening, when bees are not present.
- Do not spray the product into fish pools, ponds, streams, or lakes.
- Remove animal feeding dishes prior to application. Keep children and pets away from treated areas until spray has dried.
- Do not apply to fruits or vegetables used for food.

### HOW TO USE

Shake Well Before Use

This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray. For grubs, water product in soon after application.


### HOW TO ATTACH AND SPRAY


[Alternate Step 2 used when the product is either for Ornamental or Lawn use but not both.]

1. Connect your garden hose to the bottle. Be sure the blue water control valve on top of the spray nozzle is in the OFF position. Turn on water at faucet. <Icon - Water Control Valve in "OFF" Position>
2. To maximize the effectiveness of this product against your specific insect problems, two application settings have been developed. Be certain to choose the setting below which describes your use area.  
**For Lawn Use and along Building Foundations:** Pull out and twist the small, star-shaped, blue product-control button until the 'L' is on top. Push the button in to open. Proceed to step #3. <Icon - Product Control Button in Open "L" Position>  
**For General Use:** Pull out and twist the small, star-shaped, blue product-control button until the 'G' is on top. Push the button in to open. NOTE: The button will only go half way in at the 'G' setting. Proceed to step #3. <Icon - Product Control Button in Open "G" Position>
2. Twist the small, star-shaped, blue product control button to align the flat portion with the lock tab. Push the button in to open. <Icon - Product Control Button in Open Position>
3. To begin spraying, point nozzle toward the area to be treated and turn the blue water control valve counterclockwise to the ON position. Tab will be horizontal. <Icon - Water Control Valve in "ON" Position>  
 Spray leaves and tender new shoots. To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping.
4. To stop spraying, turn the blue water control valve on top of the spray nozzle to OFF. To close, push in the small round button opposite the star-shaped product-control button. Turn off faucet.
5. Relieve water pressure by turning blue water control valve to the ON position until water slows to a drip. Turn blue water control valve back to OFF. Disconnect garden hose from bottle.

Continued on next page

DIRECTIONS FOR USE (Continued)				
KILLS	On Flowers, Roses, Shrubs and Trees, Evergreens, Ground Covers, and Foliage Plants			
	Adelgids Ants Aphids Bagworms Boxelder bugs Clover mites Cutworms Elm leaf beetles	Fungus Gnats Grasshoppers Gypsy moths Japanese beetles Lace bugs Leaf-feeding beetles Leaf-feeding caterpillars Leafhoppers (including Glassy-Winged Sharpshooters)	Leafminers Mealybugs Midges Pine Shoot Moths Pine Tip Moths Plant bugs Psyllids Rose Midges	Rose Slugs Sawflies Scale insects (crawler stages) Spittlebugs Thrips Weevils (including root weevils) Whiteflies
	On Lawns & along Building Foundations			
	Annual Bluegrass weevil (hyperodes weevil) Ants (including Carpenter Ants) Armyworms Billbugs Bluegrass billbugs Boxelder bugs Caterpillars Chiggers Chinch bugs	Clover mites Cockroaches Crickets Cutworms Earwigs Fire ants Fleas	Flies Grasshoppers Hyperodes weevils Japanese beetles Mole crickets Mosquitoes Pillbugs	Sod webworms Sowbugs Spiders Ticks (including deer ticks) Wasps White grubs
FOR BEST RESULTS	<ul style="list-style-type: none"> <li>Rain or watering one hour after application will not wash away effectiveness.</li> <li>After spraying the lawn, wait 24 hours before mowing.</li> <li>To avoid serious damage to plants, eliminate pests early in the season before they multiply. For severe infestations, repeat every 7 to 14 days as needed.</li> </ul>			
HOW MERIT + TEMPO ULTRA READY-TO-SPRAY INSECTICIDE WORKS	<ul style="list-style-type: none"> <li>Imidacloprid 0.72% + Beta-cyfluthrin 0.36% READY-TO-SPRAY INSECTICIDE is a totally different way to control the insects that want to destroy your prized roses, flowers, other ornamental plants, and lawn. The unique two-way blend of insecticides controls current insect pest problems and prevents reinfestations for up to 30 days. The residual component is actually taken into the plant. Rain or water cannot wash off this internal protection! Insects are killed when they come into contact with the product or when they attempt to eat the plant.</li> </ul>			

	Children and pets may re-enter the treated area after spray has dried.
---	--

IMPORTANT: Directions for Storage and Disposal	
Storage Conditions:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.
Disposal: 	<ul style="list-style-type: none"> <li>Do not reuse empty container.</li> <li>Place in trash.</li> </ul>
<b>Important:</b> It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.	

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

- Harmful if swallowed or inhaled.
- Causes moderate eye irritation.
- Avoid contact with skin, eyes or clothing.
- Avoid breathing spray mist.
- Removing and washing contaminated clothing before reuse may reduce exposure.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

## FIRST AID

IN CASE OF ACCIDENTAL...	IMMEDIATELY...
Swallowing	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
Contact with eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
Inhalation	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouthy-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice</li> </ul>

**NOTE:** When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. For medical emergency information, you may call toll-free 1-877-229-3763.

Active Ingredients: 0.36% Beta-cyfluthrin [CAS # 68359-37-5], 0.72% Imidacloprid [CAS# 138261-41-3].

## ENVIRONMENTAL HAZARDS

- Do not apply directly to water.
- This product is highly toxic to aquatic invertebrates and fish.
- Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.
- This pesticide is highly toxic to bees. Do not apply Imidacloprid 0.72% + Beta-cyfluthrin 0.36% READY-TO-SPRAY INSECTICIDE when bees are present.

**NOTICE:** Research and testing have determined that the "Directions For Use" are appropriate for the proper use of Imidacloprid 0.72% + Beta-cyfluthrin 0.36% READY-TO-SPRAY INSECTICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

**Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

**D-9770 100803**

Bayer Advanced,  
A Business Unit of CropScience LP  
95 Chestnut Ridge Road  
Montvale, NJ 07645