

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

MAY 21 2008

Charles W. Boyd Product Registrations Bayer Advanced 2 T.W. Alexander Drive Research Triangle Park, NC 27709

SUBJECT:

Application for Pesticide Notification (PRN 98-10)

Request General Label Change (Container Size)

EPA Reg. No.72155-29

Application Dated April 28, 2008

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 04/28/08 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.


Sincerely,

n

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs





<b>SEPA</b>	Environmenta	Inited States I Protectington, DC 20		Registr Amend X Other		OPP Identifier Number
DIAL COLUMN		Applicati	on for Pesticide - Se	ction I		
1. Company/Product Number 72155-29			2. EPA Product Me Venus Eagle	snager	1	oposed Classification
4. Company/Product (Name)			PM#		x	None Restricted
Imidacloprid 0.72% + Beta	a-cyfluthrin 0.36% R	TS	1			
5. Name and Address of Applicant (Include ZIP Code)  Bayer Advanced  2 T.W. Alexander Drive  Research Triangle Park, NC 27709  Check if this is a new address			(b)(i), my product to:	t is similar or ide	ntical in co	FIFRA Section 3(c)(3) mposition and labeling
			Section - II			
Amendment - Explain Resubmission in response  X Notification - Explain  Explanation: Use addition	onse to Agency letter		Agency le "Me Too"	ted labels in repsonetter dated ' Application.  kplain below.	nse to	
See Attached			Section III			
1. Material This Product Will	Re Packaged In:		Section - III			
Child-Resistant Packaging	Unit Packaging	a e	Water Soluble Packaging	2. Type o	of Container	
Yes	Yes		Yes		Metal	
No	No		No		Plastic Glass	
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" No. per Package wgt contain		Paper Other (S	pecify)
3. Location of Net Contents I	nformation	4. Size(s) Re	etail Container	5. Location of L	abel Direction	ns
_ Label _ C	ontainer			<del> </del>		
6. Manner in Which Label is	Affixed to Product	Litho Pape Stend	graph Oth r glued ciled	ier		
	fould to		Section - IV			
1. Contact Point /Complete	items directly below f	or identificati	on of individual to be contacted	d, if necessary, to p	process this	application.)
Name Charles W. Boyd		00000			No. (Instanta Area Code) 49-2422	
	y knowlingly false or		ation d all attachments thereto are tr atement may be punishable by			6. Date Application Received (Stamped)
2. Signature Clarle W.	Bould Digitally signed by Ch DN: cn=Charles Boyd CropSceince, ou=Con email=charles.boyd @ com Date: 2008.04.28 15:4	, c=US, o=Bayer isumer, bayercropscience.	Registrations Manager			
4. Typed Name			5. Date		107	
Charles W. Boyd			April 28, 2008			

30415

Imidacloprid 0.72% + Beta-cyfluthrin 0.36% Concentrate EPA Reg. No. 72155-29 April 28, 2008

Page 1 of 1

Section II - Explanation

Bayer Advanced is submitting a Notification to add the following claim:

25% more vs. 32 ounce size [40 ounce size]

Please find enclosed 1 copy of the proposed label.

This notification is consistent with the provision of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

(Front Panel)

# Imidacloprid 0.72%+Betacyfluthrin 0.36% Ready-to-Spray Insecticide

This label contains two separate label statements for, Outdoor Residential Pump Sprayer/Hose-end Sprayer Concentrate product use and Outdoor Residential Ready-To-Spray product use.

- · Rainproof within 1 hour of application
- Just one application quickly kills insects
- · Fast acting...kills on contact
- Long lasting ...keeps on killing for weeks
- Kills on contact
- Protects up to 30 days
- Rainproof protection
- Treats over 1000 rose bushes
- Makes up to 64 gallons of spray solution
- Ready-to-Spray
- New Convenient Pack
- · No Mixing, No Measuring
- Covers 5,334 sq. ft. of lawn
- Contains Merit® and Tempo Ultra®
- · Controls ants, fleas, ticks, grubs and other listed pests
- · Controls surface and sub-surface insects
- Kills over 50 insect pests
- Exclusive [insert trademark]™ Formula (Technology)
- Next Generation (of )Insect Control
- More powerful (effective)

- Long-Lasting Protection
- Kills surface pests(insects) in (24) hours
- · Leading(cutting edge) insect control
- Leading (Edge)(insect control) Technology
- Fast Acting Formula
- · 2 way (action) Formula
- Powerful Fast Acting (2-Way) Formula
- Exclusive 2 Way Action
  - o Kills insects above ground
  - o Kills Insects below ground
- 100% Satisfaction Guaranteed (or your money back)
- · Long lasting up to 90-day subsurface insect protection
- Up to 90-day grub protection
- 90-day subsurface insect protection
- · 3-month soil insect protection
- Fast acting formula works two ways for powerful insect control
- Kills soil insects for up to 3 months
- 25% more vs. 32 ounce size [40 ounce size]

### ACTIVE INGREDIENTS:

Beta-cyfluthrin	0.36%
Imidacloprid	0.72%
OTHER INGREDIENTS	98.92%

Net Contents: 32 fl. oz. (946 mL)

# CAUTION

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens counties of New York.

# (Ready-to-Spray Label) (FRONT PANEL)

# Imidacloprid 0.72%+Betacyfluthrin 0.36% Ready-to-Spray Insecticide

- · Rainproof within 1 hour of application
- · Just one application quickly kills insects
- Fast acting...kills on contact
- · Long lasting ...keeps on killing for weeks
- · Kills on contact
- Protects up to 30 days
- Rainproof protection
- Treats over 1000 rose bushes
- Makes up to 64 gallons of spray solution
- Ready-to-Spray
- New Convenient Pack
- No Mixing, No Measuring
- · Covers 5,334 sq. ft. of lawn
- Contains Merit® and Tempo Ultra®
- · Controls ants, fleas, ticks, grubs and other listed pests
- Controls surface and sub-surface insects
- Kills over 50 insect pests
- Exclusive [insert trademark]™ Formula (Technology)
- Next Generation (of )Insect Control
- · More powerful (effective)
- Long-Lasting Protection

- Kills surface pests (insects) in (24) hours
- Leading(cutting edge) insect control
- Leading (Edge)( insect control) Technology
- Fast Acting Formula
- · 2 way (action) Formula
- Powerful Fast Acting (2-Way) Formula
- Exclusive 2 Way Action
  - o Kills insects above ground
  - o Kills Insects below ground
- 100% Satisfaction Guaranteed (or your money back)
- Long lasting up to 90-day subsurface insect protection
- Up to 90-day grub protection
- 90-day subsurface insect protection
- · 3-month soil insect protection
- Fast acting formula works two ways for powerful insect control
- Attach to hose and spray
- Kills soil insects for up to 3 months
- Exclusive Double Protection System

#### **ACTIVE INGREDIENTS:**

Beta-cyfluthrin	. 0.36%
Imidacloprid	0.72%
OTHER INGREDIENTS	98.92%

Net Contents: 32 fl. oz. (946 mL)

# CAUTION

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens counties of New York.

### (BACK PANEL)

Imidacloprid 0.72% + Beta-cyfluthrin 0.36% READY-TO-SPRAY INSECTICIDE provides up to 30 days rainproof insect protection in a single application. Just hook-up to your garden hose and spray. No mixing and measuring hassles. No messy clean-up. Controlling listed insects on your roses, flowers and lawn has never been easier.

### **READ THE LABEL FIRST!**

	NEW TITE ENDEET INCOME.
QUICK FACTS	
Fast acting form	ula works 2 ways for powerful insect control
<ul> <li>Kills insects both</li> </ul>	above and below ground
Long-lasting – up	p to 90-day subsurface insect protection
KILLS	Ants, fleas, ticks, grubs, chinch bugs, mole crickets, European crane fly larvae and other listed pests
	Makes up to 64 gallons of spray solution
COVERAGE	Treats over 1000 rose bushes
	Covers 5,334 sq. ft. of lawn
WHERE TO USE	Lawns, ground covers, flowers, trees & shrubs, along building foundations
WHEN TO USE	When insects or damage first appear
WHEN TO USE	Grubs: May through July
HOW MUCH TO USE	No measuring or mixing needed. Dilutes automatically as you spray.
	For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724) or visit us on-line at <a href="https://www.BayerAdvanced.com">www.BayerAdvanced.com</a>

### FOR OUTDOOR RESIDENTIAL USE ONLY

#### **ACTIVE INGREDIENTS:**

Beta-cyfluthrin	0.36%
Imidacloprid	. 0.72%
OTHER INGREDIENTS:	98.92%
TOTAL	100.00%
Beta-cyfluthrin is the chemical name for Tempo Ultra® Insecticide.	

Imidacloprid is the chemical name for Merit® Insecticide.

EPA Reg. No. 72155-29

EPA Est. No. \_\_\_-AA-\_\_

#### **DIRECTIONS FOR USE** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **BEFORE YOU USE** When spraying the product on plants with flowers, apply during early morning or late evening, when bees are not present. Read and follow directions when using. Do not spray the product into fish pools, ponds, streams, or lakes. Remove animal feeding dishes prior to application. Keep children and pets away from treated areas until spray has dried. Do not apply to fruits or vegetables used for food. **HOW TO USE** This product is ready to spray. Just attach this bottle to your hose according to directions. Water Shake Well Before Use automatically mixes with the concentrate as you spray. For grubs, water product in soon after application. Connect your garden hose to the bottle. Be sure the blue water control valve on top of the spray nozzle **HOW TO ATTACH AND** is in the OFF position. Turn on water at faucet. <Icon - Water Control Valve in "OFF" Position> SPRAY 2. To maximize the effectiveness of this product against your specific insect problems, two application [Alternate Step 2 used settings have been developed. Be certain to choose the setting below which describes your use area when the product is either for Ornamental or Lawn For Lawn Use and along Building Foundations: Pull the small, star-shaped, blue productuse but not both.] control button out until it stops. Twist the blue product-control button so that the "L" on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open. Proceed to step #3. <Icon - Product Control Button in Open "L" Position> For All other uses: Pull the small star-shaped, blue product-control button out until it stops. Twist the product-control button so that the "G" on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open (The button will only go half way in for this setting). Proceed to step #3. <Icon - Product Control Button in Open "G" Position> 3. To begin spraying, point nozzle toward the area to be treated and turn the blue water control valve to the ON position. Tab will be horizontal. <Icon - Water Control Valve in "ON" Position> Spray leaves and tender new shoots. To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping. 4. To stop spraying, turn the blue water control valve on top of the spray nozzle to OFF. To close, push in the small round button opposite the star-shaped product-control button. Turn off faucet.

Relieve water pressure by turning blue water control valve to the ON position until water slows to a drip.

Turn blue water control valve back to OFF. Disconnect garden hose from bottle.

Continued on next page

4

KILLS	On Flowers, Roses, Shrubs and Trees, Evergreens, Ground Covers, and Foliage Plants						
	Adelgids	Fungus Gnats	Leafminers	Rose Slugs			
	Ants	Grasshoppers	Mealybugs	Sawflies			
	Aphids	Gypsy moths	Midges	Scale insects			
	Bagworms	Japanese beetles	Pine Shoot Moths	(crawler stages)			
	Boxelder bugs	Lace bugs	Pine Tip Moths	Spittlebugs			
	Clover mites	Leaf-feeding beetles	Plant bugs	Thrips			
	Cutworms	Leaf-feeding caterpillars	Psyllids	Weevils (including root weevils)			
	Elm leaf beetles	Leafhoppers (including Glassy-Winged Sharpshooters)	Rose Midges	Whiteflies			
	On Lawns & along Bui	On Lawns & along Building Foundations					
	Annual Bluegrass weevil (hyperodes weevil)	Clover mites Cockroaches	Flies Grasshoppers	Sod webworms Sowbugs			
	Ants (including Carpenter Ants	Crickets Cutworms	Hyperodes weevils Japanese beetles	Spiders Ticks (including deer			
	Armyworms	Earwigs	Mole crickets	ticks)			
	Billbugs	Fire ants	Mosquitoes	Wasps			
	Bluegrass billbugs	Fleas	Pillbugs	White grubs			
	Boxelder bugs						
	Caterpillars						
	Chiggers						
	Chinch bugs						
OR BEST RESULTS	Rain or watering one hour after application will not wash away effectiveness.						
	After spraying the lawn, wait 24 hours before mowing.						
		mage to plants, eliminate pes repeat every 7 to 14 days as		fore they multiply. For			
HOW THIS PRODUCT VORKS	flowers, other ornaminsect pest problems taken into the plant.	ally different way to control the nental plants, and lawn. The sand prevents reinfestations. Rain or water cannot washed act with the product or when the sand sand sand sand sand sand sand sand	unique two-way blend of for up to 30 days. The re off this internal protection	insecticides controls current esidual component is actual ! Insects are killed when			

1	-	_
٨		

Children and pets may re-enter the treated area after spray has dried.

	Important – Directions for Storage and Disposal	
Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, pre storage cabinet.	ferably a locked
Disposal	If empty:	c
Î	<ul> <li>Do not reuse container.</li> <li>Place empty container in trash or offer for recycling if available.</li> </ul>	
•••	If partly filled:	· illi
	Call your local solid waste agency or toll free 1-877-229-3724 for displayed.	oosal instruction
	<ul> <li>Never place unused product down any indoor or outdoor drain.</li> </ul>	

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

- Harmful if swallowed or inhaled.
- · Causes moderate eye irritation.
- Avoid contact with skin, eyes or clothing.
- Avoid breathing spray mist.
- Removing and washing contaminated clothing before reuse may reduce exposure.
- · Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> </ul>
Do not give anything by mouth to an unconscious person.
<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>

**NOTE:** When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. For medical emergency information, you may call toll-free 1-877-229-3763. Active Ingredients: 0.36% Beta-cyfluthrin [CAS # 68359-37-5], 0.72% Imidacloprid [CAS# 138261-41-3].

### **ENVIRONMENTAL HAZARDS**

- · Do not apply directly to water.
- This product is highly toxic to aquatic invertebrates and fish.
- Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.
- This pesticide is highly toxic to bees. Do not apply this product when bees are present.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of Imidacloprid 0.72% + Beta-cyfluthrin 0.36% READY-TO-SPRAY INSECTICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

# (Pump Sprayer/Hose-end Sprayer label) (FRONT PANEL

# Imidacloprid 0.72%+Betacyfluthrin 0.36% Concentrate

- Rainproof within 1 hour of application
- Just one application quickly kills insects
- Fast acting...kills on contact
- · Long lasting ...keeps on killing for weeks
- Kills on contact
- Protects up to 30 days
- Rainproof protection
- · Treats over 1000 rose bushes
- Makes up to 64 gallons of spray solution
- Covers 5,334 sq. ft. of lawn
- Contains Merit® and Tempo Ultra®
- · Controls ants, fleas, ticks, grubs and other listed pests
- · Controls surface and sub-surface insects
- Kills over 50 insect pests
- Exclusive [insert trademark]™ Formula (Technology)
- Next Generation (of )Insect Control
- More powerful (effective)
- Long-Lasting Protection
- Kills surface pests(insects) in (24) hours
- · Leading(cutting edge) insect control

- Leading (Edge)( insect control) Technology
- Fast Acting Formula
- 2 way (action) Formula
- Powerful Fast Acting (2-Way) Formula
- Exclusive 2 Way Action
  - o Kills insects above ground
  - o Kills Insects below ground
- 100% Satisfaction Guaranteed (or your money back)
- Long lasting up to 90-day subsurface insect protection
- · Up to 90-day grub protection
- 90-day subsurface insect protection
- 3-month soil insect protection
- Fast acting formula works two ways for powerful insect control
- · Kills soil insects for up to 3 months
- 25% more vs. 32 ounce size [40 ounce size]

**ACTIVE INGREDIENTS:** 

Beta-cyfluthrin	. 0.36%
Imidacloprid	0.72%
OTHER INGREDIENTS	98.92%

Net Contents: 32 fl. oz. (946 mL)

# CAUTION

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens countice of New York.

### (BACK PANEL)

Contains Bayer's exclusive 2-way formula for control of surface insects like ants, fleas, and ticks plus subsurface insects like grubs and European crane fly larvae in one easy step. Keeping your lawn free of listed nuisance pests has never been easier.

### **READ THE LABEL FIRST!**

QUICK FACTS			
Fast acting formula	ula works 2 ways for powerful insect control		
Kills insects both	above and below ground		
Long-lasting – up	to 90-day subsurface insect protection		
KILLS	Ants, fleas, ticks, grubs, chinch bugs, mole crickets, European crane fly larvae and other listed pests		
	Makes up to 64 gallons of spray solution		
COVERAGE	Treats over 1000 rose bushes		
	Covers 5,334 sq. ft. of lawn		
WHERE TO USE	Lawns, ground covers, flowers, roses, trees & shrubs, along building foundations		
WHEN TO USE	When insects or damage first appear		
WHEN TO USE	Grubs: May through July		
HOW MUCH TO USE	Dilute ½ fl. oz (1 Tablespoon) per gallon of water		
HOW WINCH TO USE	For lawn pests and along building foundations, dilute 3 fl. oz. per gallon		
	For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724) or visit us on-line at <a href="https://www.BayerAdvanced.com">www.BayerAdvanced.com</a>		

### FOR OUTDOOR RESIDENTIAL USE ONLY

### **ACTIVE INGREDIENTS:**

Beta-cyfluthrin	0.36%
Imidacloprid	0.72%
OTHER INGREDIENTS:	98.92%
TOTAL	100.00%
Reta-cyfluthrin is the chemical name for Tempo Ultra® Insecticide	

Imidacloprid is the chemical name for Merit® Insecticide.

EPA Reg. No. 72155-29

EPA Est. No. \_\_\_-AA-\_\_

DI	RECTIONS FOR USE	
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.		
BEFORE YOU USE Read and follow these directions when using:	<ul> <li>When spraying the product on plants with flowers, apply during early morning or late evening, when bees are not present.</li> </ul>	
	<ul> <li>Do not spray the product into fish pools, ponds, streams, or lakes.</li> </ul>	
	<ul> <li>Remove animal feeding dishes prior to application. Keep children and pets away from treated areas until spray has dried.</li> </ul>	
	Do not apply to fruits or vegetables used for food.	
HOW TO USE	Shake well before using	
MIXING & MEASURING	SEE SPRAYER TYPES	
HOW MUCH TO USE	Dilute ½ fl. oz (1 Tablespoon) per gallon of water	
	Lawns & along building foundations: 3 fl. oz. per gallon of water (covers 500 sq. feet)	
HOW TO SPRAY	Adjust nozzle on your sprayer to desired spray pattern.	
	Hold sprayer about 12 inches from foliage.	
	Spray leaves and tender new shoots.	
	ART: of steps above	
	To kills insects that may hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping.	
	ART: spraying undersides of leaves	

....

KILLS	On Flowers, Roses, Shrubs and Trees, Evergreens, Ground Covers, and Foliage Plants Dilute ½ fl. oz (1 Tablespoon) per gallon of water					
						Adelgids
	Ants	Grasshoppers	Mealybugs	Sawflies		
	Aphids Bagworms Boxelder bugs Clover mites	Gypsy moths	Midges Pine Shoot Moths Pine Tip Moths Plant bugs Psyllids Rose Midges	Scale insects (crawler stages) Spittlebugs		
		Japanese beetles				
		Lace bugs				
		Leaf-feeding beetles		Thrips		
	Cutworms	Leaf-feeding caterpillars		Weevils (including root weevils) Whiteflies		
	Elm leaf beetles	Leafhoppers (including Glassy-Winged Sharpshooters)				
	On Lawns & along Building Foundations					
	Dilute 3 fl. oz. per gallon of water (covers 500 sq. feet)					
	Annual Bluegrass	Clover mites	Flies	Sod webworms		
		weevil (hyperodes weevil)	Cockroaches	Grasshoppers	Sowbugs	
	Ants (including Carpenter Ants Armyworms Billbugs	Crickets	Hyperodes weevils	Spiders		
		Cutworms Earwigs Fire ants	Japanese beetles Mole crickets Mosquitoes	Ticks (including deer		
				ticks)		
				Wasps		
	Bluegrass billbugs	Fleas	Pillbugs	White grubs		
	Boxelder bugs					
	Caterpillars					
	Chiggers					
	Chinch bugs					
FOR BEST RESULTS	Rain or watering one hour after application will not wash away effectiveness.					
	After spraying the lawn, wait 24 hours before mowing.					
	<ul> <li>To avoid serious damage to plants, eliminate pests early in the season before they multiply. For severe infestations, repeat every 7 to 14 days as needed.</li> </ul>					
IOW THIS PRODUCT VORKS	This product is a totally different way to control the insects that want to destroy your prized roses, flowers, other ornamental plants, and lawn. The unique two-way blend of insecticides controls currer insect pest problems and prevents reinfestations for up to 30 days. The residual component is actual taken into the plant. Rain or water cannot wash off this internal protection! Insects are killed when they come into contact with the product or when they attempt to eat the plant.					



Children and pets may re-enter the treated area after spray has dried.

### **SPRAYER TYPES**

(ART: ICON OF PUMP TYPE)

### For Pump Style Tank Sprayer:

#### To make one gallon of spray:

- 1. Pour ½ fl. oz. (1 tablespoon= ½ fl. oz.) of the liquid concentrate.
- 2. Dilute with 1 gallon of water
- 3. Close sprayer and shake well before applying.

ccccc

### (ART: ICON OF DIAL TYPE)

#### For Dial-Style Hose-End Sprayers:

Dilution rate: 1/2 fl. oz per gallon (1 tablespoon= 1/2 fl. oz.)

Lawns & along building foundations: 3 fl. oz. per gallon per gallon of water (covers 500 sq. feet)

- 1. Fill sprayer jar with enough concentrate to cover area to be treated.
- 2. Close sprayer and set dial.
- 3. Attach sprayer to hose and apply.
- 4. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

### (ART: ICON OF Concentrate Plus Water Hose End TYPE)

#### For Concentrate-Plus-Water Hose-End Sprayers:

Dilution rate: ½ fl. oz per gallon (1 tablespoon = ½ fl. oz)

Lawns & along building foundations: 3 fl. oz. per gallon per gallon of water (covers 500 sq. feet)

- 1. Pour concentrate into sprayer jar to the required fluid ounce level.
- 2. Add the appropriate amount of water to the gallons level.
- 3. Replace sprayer top and shake well before applying.
- 4. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably locked storage cabinet.	
Disposal	Do not reuse container.     Place empty container in trash or offer for recycling if available.  If partly filled:	
	<ul> <li>Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions.</li> </ul>	
	Never place unused product down any indoor or outdoor drain.	

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

- Harmful if swallowed or inhaled.
- · Causes moderate eye irritation.
- · Avoid contact with skin, eyes or clothing.
- · Avoid breathing spray mist.
- Removing and washing contaminated clothing before reuse may reduce exposure.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

+ FIRST AID		
If swallowed	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>	
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	
If inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>	

**NOTE:** When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. For medical emergency information, you may call toll-free 1-877-229-3763. Active Ingredients: 0.36% Beta-cyfluthrin [CAS # 68359-37-5], 0.72% Imidacloprid [CAS# 138261-41-3].

### **ENVIRONMENTAL HAZARDS**

- · Do not apply directly to water.
- · This product is highly toxic to aquatic invertebrates and fish.
- Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.
- This pesticide is highly toxic to bees. Do not apply this product when bees are present.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.



www.bayeraduanced.com
A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709



Imidacloprid 0.72% + Beta-cyfluthrin 0.36% (MASTER) Approved 02/03/06, Notification 02/15/06, Notification 05/11/06, Notification 08/31/07, Notification 10/17/07, Notification 04/18/08