

72155-29

8/1/2011

1 of 15



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL, SAFETY
AND POLLUTION PREVENTION

AUG 01 2011

Annette Bloomberg
Bayer Advanced
2 TW Alexander Drive
Research Triangle Park, NC 27709

Subject: Amendment in response to agency letter; add marketing claims
EPA Registration No. 72155-29
Primary Brand Name: Imidacloprid 0.72% + Beta-cyfluthrin 0.36% Concentrate
Insecticide
Submission Date: May 25, 2011

Dear Ms. Bloomberg:

The labeling referred to above, submitted under FIFRA, as amended, is **acceptable**. Please submit one (1) final printed copy for the above mentioned label before releasing the product for shipment. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow.gene@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "John Hebert".

John Hebert
Product Manager 07
Insecticide-Rodenticide Branch
Registration Division (7505P)

2015

ACCEPTED
AUG 01 2011
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 72155-29

(Front Panel)

Imidacloprid 0.72%+Beta-cyfluthrin 0.36% Concentrate

(ABN) Bayer Advanced Complete brand Insect Killer for Soil and Turf Concentrate

This label contains two separate label statements for, **Outdoor Residential Pump Sprayer/Hose-end Sprayer Concentrate** product use and **Outdoor Residential Pre-Packaged Ready-To-Spray** product use.

- Rainproof 1 hour after application
- Just one application kills listed* insects
- Kills through contact
- Long lasting ... keeps on killing for weeks
- Kills through contact
- Protects up to 30 days against listed surface insects
- Rainproof protection
- Treats over 1000 rose bushes
- Makes up to 64 gallons of spray solution
- Ready-to-Spray
- New Convenient Pack
- No Mixing, No Measuring
- Covers 5,334 sq. ft. of lawn
- Contains Merit® and Tempo Ultra®
- Controls ants, fleas, ticks, grubs and other listed pests
- Controls listed* surface and sub-surface insects
- Kills over 50 listed* insect pests
- Long-Lasting Protection
- Kills listed* surface pests(insects) in 24 hours
- 2 way (action) Formula
- 2-Way Formula
- 2 Way Dual Action Formula
 - Kills insects above ground
 - Kills Insects below ground
- 100% Satisfaction Guaranteed or your money back
- Long lasting – up to 90-day subsurface insect protection
- Up to 90-day grub protection
- 90-day subsurface insect protection
- 3-month soil insect protection
- Formula works two ways for effective insect control
- Kills listed* soil insects for up to 3 months
- 25% more vs. 32 ounce size [40 ounce size]

ACTIVE INGREDIENTS:

Beta-cyfluthrin	0.36%
Imidacloprid	0.72%

OTHER INGREDIENTS 98.92%

* The word "listed" can appear as a footnote with the appropriate phrase, such as *listed insects

Net Contents: 32 fl. oz. (946 mL), 40 fl. oz.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

ACCEPTED
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No.

See Back Panel Booklet for Additional Ingredients and Precautionary Statements
Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens counties of New York.

(Ready-to-Spray Sub-Label)
(FRONT PANEL)

Imidacloprid 0.72%+Beta-cyfluthrin 0.36% Ready-to-Spray Insecticide

- Rainproof 1 hour after application
- Just one application kills listed* insects
- Kills through contact
- Long lasting ... keeps on killing for weeks
- Kills through contact
- Protects up to 30 days against listed surface insects
- Rainproof protection
- Treats over 1000 rose bushes
- Makes up to 64 gallons of spray solution
- Ready-to-Spray
- New Convenient Pack
- No Mixing, No Measuring
- Covers 5,334 sq. ft. of lawn
- Contains Merit® and Tempo Ultra®
- Controls ants, fleas, ticks, grubs and other listed pests
- Controls listed* surface and sub-surface insects
- Kills over 50 listed* insect pests
- Long-Lasting Protection
- Kills listed* surface pests(insects) in 24 hours
- 2 way (action) Formula
- 2-Way Formula
- 2 Way Dual Action Formula
 - Kills insects above ground
 - Kills Insects below ground
- 100% Satisfaction Guaranteed or your money back
- Long lasting – up to 90-day subsurface insect protection
- Up to 90-day grub protection
- 90-day subsurface insect protection
- 3-month soil insect protection
- Formula works two ways for effective insect control
- Kills listed* soil insects for up to 3 months
- 25% more vs. 32 ounce size [40 ounce size]

ACTIVE INGREDIENTS:

Beta-cyfluthrin	0.36%
Imidacloprid	0.72%
OTHER INGREDIENTS	98.92%

* The word "listed" can appear as a footnote with the appropriate phrase, such as *listed insects

Net Contents: 32 fl. oz. (946 mL), 40 fl. oz.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel Booklet for Additional Ingredients and Precautionary Statements
Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens counties of New York.

(BACK PANEL)

Imidacloprid 0.72% + Beta-cyfluthrin 0.36% READY-TO-SPRAY INSECTICIDE provides up to 30 days rainproof protection against listed* surface insects in a single application. Just hook-up to your garden hose and spray. No mixing and measuring hassles. No messy clean-up. Controlling listed insects on your roses, flowers and lawn has never been easier.

READ THE LABEL FIRST!

QUICK FACTS	
<ul style="list-style-type: none"> • Works 2 ways for effective insect control • Kills listed* insects both above and below ground • Long-lasting – up to 90-day subsurface insect protection 	
KILLS	Ants, fleas, ticks, grubs, chinch bugs, mole crickets, European crane fly larvae and other listed* pests
COVERAGE	<ul style="list-style-type: none"> • Makes up to 64 gallons of spray solution • Treats over 1000 rose bushes • Covers 5,334 sq. ft. of lawn
WHERE TO USE	Lawns, ground covers, flowers, trees & shrubs, along building foundations
WHEN TO USE	<ul style="list-style-type: none"> • When insects or damage first appear • Grubs: May through July
HOW MUCH TO USE	No measuring or mixing needed. Dilutes automatically as you spray.
For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724)	

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENTS:

Beta-cyfluthrin 0.36%
 Imidacloprid 0.72%

OTHER INGREDIENTS: 98.92%

TOTAL 100.00%

Beta-cyfluthrin is the chemical name for Tempo Ultra® Insecticide.

Imidacloprid is the chemical name for Merit® Insecticide.

EPA Reg. No. 72155-29

EPA Est. No. ____-AA-__

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before using read and follow all label directions.

BEFORE YOU USE

Read and follow these restrictions when using.

Restrictions

- When spraying the product on plants with flowers, apply during early morning or late evening, when bees are not present.
- Do not spray the product into fish pools, ponds, streams, or lakes.
- Remove animal feeding dishes prior to application. Keep children and pets away from treated areas until spray has dried.
- Do not harvest or consume fruits or nuts from trees that have been treated within 1 year.

HOW TO USE Shake Well Before Use

This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray. For grubs, water product in soon after application.

HOW TO ATTACH AND SPRAY

[Alternate Step 2 used when the product is either for Ornamental or Lawn use but not both.]

1. Connect your garden hose to the bottle. Be sure the blue water control valve on top of the spray nozzle is in the OFF position. Turn on water at faucet. <Icon – Water Control Valve in "OFF" Position>
2. To maximize the effectiveness of this product against your specific insect problems, two application settings have been developed. Be certain to choose the setting below which describes your use area (see below).


For Lawn Use and along Building Foundations: Pull the small, star-shaped, blue product-control button out until it stops. Twist the blue product-control button so that the "L" on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open. Proceed to step #3. <Icon – Product Control Button in Open "L" Position>

For All other uses: Pull the small star-shaped, blue product-control button out until it stops. Twist the product-control button so that the "G" on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open (The button will only go half way in for this setting). Proceed to step #3. <Icon – Product Control Button in Open "G" Position>


3. To begin spraying, point nozzle toward the area to be treated and turn the blue water control valve to the ON position. Tab will be horizontal. <Icon – Water Control Valve in "ON" Position>
Spray leaves and tender new shoots. To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping.
4. To stop spraying, turn the blue water control valve on top of the spray nozzle to OFF. To close, push in the small round button opposite the star-shaped product-control button. Turn off faucet.
5. Relieve water pressure by turning blue water control valve to the ON position until water slows to a drip. Turn blue water control valve back to OFF. Disconnect garden hose from bottle.

Continued on next page

DIRECTIONS FOR USE (Continued)				
KILLS	On Flowers, Roses, Shrubs and Trees, Evergreens, Ground Covers, and Foliage Plants			
	Adelegids	Fungus Gnats	Leafminers	Rose Slugs
	Ants	Grasshoppers	Mealybugs	Sawflies
	Aphids	Gypsy moths	Midges	Scale insects (crawler stages)
	Bagworms	Japanese beetles	Pine Shoot Moths	Spittlebugs
	Boxelder bugs	Lace bugs	Pine Tip Moths	Thrips
	Clover mites	Leaf-feeding beetles	Plant bugs	Weevils (including root weevils)
	Cutworms	Leaf-feeding caterpillars	Psyllids	Whiteflies
	Elm leaf beetles	Leafhoppers (including Glassy-Winged Sharpshooters)	Rose Midges	
	On Lawns & along Building Foundations			
	Annual Bluegrass weevil (hyperodes weevil)	Clover mites	Flies	Sod webworms
	Ants (including Carpenter Ants)	Cockroaches	Grasshoppers	Sowbugs
	Armyworms	Crickets	Hyperodes weevils	Spiders
	Billbugs	Cutworms	Japanese beetles	Ticks (including deer ticks)
	Bluegrass billbugs	Earwigs	Mole crickets	Wasps
	Boxelder bugs	Fire ants	Mosquitoes	White grubs
	Caterpillars	Fleas	Pillbugs	
	Chiggers			
	Chinch bugs			
FOR BEST RESULTS	<ul style="list-style-type: none"> • Rain or watering one hour after application will not wash away effectiveness. • After spraying the lawn, wait 24 hours before mowing. • To avoid serious damage to plants, eliminate pests early in the season before they multiply. For severe infestations, repeat every 7 to 14 days as needed. 			
HOW THIS PRODUCT WORKS	<p>This 2-way dual action product contains both contact and systemic insecticides and effectively controls listed insects infesting flowers, other ornamental plants, and lawns. The two-way blend of insecticides controls current infestations of listed insects and prevents reinfestations for up to 30 days for listed surface insects and 90 days for listed subsurface insects. The residual component is actually taken into the plant. Rain or water cannot wash off this internal protection! Listed* insects are killed when they come into contact with the product or when they attempt to eat the plant.</p>			

	Children and pets may re-enter the treated area after spray has dried.
-------------------------------------------------------------------------------------	------------------------------------------------------------------------

<p>Restrictions</p> <ul style="list-style-type: none"> • Do not water the treated area to the point of run-off • Do not make applications during rain. • All outdoor applications must be limited to spot or crack-and-crevice treatment only, except for the following permitted uses: <ol style="list-style-type: none"> (1) Treatment to soil or vegetation around structures; (2) Applications to lawns, turf, and other vegetation; (3) Applications to building foundations, up to a maximum height of 3 feet. • Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only. • Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Important – Directions for Storage and Disposal	
Pesticide Storage	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Pesticide Disposal 	<p>If empty:</p> <ul style="list-style-type: none"> • Non-refillable container. Do not refill or reuse container. • Place empty container in trash or offer for recycling if available. <p>If partly filled:</p> <ul style="list-style-type: none"> • Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. • Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Harmful if swallowed or inhaled.
- Causes moderate eye irritation.
- Avoid contact with skin, eyes or clothing.
- Avoid breathing spray mist.
- Removing and washing contaminated clothing before reuse may reduce exposure.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.



FIRST AID

If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. For medical emergency information, you may call toll-free 1-877-229-3763.

Active Ingredients: 0.36% Beta-cyfluthrin [CAS # 68359-37-5], 0.72% Imidacloprid [CAS# 138261-41-3].

ENVIRONMENTAL HAZARDS

- This product is highly toxic to aquatic invertebrates and fish.
- This pesticide is highly toxic to bees. Do not apply this product when bees are present.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

80415

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of Imidacloprid 0.72% + Beta-cyfluthrin 0.36% READY-TO-SPRAY INSECTICIDE under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

9 of 15

(Pump Sprayer/Hose-end Sprayer Sub-Label)
(FRONT PANEL)

Imidacloprid 0.72%+Beta-cyfluthrin 0.36% Concentrate

- Rainproof 1 hour after application
- Just one application kills listed* insects
- Kills through contact
- Long lasting ...keeps on killing for weeks
- Kills through contact
- Protects up to 30 days against listed surface insects
- Rainproof protection
- Treats over 1000 rose bushes
- Makes up to 64 gallons of spray solution
- Ready-to-Spray
- New Convenient Pack
- No Mixing, No Measuring
- Covers 5,334 sq. ft. of lawn
- Contains Merit® and Tempo Ultra®
- Controls ants, fleas, ticks, grubs and other listed pests
- Controls listed* surface and sub-surface insects
- Kills over 50 listed* insect pests
- Long-Lasting Protection
- Kills listed* surface pests(insects) in 24 hours
- 2 way (action) Formula
- 2-Way Formula
- 2 Way Dual Action Formula
 - Kills insects above ground
 - Kills Insects below ground
- 100% Satisfaction Guaranteed or your money back
- Long lasting – up to 90-day subsurface insect protection
- Up to 90-day grub protection
- 90-day subsurface insect protection
- 3-month soil insect protection
- Formula works two ways for effective insect control
- Kills listed* soil insects for up to 3 months
- 25% more vs. 32 ounce size [40 ounce size]

ACTIVE INGREDIENTS:

Beta-cyfluthrin	0.36%
Imidacloprid	0.72%
OTHER INGREDIENTS	98.92%

* The word "listed" can appear as a footnote with the appropriate phrase, such as *listed insects

Net Contents: 32 fl. oz. (946 mL), 40 fl. oz.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens counties of New York.

(BACK PANEL)

Contains Bayer's 2-way (dual action) formula for control of surface insects like ants, fleas, and ticks plus subsurface insects like grubs and European crane fly larvae in one easy step. Keeping your lawn free of listed nuisance pests has never been easier.

READ THE LABEL FIRST!

QUICK FACTS	
<ul style="list-style-type: none"> • Works 2 ways for effective insect control • Kills listed* insects both above and below ground • Long-lasting – up to 90-day subsurface insect protection 	
KILLS	Ants, fleas, ticks, grubs, chinch bugs, mole crickets, European crane fly larvae and other listed* pests
COVERAGE	<ul style="list-style-type: none"> • Makes up to 64 gallons of spray solution • Treats over 1000 rose bushes • Covers 5,334 sq. ft. of lawn
WHERE TO USE	Lawns, ground covers, flowers, roses, trees & shrubs, along building foundations
WHEN TO USE	<ul style="list-style-type: none"> • When insects or damage first appear • Grubs: May through July
HOW MUCH TO USE	Dilute ½ fl. oz (1 Tablespoon) per gallon of water For lawn pests and along building foundations, dilute 3 fl. oz. per gallon
	For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724)

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENTS:

Beta-cyfluthrin 0.36%

Imidacloprid 0.72%

OTHER INGREDIENTS: 98.92%

TOTAL..... 100.00%

Beta-cyfluthrin is the chemical name for Tempo Ultra® Insecticide.

Imidacloprid is the chemical name for Merit® Insecticide.

EPA Reg. No. 72155-29

EPA Est. No. ____-AA-__


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before using read and follow all label directions.

<p>BEFORE YOU USE Read and follow these restrictions when using.</p>	<p>Restrictions</p> <ul style="list-style-type: none"> • When spraying the product on plants with flowers, apply during early morning or late evening, when bees are not present. • Do not spray the product into fish pools, ponds, streams, or lakes. • Remove animal feeding dishes prior to application. Keep children and pets away from treated areas until spray has dried. • Do not harvest or consume fruits or nuts from trees that have been treated within 1 year.
<p>HOW TO USE</p>	<p>Shake well before using</p>
<p>MIXING & MEASURING</p>	<p>SEE SPRAYER TYPES</p>
<p>HOW MUCH TO USE</p>	<p>Dilute ½ fl. oz (1 Tablespoon) per gallon of water Lawns & along building foundations: 3 fl. oz. per gallon of water (covers 500 sq. feet)</p>
<p>HOW TO SPRAY</p>	<p>Adjust nozzle on your sprayer to desired spray pattern. Hold sprayer about 12 inches from foliage. Spray leaves and tender new shoots.</p> <p>ART: of steps above To kill insects that may hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping. ART: spraying undersides of leaves</p>

DIRECTIONS FOR USE (Continued)

KILLS	On Flowers, Roses, Shrubs and Trees, Evergreens, Ground Covers, and Foliage Plants Dilute ½ fl. oz (1 Tablespoon) per gallon of water			
	Adelgids Ants Aphids Bagworms Boxelder bugs Clover mites Cutworms Elm leaf beetles	Fungus Gnats Grasshoppers Gypsy moths Japanese beetles Lace bugs Leaf-feeding beetles Leaf-feeding caterpillars Leafhoppers (including Glassy-Winged Sharpshooters)	Leafminers Mealybugs Midges Pine Shoot Moths Pine Tip Moths Plant bugs Psyllids Rose Midges	Rose Slugs Sawflies Scale insects (crawler stages) Spittlebugs Thrips Weevils (including root weevils) Whiteflies
	On Lawns & along Building Foundations Dilute 3 fl. oz. per gallon of water (covers 500 sq. feet)			
	Annual Bluegrass weevil (hyperodes weevil) Ants (including Carpenter Ants) Armyworms Billbugs Bluegrass billbugs Boxelder bugs Caterpillars Chiggers Chinch bugs	Clover mites Cockroaches Crickets Cutworms Earwigs Fire ants Fleas	Flies Grasshoppers Hyperodes weevils Japanese beetles Mole crickets Mosquitoes Pillbugs	Sod webworms Sowbugs Spiders Ticks (including deer ticks) Wasps White grubs
FOR BEST RESULTS	<ul style="list-style-type: none"> • Rain or watering one hour after application will not wash away effectiveness. • After spraying the lawn, wait 24 hours before mowing. • To avoid serious damage to plants, eliminate pests early in the season before they multiply. For severe infestations, repeat every 7 to 14 days as needed. 			
HOW THIS PRODUCT WORKS	<ul style="list-style-type: none"> • This 2-way dual action product contains both contact and systemic insecticides and effectively controls listed insects infesting flowers, other ornamental plants, and lawns. The two-way blend of insecticides controls current infestations of listed insects and prevents reinfestations for up to 30 days for listed surface insects and 90 days for listed subsurface insects. The residual component is actually taken into the plant. Rain or water cannot wash off this internal protection! Listed* insects are killed when they come into contact with the product or when they attempt to eat the plant. 			

	Children and pets may re-enter the treated area after spray has dried.
-------------------------------------------------------------------------------------	------------------------------------------------------------------------

<p>Restrictions</p> <ul style="list-style-type: none"> Do not water the treated area to the point of run-off Do not make applications during rain. All outdoor applications must be limited to spot or crack-and-crevice treatment only, except for the following permitted uses: <ol style="list-style-type: none"> Treatment to soil or vegetation around structures; Applications to lawns, turf, and other vegetation; Applications to building foundations, up to a maximum height of 3 feet. Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.


SPRAYER TYPES

(ART: ICON OF PUMP TYPE)
For Pump Style Tank Sprayer:
To make one gallon of spray:
<ol style="list-style-type: none"> Pour ½ fl. oz. (1 tablespoon= ½ fl. oz.) of the liquid concentrate. Dilute with 1 gallon of water Close sprayer and shake well before applying.

(ART: ICON OF DIAL TYPE)
For Dial-Style Hose-End Sprayers:
Dilution rate: ½ fl. oz per gallon (1 tablespoon= ½ fl. oz.)
Lawns & along building foundations: 3 fl. oz. per gallon per gallon of water (covers 500 sq. feet)
<ol style="list-style-type: none"> Fill sprayer jar with enough concentrate to cover area to be treated. Close sprayer and set dial. Attach sprayer to hose and apply. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

(ART: ICON OF Concentrate Plus Water Hose End TYPE)
For Concentrate-Plus-Water Hose-End Sprayers:
Dilution rate: ½ fl. oz per gallon (1 tablespoon = ½ fl. oz)
Lawns & along building foundations: 3 fl. oz. per gallon per gallon of water (covers 500 sq. feet)
<ol style="list-style-type: none"> Pour concentrate into sprayer jar to the required fluid ounce level. Add the appropriate amount of water to the gallons level. Replace sprayer top and shake well before applying. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

Important – Directions for Storage and Disposal

Pesticide Storage	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Pesticide Disposal 	If empty: <ul style="list-style-type: none"> • Non-refillable container. Do not refill or reuse container. • Place empty container in trash or offer for recycling if available. If partly filled: <ul style="list-style-type: none"> • Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. • Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION <ul style="list-style-type: none"> • Harmful if swallowed or inhaled. • Causes moderate eye irritation. • Avoid contact with skin, eyes or clothing. • Avoid breathing spray mist. • Removing and washing contaminated clothing before reuse may reduce exposure. • Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

+ FIRST AID

If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. For medical emergency information, you may call toll-free 1-877-229-3763.

Active Ingredients: 0.36% Beta-cyfluthrin [CAS # 68359-37-5], 0.72% Imidacloprid [CAS# 138261-41-3].

150915

ENVIRONMENTAL HAZARDS

- This product is highly toxic to aquatic invertebrates and fish.
- This pesticide is highly toxic to bees. Do not apply this product when bees are present.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.



A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709

Imidacloprid 0.72% + Beta-cyfluthrin 0.36% (PENDING) Submitted 05/26/10, Resubmitted 03/25/11, Resubmitted 07/25/11