

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON. DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 10, 2017

Norma C. Pangilinan, Ph. D. Bayer CropScience LP 2 T.W. Alexander Drive Research Triangle Park, NC 27709

Subject: Label Amendment – Changing listed to listed\* and update application instruction

Product Name: Imidacloprid 0.72% Beta-cyfluthrin 0.36% Concentrate

EPA Registration Number: 72155-29

Application Date: May 5, 2016 Decision Number: 518249

Dear Dr. Pangilinan,

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Jessica Rogala by phone at 703-347-0263, or via email at rogala.jessica@epa.gov.

Page 2 of 2 EPA Reg. No. 72155-29 Decision No. 518249

Sincerely,

Elyssa Arnold, Acting Product Manager 01

Invertebrate & Vertebrate Branch 3 Registration Division (7505P)

Office of Pesticide Programs

Enclosure

#### [Master Label]

[This master label contains two sub-labels, A and B, and each sub-label is marketed with an alternate brand name.]

[This label contains two separate label statements for, Outdoor Residential Pump Sprayer/Hose and Sprayer Concentrate product use (Sub-label B) and Outdoor Residential Pre-Packaged Ready-To-Spray product use (Sub-label A.]

(FRONT PANEL)

# Imidacloprid 0.72%+Beta-cyfluthrin 0.36% Concentrate

(ABN) Bayer Advanced Complete brand Insect Killer for Lawns; Bayer Advanced Complete brand Insect Killer for Soil and Lawn; IMIDACLOPRID 0.72% + BETA-CYFLUTHRIN 0.36% READY-TO-SPRAY INSECTICIDE; Bayer Advanced Complete Brand Insect Killer For Soil And Turf Ready-To-Spray; Bayer Advanced Complete Brand Insect Killer For Soil And Turf Concentrate; Bayer Advanced Fire Ant Killer Plus Ready-to-Spray; Bayer Advanced Fire Ant Killer Plus Insect Control Ready-to-Spray

- Rainproof 1 hour after application
- Kills listed [\*] insects through contact
- Protects up to 30 days against listed [\*] surface insects
- Rainproof protection
- Makes up to 64 gallons of spray solution
- Ready-to-Spray
- No Mixing, No Measuring
- Covers 5,334 sq ft of lawn
- Controls ants\*\*, fleas, ticks, grubs, and other listed [\*] insects
- Controls listed [\*] surface and sub-surface insects
- Kills listed [\*] surface insects in 24 hours
- 2-Way (Dual Action) Formula
  - Kills listed [\*] insects above ground
  - Kills listed [\*] insects below ground

- 100% Satisfaction Guaranteed or your money back
- Long lasting up to 90-day subsurface insect protection
- Up to 90-day grub protection
- 90-day subsurface listed [\*] insect protection
- 3-month listed [\*] soil insect protection
- Formula works two ways for effective listed [\*] insect control
- Kills listed [\*] soil insects for up to 3 months
- 25% more vs. 32 ounce size [40 ounce size]
- Kills Stink Bugs (including Brown Marmorated Stink Bugs and Kudzu Bugs)
- 2-Way (Dual Action) Formula
  - Kills listed [\*] surface insects in 24 hours
  - Kills listed [\*] soil insects for up to 3 months
- Concentrate

ACTI\	/E II			ITC.
ALIIN		MC3K	מחו	113

Beta-cyfluthrin	0.36%
Imidacloprid	0.72%
OTHER INGREDIENTS:	98 92%
one work and the second of the	JO.02 /0
TOTAL:	00 00%

This bottle contains [X] lbs of imidacloprid.

\*listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

\*\* Except pharaoh ants

STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN
CAUTION

ACCEPTED

03/10/2017

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 704 F.F. 00

72155-29

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

# Imidacloprid 0.72%+Beta-cyfluthrin 0.36% Ready-to-Spray Insecticide

(ABN) Bayer Advanced Complete brand Insect Killer for Lawns; Bayer Advanced Complete brand Insect Killer for Soil and Lawn; Bayer Advanced Complete Brand Insect Killer For Soil And Turf Ready-To-Spray; Bayer Advanced Fire Ant Killer Plus Ready-to-Spray; Bayer Advanced Fire Ant Killer Plus Insect Control Ready-to-Spray

- · Rainproof 1 hour after application
- Kills listed [\*] insects through contact
- Protects up to 30 days against listed surface insects
- Rainproof protection
- Makes up to 64 gallons of spray solution
- Ready-to-Spray
- No Mixing, No Measuring
- Covers 5,334 sq ft of lawn
- Controls ants\*\*, fleas, ticks, grubs, and other listed insects
- Controls listed [\*] surface and sub-surface insects
- Kills listed [\*] surface insects in 24 hours
- 2 Way (Dual Action) Formula
  - Kills listed [\*] insects above ground
  - Kills listed [\*] insects below ground
- 100% Satisfaction Guaranteed or your money back
- Long lasting up to 90-day subsurface listed [\*] insect protection
- Up to 90-day grub protection
- 90-day subsurface listed [\*] insect protection
- 3-month soil listed [\*] insect protection
- Formula works two ways for effective listed [\*] insect control

- Kills listed [\*] soil insects for up to 3 months
- 25% more vs. 32 ounce size [40 ounce size]
- Kills Stink Bugs (including Brown Marmorated Stink Bugs and Kudzu Bugs)
- 2-Way (Dual Action) Formula
  - Kills listed [\*] surface insects in 24 hours
  - Kills listed [\*] soil insects for up to 3 months
- Ready to spray
- Easy hold
- EZ Sprayer
- One-touch sprayer
- EZ grip
- Ergo grip
- Simple sprayer
- EZ grip
- One touch
- · Spray n go
- Thumb switch
- Handy sprayer
- EZ touch
- · One-touch application

#### **ACTIVE INGREDIENTS:**

Beta-cyfluthrin	
Imidacloprid	
OTHER INGREDIENTS:	
TOTAL:	100.00%

This bottle contains [X] lbs of imidacloprid.

<sup>\*</sup>listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

<sup>\*\*</sup> Except pharaoh ants

#### STOP - Read This Entire Label Before Use

# KEEP OUT OF REACH OF CHILDREN

# **CAUTION**

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens Counties of New York.

#### (BACK PANEL)

Imidacloprid 0.72% + Beta-cyfluthrin 0.36% Ready-to-Spray Insecticide provides up to 30 days rainproof protection against listed [\*] surface insects in a single application. Just hook up to your garden hose and spray. No mixing and measuring hassles. No messy clean-up. Controlling listed [\*] insects on your lawn has never been easier.

#### **READ THE LABEL FIRST!**

(Note to PM: Reference Statement for Booklets)

[For ADDITIONAL PRECAUTIONARY STATEMENTS and DIRECTIONS FOR USE: See Inside Booklet.]

[Open resealable label for Additional Product Information] [and directions for use]

[Peel back for additional Precautionary statements [and Directions for Use]

[Open Resealable Label for Directions For Use & [and] Precautionary Statements].

#### **QUICK FACTS**

- Works 2 ways for effective listed [\*] insect control
- Kills listed [\*] insects both above and below ground

<ul> <li>Long-lasting – up</li> </ul>	to 90-day subsurface insect protection		
KILLS	Ants**, fleas, ticks, grubs, chinch bugs, mole crickets, European crane fly larvae, stink bugs (including brown marmorated stink bugs and kudzu bugs), and other listed [*] insects.		
COVERAGE	Makes up to 64 gallons of spray solution		
COVERAGE	Covers 5,334 sq ft of lawn		
WHERE TO USE	Lawns and along building foundations only		
WHEN TO USE	When listed [*] insects or damage first appear		
WHEN TO USE	Grubs: May through July		
HOW MUCH TO USE	No measuring or mixing needed. Dilutes automatically as you spray.		
	For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724) or visit our website at <a href="https://www.bayeradvanced.com">www.bayeradvanced.com</a>		

#### FOR OUTDOOR RESIDENTIAL USE ONLY

#### **ACTIVE INGREDIENTS:**

Beta-cyfluthrin	. 0.36%
Imidacloprid	0.72%
OTHER INGREDIENTS:	. <u>98.92%</u>
TOTAL:	100.00%

This bottle contains [X] lbs of imidacloprid.

EPA Est. No. \_\_\_\_-AA-\_\_ EPA Reg. No. 72155-29

<sup>\*</sup>listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

<sup>\*\*</sup> Except pharaoh ants

	♣ FIRST AID
	Call a poison control center or doctor immediately for treatment advice.
If swallowed:	Have person sip a glass of water if able to swallow.
ii Swallowed.	Do not induce vomiting unless told to by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
	Take off contaminated clothing.
If on skin or clothing:	Rise skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
	Call a poison control center or doctor for treatment advice.
	Move person to fresh air.
If inhaled:	If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
	Call a poison control center or doctor for further treatment advice.

**NOTE:** Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergency information, you may call toll-free 1-877-229-3763.

Active Ingredients: 0.36% Beta-cyfluthrin [CAS # 68359-37-5], 0.72% Imidacloprid [CAS# 138261-41-3].

# PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### **CAUTION**

- Harmful if swallowed.
- Harmful if absorbed through skin.
- · Harmful if inhaled.
- Causes moderate eye irritation.
- Avoid contact with skin, eyes, or clothing.
- Avoid breathing spray mist or vapor.
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove and wash contaminated clothing before reuse.

### **ENVIRONMENTAL HAZARDS**

- This product is highly toxic to aquatic invertebrates and fish.
- This pesticide is highly toxic to bees. Do not apply this product when bees are foraging.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read and follow all label restrictions and directions when using this product.

#### **BEFORE YOU USE**

#### **RESTRICTIONS:**

- Do not spray the product into fish pools, ponds, streams, or lakes.
- Remove animal feeding dishes prior to application. Keep people and pets away from treated areas until spray has dried.
- Do not make applications during rain.
- All outdoor applications must be limited to spot or crack and crevice treatment only, except for the following permitted uses:
  - (1) Treatment to soil around structures up to a maximum distance of 3 feet from structure
  - (2) Applications to lawns
  - (3) Applications to building foundations, up to a maximum height of 3 feet.
- Other than applications to building foundations, all outdoor applications to impervious surfaces such
  as sidewalks, driveways, patios, porches, and structural surfaces (such as windows, doors, and
  eaves) are limited to spot and crack and crevice applications, only.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- For Outdoor Residential Use Only.
- Do not apply more than 0.4 lb of active ingredient [x bottles] per acre per year. This bottle contains [X] lbs of imidacloprid.
- Do not mow lawn area for 24 hours after application.
- Do not allow runoff or puddling of irrigation water following application.
- Do not apply to areas which are water logged or saturated, which will not allow penetration into the root zone of the plant.
- Not for turf/sod production
- Do not allow people and pets to enter the treated area until after spray has dried.

**HOW TO USE** 

Shake Well Before Use. This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray. For grubs, water product in soon after application.

# HOW TO ATTACH AND SPRAY

# [Optional Sprayer Directions 1]

HOW TO USE
[ For Ready to spray hose end bottle]

[1. Connect your garden hose to the bottle. Be sure the [blue] water control valve on top of the spray nozzle is in the OFF position. Turn on water at faucet. <Icon – Water Control Valve in "OFF" Position>

Shake Well Before Use

To maximize the effectiveness of this product against your specific insect problems, two application settings have been developed. Be certain to choose the L position, which is for Lawn Use and along Building Foundations.



Pull the small, star-shaped, blue product-control button out until it stops. Twist the blue product-control button so that the "L" on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open. <lcon – Product Control Button in Open "L" Position>]



#### [Optional Sprayer Directions 2]

#### **[CONNECT**

- 1. Shake well before use.
- 2. Connect sprayer to garden hose.
- 3. Turn on water.

#### **SPRAY**

- 1. Extend hose to farthest area to be treated, point sprayer nozzle in direction to be sprayed.
- 2. Begin spraying <Insert sprayer-specific language here> [Hayes HP-2 and Calmar RTS] sprayers: Press lock tab while using other hand to turn sprayer valve to ON position.
- 3. Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap the treated areas. Work back toward the faucet to avoid walking over wet, treated area.

#### **FINISH**

- To stop spraying, < Insert sprayer-specific language here.> [Hayes HP-2 RTS sprayer]: Press lock tab while using other hand to turn sprayer valve to OFF position. Calmar & Green Garden RTS sprayers: turn sprayer valve to OFF position.
- 2. Turn off water at faucet.
- 3. Relieve water pressure in hose by turning sprayer valve back to ON position until water slows to a drip then turn sprayer valve to OFF position.
- 4. Disconnect sprayer from hose.]

### [OPTIONAL SPRAYER DIRECTIONS 3]

#### [CONNECT


- 1. Shake well before use.
- 2. Securely Connect sprayer to garden hose.
- 3. Be sure that ON/OFF Switch is in OFF position, toward hose end of sprayer.
- 4. Turn on water at faucet.
- 5. For first time use, remove plastic shipping lock from beneath switch.

#### **SPRAY**

- 1. Extend hose to farthest area to be treated, point sprayer nozzle in direction to be sprayed.
- 2. Begin spraying Push ON/OFF Switch forward into ON position.
- 3. Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap treated areas. Work back toward faucet to avoid walking over wet, treated grass.

#### **FINISH**

- 1. To stop spraying, push ON/OFF Switch to OFF position.
- 2. Turn off water at faucet.
- 3. Relieve water pressure in hose by turning ON/OFF Switch back to ON position until water slows to a drip, then return ON/OFF switch to OFF position.
- 4. Disconnect sprayer from hose.]



KILLS	Annual Bluegrass	Clover mites	Flies	Sod webworms
	weevil (hyperodes weevil)	Cockroaches	Grasshoppers	Sowbugs
	Ants**	Crickets	Hyperodes weevils	Spiders
	Carpenter Ants	Cutworms	Japanese beetles	Stink Bugs (including
	Armyworms	Earwigs	Mole crickets	Brown Marmorated Stink Bugs and
	Billbugs	European crane fly	Mosquitoes	Kudzu Bugs)
	Bluegrass billbugs	larvae	Pillbugs	Ticks (including deer
	Boxelder bugs	Fire ants Fleas		ticks)
	Caterpillars	rieas		Wasps
	Chiggers			White grubs
	Chinch bugs			
USE INFORMATION	Rain or watering or	ne hour after application wi	Il not wash away effectivene	ess.
		amage to plants, eliminate , repeat every 7 to 14 days	pests early in the season b as needed.	efore they multiply. For
HOW THIS PRODUC WORKS	listed [*] insects infestin insects and prevents re subsurface insects. The	ng lawns. The two-way bler sinfestations for up to 30 da e residual component is ac listed [*] insects are killed	ays for listed surface insects tually taken into the plant. F	urrent infestations of listed [*]

#### Restrictions

- Do not apply more than 0.4 lbs a.i./A/year or [xx bottles]/A/year.
- Do not apply this product or allow it to drift to plants and trees. Only for use on lawns and building foundations.

#### **Application Instructions**

To avoid serious damage to lawns, eliminate pests early in the season before they multiply. For severe infestations, repeat every 7 to 14 days as needed, but not to exceed maximum rate per year.

<sup>\*</sup>listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

<sup>\*\*</sup> Except pharaoh ants

Do not contaminate water, food, or feed b	STORAGE AND DISPOSAL by storage or disposal.
Pesticide Storage	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Container Handling  If empty:  Non-refillable container. Do not refill or reuse container.  Place empty container in trash or offer for recycling if available.	
	If partly filled:
	<ul> <li>Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions.</li> </ul>
	Never place unused product down any indoor or outdoor drain.

.

#### **NOTICE**

Research and testing have determined that the "Directions For Use" are appropriate for the proper use of Imidacloprid 0.72% + Betacyfluthrin 0.36% Ready-to-Spray Insecticide under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

[Optional Text] [IMPORTANT: Read the entire Directions for Use, Conditions of Sale and Disclaimer of Warranties and Limitations of Liability before using this product.

CONDITIONS OF SALE: The directions for use of this product have been determined to be appropriate for the correct use of this product. This product has been tested under different environmental conditions similar to those that are ordinary and customary where the product is to be used. Insufficient control of pests or plant injury may result from the occurrence of extraordinary or unusual conditions, or from failure to follow label directions. In addition, failure to follow label directions may cause injury to animals, man and damage to the environment. Manufacturer and Seller offer, and the buyer accepts and uses, this product subject to the conditions that extraordinary or unusual environmental conditions, or failure to follow label directions are beyond the control of Manufacturer and Seller and are, therefore, the responsibility of the buyer.

#### LIMITED WARRANTY AND LIMITATION OF DAMAGES

Manufacturer and Seller warrant that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH

APPLICABLE LAW, MANUFACTURER AND SELLER MAKE NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Manufacturer or Seller is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.]

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Net Contents: 32 fl oz (946 mL), 40 fl oz PRODUCED FOR



A Business Unit of Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 (Sub-Label B: Pump Sprayer/Hose-end Sprayer Sub-Label)

(FRONT PANEL)

# Imidacloprid 0.72%+Betacyfluthrin 0.36% Concentrate

(ABN) Bayer Advanced Complete <sub>brand</sub> Insect Killer for Lawns; Bayer Advanced Complete <sub>brand</sub> Insect Killer for Soil and Lawn; Bayer Advanced Complete Brand Insect Killer For Soil And Turf Concentrate

- Rainproof 1 hour after application
- Kills listed [\*] insects through contact
- Protects up to 30 days against listed surface insects
- Rainproof protection
- Makes up to 64 gallons of spray solution
- Covers 5,334 sq ft of lawn
- Controls ants\*\*, fleas, ticks, grubs, and other listed insects
- Controls listed [\*] surface and sub-surface insects
- Kills listed [\*] surface insects in 24 hours
- 2 Way (Dual Action) Formula

ACTIVE INGREDIENTS:

- Kills insects above ground
- Kills Insects below ground
- 100% Satisfaction Guaranteed or your money back

- Long lasting up to 90-day subsurface insect protection
- Up to 90-day grub protection
- 90-day subsurface insect protection
- · 3-month soil listed [\*] insect protection
- Formula works two ways for effective listed [\*] insect control
- Kills listed [\*] soil insects for up to 3 months
- 25% more vs. 32 ounce size [40 ounce size]
- Kills Stink Bugs (including Brown Marmorated Stink Bugs and Kudzu Bugs)
- 2-Way (Dual Action) Formula
  - Kills listed [\*] surface insects in 24 hours
  - Kills listed [\*] soil insects for up to 3 months
- Concentrate

ACTIVE INGREDIENTS.	
Beta-cyfluthrin	
Imidacloprid	
OTHER MOREDIENTS.	00.000/

TOTAL: 98.92%

This bottle contains [X] lbs of imidacloprid.

\*listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN
CAUTION

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens Counties of New York.

<sup>\*\*</sup> Except pharaoh ants

#### (BACK PANEL)

Contains Bayer's 2-way (dual action) formula for control of surface listed [\*] insects like ants\*\*, fleas, and ticks plus subsurface listed [\*] insects like grubs and European crane fly larvae in one easy step. Keeping your lawn free of listed [\*] nuisance insects has never been easier.

#### **READ THE LABEL FIRST!**

(Note to PM: Reference Statement for Booklets)

[For ADDITIONAL PRECAUTIONARY STATEMENTS and DIRECTIONS FOR USE: See Inside Booklet.]

[Open resealable label for Additional Product Information] [and directions for use]

[Peel back for additional Precautionary statements [and Directions for Use]

[Open Resealable Label for Directions For Use & [and] Precautionary Statements].

www.bayeradvanced.com

# QUICK FACTS For effective listed [\*] insect control Kills listed [\*] insects both above and below ground Long-lasting – up to 90-day subsurface listed [\*] insect protection Ants\*\*, fleas, ticks, grubs, chinch bugs, mole crickets, European crane fly larvae, stink bugs (including **KILLS** brown marmorated stink bugs and kudzu bugs), and other listed [\*] insects Makes up to 64 gallons of spray solution (80 gal for 40 oz size) **COVERAGE** Covers 5,334 sq ft of lawn Lawns and along building foundations only WHERE TO USE When listed [\*] insects or damage first appear WHEN TO USE Grubs: May through July **HOW MUCH TO USE** Dilute 3 fl oz (6 Tablespoons) per gallon For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724) or visit our website at

#### FOR OUTDOOR RESIDENTIAL USE ONLY

#### **ACTIVE INGREDIENTS:**

Beta-cyfluthrin	0.36%
Imidacloprid	0.72%
OTHER INGREDIENTS:	98.92%
TOTAL:	00.00%
OTHER INGREDIENTS:	98.92%

This bottle contains [X] lbs of imidacloprid.

EPA Reg. No. 72155-29

EPA Est. No. \_\_\_\_-AA-\_\_

<sup>\*</sup>listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

<sup>\*\*</sup> Except pharaoh ants

	<b>♣</b> FIRST AID
	Call a poison control center or doctor immediately for treatment advice.
lf awallawad.	Have person sip a glass of water if able to swallow.
If swallowed:	Do not induce vomiting unless told to by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
	Take off contaminated clothing.
If on skin or clothing:	Rise skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
	Call a poison control center or doctor for treatment advice.
	Move person to fresh air.
If inhaled:	If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
	Call a poison control center or doctor for further treatment advice.

**NOTE:** Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergency information, you may call toll-free 1-877-229-3763.

Active Ingredients: 0.36% Beta-cyfluthrin [CAS # 68359-37-5], 0.72% Imidacloprid [CAS# 138261-41-3].

# PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### **CAUTION**

- · Harmful if swallowed.
- · Harmful if absorbed through skin.
- Harmful if inhaled.
- Causes moderate eye irritation.
- Avoid contact with skin, eyes, or clothing.
- Avoid breathing spray mist or vapor.
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove and wash contaminated clothing before reuse.

#### **ENVIRONMENTAL HAZARDS**

- This product is highly toxic to aquatic invertebrates and fish.
- This pesticide is highly toxic to bees. Do not apply this product when bees are foraging.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

it is a violation of a ederal law to use this product in a mariner inconsistent with its labeling.				
	ns and directions when using this product.			
BEFORE YOU USE	RESTRICTIONS:			
	Do not spray the product into fish pools, ponds, streams, or lakes.			
	Remove animal feeding dishes prior to application. Keep people and pets away from treated areas until spray has dried.			
	Do not make applications during rain.			
	All outdoor applications must be limited to spot or crack and crevice treatment only, except for the following permitted uses:			
	<ul><li>(1) Treatment to soil around structures up to a maximum distance of 3 feet from structure</li><li>(2) Applications to lawns</li></ul>			
	(3) Applications to building foundations, up to a maximum height of 3 feet.			
	Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches, and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack and crevice applications, only.			
	<ul> <li>Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.</li> </ul>			
	For Outdoor Residential Use Only.			
	Do not apply more than 0.4 lb of active ingredient [X bottles] per acre per year. This bottle contains [X] lbs of imidacloprid.			
	Do not mow lawn area for 24 hours after application.			
	Do not allow runoff or puddling of irrigation water following application.			
(ART)	Do not apply to areas which are water logged or saturated, which will not allow penetration into the root zone of the plant.			
	Do not allow people and pets to enter the treated area until after spray has dried.			
MIXING & MEASURING	Shake Well Before Use. SEE SPRAYER TYPES			
HOW MUCH TO USE	Dilute 3 fl oz (6 Tablespoons) per gallon of water (covers 500 sq ft)			
HOW TO SPRAY	Adjust nozzle on your sprayer to desired spray pattern.			

KILLS	Annual Bluegrass weevil (hyperodes weevil)  Ants** Carpenter Ants Armyworms Billbugs Bluegrass billbugs Boxelder bugs Caterpillars Chiggers Chinch bugs	Clover mites Cockroaches Crickets Cutworms Earwigs European crane fly larvae Fire ants Fleas	Flies Grasshoppers Hyperodes weevils Japanese beetles Mole crickets Mosquitoes Pillbugs	Sod webworms Sowbugs Spiders Stink Bugs (including Brown Marmorated Stink Bugs and Kudzu Bugs) Ticks (including deer ticks) Wasps White grubs	
USE INFORMATION	Rain or watering or	Rain or watering one hour after application will not wash away effectiveness.			
HOW THIS PRODUCT WORKS	listed [*] insects infesting insects and prevents resubsurface insects. The this internal protection!	This 2-way dual action product contains both contact and systemic insecticides and effectively controls listed [*] insects infesting lawns. The two-way blend of insecticides controls current infestations of listed [*] insects and prevents reinfestations for up to 30 days for listed [*] surface insects and 90 days for listed [*] subsurface insects. The residual component is actually taken into the plant. Rain or water cannot wash off this internal protection! listed [*] insects are killed when they come into contact with the product or when they attempt to eat the plant.			

<sup>\*</sup>listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

<sup>\*\*</sup> Except pharaoh ants

#### SPRAYER TYPES

#### For Pump Style Tank Sprayer:

#### To make one gallon of spray:

- 1. Pour 1/2 fl oz (1 Tablespoon = 1/2 fl oz) of the liquid concentrate.
- 2. Dilute with 1 gallon of water.
- 3. Close sprayer and shake well before applying.

#### For Dial-Style Hose-End Sprayers:

Dilution rate: 3 fl oz (6 Tablespoons) per gallon per gallon of water (covers 500 sq ft)

- 1. Fill sprayer jar with enough concentrate for the area to be treated. DO NOT ADD WATER.
- 2. Close sprayer and set dial as recommended below:
  - ()Ortho Dial 'N Spray Setting: 2.5 OZ
  - ()Chameleon Hose-End Sprayer Setting: 1.5 OZ
    - TIP: The numbers on dial indicate amount of concentrate per gallon of spray.
- 3. Hook to garden hose and apply.
  - To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray
- 4. Pour any unused product back into this original container.

#### For Concentrate-Plus-Water Hose-End Sprayers:

Dilution rate: 3 fl oz (6 Tablespoons) per gallon per gallon of water (covers 500 sq ft)

- 1. Pour concentrate into sprayer jar to the required fluid ounce level.
- 2. Add the appropriate amount of water to the gallons level.
- 3. Replace sprayer top and shake well before applying.
- 4. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

STORAGE AND DISPOSAL  Do not contaminate water, food, or feed by storage or disposal.			
Pesticide Storage	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.		
Container Handling	If empty:  Non-refillable container. Do not refill or reuse container. Place empty container in trash or offer for recycling if available.  If partly filled:		
	<ul> <li>Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions.</li> <li>Never place unused product down any indoor or outdoor drain.</li> </ul>		

#### **NOTICE**

Research and testing have determined that the "Directions For Use" are appropriate for the proper use of Imidacloprid 0.72% + Betacyfluthrin 0.36% Ready-to-Spray Insecticide under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

[Optional Text] [IMPORTANT: Read the entire Directions for Use, Conditions of Sale and Disclaimer of Warranties and Limitations of Liability before using this product.

CONDITIONS OF SALE: The directions for use of this product have been determined to be appropriate for the correct use of this product. This product has been tested under different environmental conditions similar to those that are ordinary and customary where the product is to be used. Insufficient control of pests or plant injury may result from the occurrence of extraordinary or unusual conditions, or from failure to follow label directions. In addition, failure to follow label directions may cause injury to animals, man and damage to the environment. Manufacturer and Seller offer, and the buyer accepts and uses, this product subject to the conditions that extraordinary or unusual environmental conditions, or failure to follow label directions are beyond the control of Manufacturer and Seller and are, therefore, the responsibility of the buyer.

LIMITED WARRANTY AND LIMITATION OF DAMAGES: Manufacturer and Seller warrant that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER AND SELLER MAKE NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Manufacturer or Seller is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.]

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Net Contents: 32 fl oz (946 mL), 40 fl oz

PRODUCED FOR



A Business Unit of Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709

 $\label{eq:limidacloprid} Imidacloprid 0.72\% + Beta-cyfluthrin 0.36\% (PENDING) 01/26/2016, 04/15/2016, 05/02/2016, 05/04/2016, 08/19/2016, 08/23/2016, 08/24/2016, 09/14/2016, 09/29/2016, 9/30/2016, 10/03/2016, 02/03/17 \\$