Please read instructions on	reverse before completi	ing form.	3 20	U. G. Appre	oved. OMB No.	2070-0060	Approvel expires 2-28-95
⊗EPA	United States Environmental Protection Agency Weshington, DC 20460				Registr Amend Other		OPP Identifier Number
	4	Application f	or Pestic	de - Section	on I		
		2. EPA	2. EPA Product Manager 3. Proposed Classification				
		PM# cide 4A	PM# (L		None Restricted		
5. Name and Address of Applicant (Include ZIP Code) Bayer Advanced 95 Chestnut Ridge Rd. Montvale, NJ 07645 Check if this is a new address		(b)(i), r to: EPA	Product Name				
			Section -	8L			IOTIE: 0 and a second
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.			Final printed I Agency letter "Me Too" Ap Other - Explai	plication.		IAN 1 3 20014	
See Attached							
		S	ection - l	<u> </u>			
Material This Product Will Child-Resistant Packaging Yes No Certification must be submitted	Unit Packaging Yes No If "Yes" No, per If "Yes"		Yes No "Yes" sckage wgt	No. per	2. Type of	Container Metal Plastic Glass Paper Other (Sp	pecify)
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Lab			bel Direction	16			
6. Manner in Which Label is Affixed to Product Paper glued Stenciled Cother Cot							
		S	ection - I	<u>v</u>		·	
1. Contact Point (Complete	items directly below for	r identification of I	individual to b	e contacted, if	necessery, to p	rocess this e	opplication.)
Name Title Charles W. Boyd Registra			j ·		Telephone (201) 307-	No. (Include Area Code) 3140	
	ments I have made on t ly knowlinglly false or m law.					mplete.	g.*Data*Application Received • (Stamped)
Charlo W. Boyd Re			istrations Man	trations Manager			*****
4. Typed Name Charles W. Boyd		12/16	103			• • • • • • • • • • • • • • • • • • •	

0.15% Imidacloprid + 0.5% Beta-cyfluthrin Granular Insecticide

Page 1 of 1

EPA Reg. No. 72155-31 **December** 16, 2003

Section II - Explanation

Bayer Advanced is submitting a **Notification** to add the following claims to the label for the above-mentioned product. The following claim has been added to the label:

3-month soil insect protection

This claim is simply a rewording of an existing claim. We have also updated the disposal section of the label in accordance with PR Notice 2001-6.

In addition we have added European crane fly larvae to the pest list.

We have also added an alternate brand name "Bayer Advanced Lawn Complete Insect Killer for Soil and Turf Ready-to-Spread Granules."

This notification is consistent with the provision of PR Notice 98-10, 2001-6 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Bayer Advanced Lawn Complete Insect Killer for Soil and Turf Ready to Spread

For Use on: Lawns, Ground Covers, Flower Beds, Around Trees & Shrubs, and Around Homes

JAN 13 2005

- READY TO USE
- KILLS INSECTS
- KILLS ANTS
- KILLS GRUBS
- Exclusive [insert trademark]™ formula
- Exclusive [insert trademark]™ technology
- Beta-Track Technology
- Creates long-lasting kill zone
- Controls pests above ground or below ground (from the grass to the roots/top to bottom)
- Systemic Action (systemic protection) for protection
- Long-Lasting up to 90-Day Subsurface Insect Protection
- Up to 90 Day grub Protection
- 3-Month Soil Insect Protection
- Long-Lasting Protection
- Stops Ants Outdoors--Before They Come Inside
- Effective Home Barrier Treatment
- Kills Nuisance Pests Outdoors
- Quickly Kills Above Ground Outdoor Pests
- Kills Below Ground Outdoor Pests Like White Grubs
- Kills Ants Fast
- Kills surface pests in (24) hours
- Protects your lawn from top to bottom
- Kills Bugs (Insects) At Every Level
- Exclusive 2-Way Action Kills Soil and Surface Insects
- Works 2 ways to control insects
- Combo Product
- Insect Control Surface and Soil Insects
- Kills Tough Bugs (Like Scorpions, Mole Crickets, and Ants)
- Stops and Prevents Insect Damage
- One Step (Lawn) Insect Protection
- Kills Insects Above and Below Ground
- One Application Keeps on Killing (Working) for Weeks
- Guaranteed Results
- Kills 30+ Outdoor Pests in Lawns & Around Home
- Kills Lawn Pests
- Kills White Grubs and Mole Crickets
- One Application Kills White Grubs
- Kills White Grubs Early, Before They Damage Your Lawn
- One Application Stops/Kills Grubs
- Contains Merit® and Tempo Ultra®
- Sprinkle On Ant Mound and Walk Away
- Highly Effective Fast Acting Formula
- Kills Fire Ant Queens and Colony
- Even Effective/Works in the Rain
- Long Lasting...Keeps on Killing for Weeks
- Also stops spiders, ticks, fleas, cockroaches and other pests
- Leading(cutting edge) insect control
- Leading (Edge) Technology insect control
- Fast Acting Granules (Kills bugs at every level) (Kills bugs Above & Below ground)
- Powerful Fast Acting Granules

ACTIVE INGREDIENT:

OTHER INGREDIENTS* 99.80%

Net Contents: 10 lbs

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for ingredients and Precautionary statements

[] Information is optional


[BACK PANEL]

This product contains Bayer's proprietary 2-way action [insert trademark TM] Granules (formula) for maximum pest control. Bayer Advanced's 2-way action controls turf pests like ants fleas, and ticks plus soil pests like grubs in one easy step. It not only kills existing pests quickly but also keeps on protecting for up to 90 days. Keeping the yard, lawn, and around your home free of nuisance pests has never been easier.

READ THE LABEL FIRST!

QUICK FACTS

- · Kills Insects both Above & Below Ground
- Controls existing populations plus keeps on preventing new infestations for up to 90 days
- Kills Pests Outdoors in Lawns, Ground Covers, Flower Beds, Around Trees & Shrubs, and Around Homes
- Kills White Grubs Early, Before They Damage the Lawn
- . One Application Kills White Grubs
- · For Use With Lawn or Hand-held Spreaders
- · Convenient, Ready to Use Shaker Bottle
- · Kills Ants Outdoors in Lawns and Around Homes
- Effective as a Spot Treatment for Ant Mounds
- Kills Fire Ant Queens and Destroys the Colony-Results in 3 Days
- · Easy-To-Use Granules



KILLS	Annual Bluegrass weevil (hyperodes weevil) Ants Armyworms Billbugs	Millipedes Mole Crickets Mosquitoes Pillbugs Scorpions Sod webworms	
	Black turfgrass Ataenius Centipedes Chiggers Chinch Bugs Cockroaches Crickets Cutworms Digger wasps (Cicada killer) Earwigs European crane fly Larvae Fire Ants Fieas Grasshoppers Leafhoppers Mealybugs	(lawn moths) Sowbugs Spiders Termites* Ticks (including deer ticks) White Grubs (including larvae of Asiatic Garden Beetle, Black Turfgrass Ataenius, Chafers, Japanese Beetle, May or June Beetle, and Oriental Beetle)	
COVERAGE	Covers up to 5,000 so	q ft	
WHERE TO USE	Lawns, Ground Covers, Flower Beds, Around Trees & Shrubs, and Around Homes		
WHEN TO USE	General Surface Pests: Whenever insects are present White Grubs: May thru July European crane fly larvae: Apply once, when adult insects are present in large numbers.		
HOW MUCH TO	See directions		
	For questions or comments, call toll-free 1-877- BayerAL or visit us on-line at www.AdvancedLawn.com		

FOR OUTDOOR RESIDENTIAL USE

ACTIVE INGREDIENT:

Imidacloprid	0.15%
Beta-Cyfluthrin	
OTHER INGREDIENTS	
	100.00%

Treats Up to 5,000 sq ft

EPA Reg. No. 72155-31 EPA Est. No. XXXX-AA-XX

^{* &}quot;This product will kill workers and winged reproductive forms of termites that enter into the treated areas. Use or this type of product to kill termites should not be considered a substitute for soil treatment of subterranean termites done by a professional pest control operator."

DIRECTIONS	FOR USE			
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For best results, be sure to read and follow all label directions.				
BEFORE YOU USE	Read and follow these directions when using:			
		Do not apply near fish pools, ponds, streams or lakes.		
	Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with this insecticide.			
		en and pets away has been watered Iry.		
	Do not use	in vegetable garde	ens.	
HOME PERIME	TER TREATMENT	•		
HOW TO USE	PESTS Ants Centipedes Cockroaches	Crickets Digger wasps Earwigs Millipedes	Pilibugs Scorpions Sowbugs Spiders Termites*	
	HOW MUCH TO	APPLY		
	1/3 to 1/2 cup per 45 to 50 ft (2 to 3 ft band)			
	[2 to 3 lbs per 1000 sq ft]			
	Covers up to 5,000 sq ft (a band 5 feet wide and 1000 feet long.)			
	Treats perimeter of thirteen, 30 ft by 60 ft structures			
	HOW TO APPLY			
	Around the Hou			
	To keep these pests away from your home, apply granules in a band 2 to 3 feet wide around and up to the structure.			
	Tip: A hand-held	l spreader makes	this easy.	
	PEST			
	Ants Di	gger wasps (Cica	ida killer)	
	HOW MUCH TO			
	· · · · · · · · · · · · · · · · · · ·	ound or wasp bur	row	
	HOW TO APPL	`		
		or Wasp Burrows	•	
	ant mound or wa	easpoons of grant asp burrow. Treat are back in their r	wasps at	
Continued in ne	ext column			

^{* &}quot;This product will kill workers and winged reproductive forms of termites that enter into the treated areas. Use of this type of product to kill termites should not be considered a substitute for soil treatment of subterranean termites done by a professional pest control operator."

.

.

	FOR USE continued			
TO CONTROL	PESTS IN AND AROUND TH	E LAWN		
HOW TO USE	PESTS Annual Bluegrass weevil (hyperodes weevil) Ants Armyworms Billbugs Black Turfgrass Ataenius Chiggers Chinch Bugs Cutworms European crane fly Larvae	Mole Crickets Mosquitoes Sod Webworms (lawn moths) Ticks (including deer ticks) White Grubs (including larvae of Asiatic Garden Beetle, Black Turfgrass Ataenius, Chafers,		
	Fleas Grasshoppers Leafhoppers Mealybugs	Japanese Beetle, May or June Beetle, and Oriental Beetle)		
	HOW MUCH TO APPLY Apply 2 to 3 lbs per 1000 sq			
	(This bag covers up to 5000 sq ft) Adjust your spreader to the proper sett the table below.			
	This bag covers 5,000 sq ft which is the same as a band 5 feet wide and 1000 feet long.			
	HOW TO APPLY	dore to enable		
	Use rotary or drop type spreagranules evenly over the law ground covers, and around to sure you cover lawn areas up border of the lawn then fill in parallel passes, walking at a ensure even distribution of the	n, flower beds, rees/shrubs. To be hiformly, first treat the the center. Make steady pace to		
	Water thoroughly within a da	y after applying.		
	TIP: For best control of white and European crane flies ap hatch. Contact your County the ideal dates to apply in yo	ply just before egg Extension Agent for		
	PEST Fire Ants			
	HOW MUCH TO APPLY			
	¼ cup per mound HOW TO APPLY			
	Fire Ant Mounds			
	Sprinkle evenly over mound. as they appear.	Treat new mounds		
FOR BEST	Water in thoroughly after app	olying.		
RESULTS	Do not mow until the granules are thoroughly watered in.			
	To prevent pest damage, ap Imidacloprid + 0.05% Beta-C Insecticide earlywhen pests easier to kill.	Syfluthrin Granular s are still young and		
For control of European crane fly la 3 lbs per 1,000 sq ft.				
	Also, for improved and ext against all pests, apply at t per 1,000 sq ft.			



SPREADER SETTINGS

If your spreader is not listed, please call our Consumer Service Hotline toll-free (877) 229-3724 for help.

Rate: 2 to 3 lbs per 1,000 sq ft

	SETTING*
SPREADER	to deliver 2 lbs or 3 lbs per 1,000 sq ft
Vigoro Drop	
Vigoro Rotary	
Sta-Green Drop	
Sta-Green Rotary	
Bandini	
Ev-N-Spread Rotary	J
Ortho Drop	
Ortho Rotary	
Precision Drop	1
Precision Rotary	
Quaker Rotary	
Republic EZ Drop	To be determined.
Republic EZ Grow	
Republic EZ Rotary	1
Scotts Drop	
Scotts Accugreen	
Scotts Easygreen	
Scotts Evengreen	
Scotts Speedy Green	1
True Temper Rotary	
ADD: NEW TWO-IN-ONE SPREADERS	,
- Settings are approximate The	condition of your enreader, the

- Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according manufacturer's directions.
- Tip: 1000 sq ft = 20 ft x 50 ft
- Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

Children and pets may re-enter after the treated area has been watered and allowed to dry.

IMPORTANT: Directions for Storage and Disposal			
Storage Conditions:	Store in original container in a cool, dry place, out of the reach of children, preferably in a locked storage cabinet.		
Disposal:	If empty: Do not reuse this container. Place in trash or offer for recycling if available.		
	If partly filled: Call your local solid waste agency or 1-800 Cleanup for disposal instructions. Never place unused product down any outdoor or indoor drain.		

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Harmful if swallowed, inhaled or absorbed through skin.
- · Causes moderate eye irritation.
- Avoid contact with skin, eyes or clothing.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.
- Remove contaminated clothing and wash clothing before
 reuse.

FIRST AID	
IN CASE OF ACCIDENTAL	IMMEDIATELY
If Inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice
If on Skin or Clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or
Swallowing	doctor for treatment advice. Call a poison control center or doctor immediately for
	treatment advice. Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
Contact with eyes	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredient:0.15% Imidacloprid [CAS # 138261-41-3] and 0.05% Beta-Cyfluthrin [CAS # 68359-37-5].

ENVIRONMENTAL HAZARDS

- This pesticide is toxic to fish. Do not apply directly to water.
- Do not contaminate water when cleaning equipment or disposing of equipment wash water.
- · Apply this product only as specified on this label.

NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

B-9776a 12/09/03