72155-35

11/03/2003

Page 178



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 1200 Pennsylvania Ave. N.W.

Washington, D.C. 20004

EPA Reg. Number: 72155-35

NOV

3 2003

Term of Issuance:

Conditional

NOTICE OF PESTICIDE:

<u>x</u> Registration

\_\_ Reregistration

Name of Pesticide Product:

Beta-cyfluthrin 0.05% Granular

Insecticide

Name and Address of Registrant (include ZIP Code):

Bayer Advanced LLC 95 Chestnut Ridge Road Montvale, NJ 07645

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is <u>conditionally</u> registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Submit/cite data to satisfy EPA Guidelines 830.6317 (1-year storage stability) and 830.6320 (Corrosion Characteristics) once these tests are completed.
- 3. Make the following label change: Delete the asterisk (\*) after "Other Ingredients" in the Ingredient Statement, since you have removed the associated footnote.
- 4. Submit two copies of your final printed label before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Signature of Approvir	ng Official:		
Luca 1	Stanton	In George	e T. La Rocca

NOV 3 2003

Date:

Page 2 EPA Reg. No. 72155-35

If you have any questions regarding this action, please contact Susan Stanton of my team at (703) 305-5218.

Sincerely,

George T. LaRocca Product Manager (13) Insecticide Branch Registration Division (7505C)

**Enclosures** 

[FRONT PANEL]

# Beta-cyfluthrin 0.05% Granular Insecticide

For Use on: Lawns and Around Homes

READY TO USE KILLS INSECTS KILLS ANTS

- Long-Lasting 30-Day Protection
- Stops Ants Outdoors--Before They Come Inside
- Effective Home Barrier Treatment
- Kille Nuleance Pests Outdoors
- Quickly Kills Outdoor Pests
- Kills Ants Fast
- Results Guaranteed
- Kills 28 Outdoor Pests in Lawns & Around Home
- Contains Tempo Ultra<sup>®</sup>
- Kills Lawn Pests
- Exclusive [insert trademark]™ Formula (Technology)
- · Kills insects you see and gets the ones you don't.
- Long-Lasting (30 day) Protection
- Fast Acting Formula
- 2 way (action) Formula
- · Powerful Fast Acting (2-Way) Formula

ACCEPTED with COMMENTS In EPA Letter Dated:

NOV 3 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 72/55-35

Long Lasting...Keeps on Killing for (4) Weeks

Also stops spiders, ticks, fleas, cockroaches and other pests

#### **ACTIVE INGREDIENT:**

 Beta-cyfluthrin
 0.05%

 OTHER INGREDIENTS:\*
 99.95%

Net Contents: 10 lbs

#### **KEEP OUT OF REACH OF CHILDREN**

### CAUTION

See back panel for additional precautionary statements

Do not apply liquid sprays containing beta-cyfluthrin or cyfluthrin in addition to this product.

4 7 8

#### [BACK PANEL]

#### **READ THE LABEL FIRST!**

#### QUICK FACTS

- Easy to Use Granules
- Kills Pests Outdoors in Lawns and Around Homes
- For Use With Lawn or Hand-held Spreaders
- . Convenient, Ready to Use Shaker Bottle
- Kills Ants Outdoors in Lawns and Around Homes
- Effective as a Spot Treatment for Ant Mounds

KILLS	Annual Bluegrass	Chinch Bugs	Grasshoppers	Pilibugs	
	weevil (hyperodes weevil) Ants Armyworms Bilibugs Black turfgrass	Cockroaches	Leafhoppers	Scorpions	
		Crickets Cutworms Digger wasps (Cleada killer)	Mealybugs Millipedes Mole Crickets Mosquitoes	Sod webworms (lawn moths) Sowbugs Spiders	
	Ataenius Centipedes Chiggers	Earwigs Fire Ants Floas		Termites Ticks (including deer tloks)	
COVERAGE	Covers 5,000 sq ft				
WHERE TO USE	Lawns and Around house foundations				
WHEN TO USE	When insects or damage first appear				
HOW MUCH TO USE	See directions				
	For questions or comm www.AdvancedGarden.		BayerAG or visit us on-line	e at	

#### FOR OUTDOOR RESIDENTIAL USE

#### **ACTIVE INGREDIENT:**

Beta-cyfluthrin	0.05%
OTHER INGREDIENTS:*	99.05%
	100.0%

Treats 5,000 sq ft

EPA Reg. No. 72155-35

**EPA Est. No. XXXX-AA-XX** 

It is a violation of Federal lav all label directions.	v to use this product in	n a manner inconsistent with	n its labeling. For best res	sults, be sure to read and follow	
BEFORE YOU USE	Read and follow the	se directions when using:			
	Do not apply nea:	r fish pools, ponds, streams	s or lakes.		
	Food utensils suc with this insecticit		uring cups should not be u	used for food purposes after use	
	Keep children and pets away from treated area until it has been watered and allowed to dry.				
HOME PERIMETER TREAT	MENT			****	
HOW TO USE	PESTS		<u>,</u>		
[Break seal and open top.]	Ants	Crickets	Millipedes	Sowbugs	
•	Centipedes Cockroaches	Digger waspe Earwigs	Pilibugs	Spiders	
	COCKIONICIOS	La: Wys	Scorpions	Termites	
	HOW MUCH TO AF	PPLY			
	1/3 to 1/2 cup per 45 to 50 ft (2 to 3 ft band)				
	[2 to 3 lbs per 1000 sq ft]				
	Covers 1,000 sq ft (a band 2 feet wide and 500 feet long.) (2 lb container)				
	Treats perimeter of 16 ft by 30 ft structure				
	HOW TO APPLY				
	Around the House				
	To keep these pests away from your home, apply granules in a band 2 to 3 feet wide around and up to the building.				
	Tlp: A hand-held spreader makes this easy.				
	PEST				
	Ants Digger wasps (Cicada killer)				
	HOW MUCH TO APPLY				
	1 to 2 tsp. per mound or wasp burrow				
	HOW TO APPLY				
	For Artt Mounds or Wasp Burrows				
	Sprinkle 1 to 2 teaspoons of granules over the ant mound or wasp burrow. Treat wasps at night, after they are back in their nest.				

DIRECTIONS FOR USE continued					
TO CONTROL PESTS IN A	ND AROUND THE LAWN				
HOW TO USE [Break seal and open top.]	PESTS Annual Bluegrass weevil (hyperodes weevil) Anta Armyworms Billbugs HOW MUCH TO APPL	Black Turfgrass Ataenius Chiggers Chinch Bugs	Cutworms Fleas Grasshoppers Leafhoppers	Mealybugs Mole Crickets Sod Webworms (lawn moths) Ticks (including deer ticks)	
	This can covers 1,000 s HOW TO APPLY Use rotary or drop type entire area uniformly, fire	eq ft) the proper setting. See aq ft which is the same a spreaders to apply gran	s a band 10 feet wide and ules evenly over the lawn. I lawn then fill in the center	. To be sure you cover the	
	Water thoroughly within a day after applying.  TIP: For best control of mole crickets, apply during the period when their eggs are hatching. Contact your County Extension Agent for the ideal dates to apply in your area.  PEST				
	Fire Ants HOW MUCH TO APPL % cup per mound	Υ			
		ound. Treat new mound	s as they appear.		
FOR BEST RESULTS	_	anules are thoroughly w		ywhen pests are still young	

#### **SPREADER SETTINGS**

If your spreader is not listed, please call our Consumer Service Hotline toll-free (877) 229-3724 for help.

Rate: 2 to 3 lbs per 1,000 sq ft

SPREADER	SETTING*to deliver 2 lbs per 1,000 sq ft	SPREADER	SETTING to deliver 2 lbs per 1,000 sq ft
Vigoro Drop		Republic EZ Drop	
Vigoro Rotary		Republic EZ Grow	
Sta-Green Drop		Republic EZ Rotary	
Sta-Green Rotary		Scotte Drop	and the second control of the second control
Bandini		Scotts Accugreen	
Ev-N-Spread Rotary	To be determined.	Scotts Easygreen	To be determined.
Ortho Drop		Scotts Evengreen	
Ortho Rotary		Scotts Speedy Green	
Precision Drop		True Temper Rotary	
Precision Rotary		ADD: NEW TWO-IN-ONE	
Quaker Rotary		SPREADERS	

- Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according manufacturer's directions.
- Tip: 1000 sq ft = 20 ft x 50 ft
- Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

Children and pets may re-enter after the treated area has been watered and allowed to dry.

IMPORTANT: Directions (	or Storage and Disposal
Do not contaminate water,	food, or feed by storage or disposal.
STORAGE CONDITIONS:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
DISPOSAL	<ul> <li>If Empty: Do not reuse this container. Place in trash or offer for recycling if available.</li> <li>If partly filled: Call your local solid waste agency or call toll-free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.</li> </ul>

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

- Harmful if swallowed.
- · Causes moderate eye irritation.
- · Avoid contact with eyes or clothing.
- Wash hands thoroughly with soap and water after handling.

First Aid +		
If swallowed	<ul> <li>Call a poison control center or doctor immediately for treatment advice</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>	
if in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advise.</li> </ul>	

NOTE: When calling poison control center; have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredient: 0.05% Beta-cyfluthrin [CAS #68359-37-5]

#### **ENVIRONMENTAL HAZARDS**

- Do not apply directly to water.
- This pesticide is toxic to fish.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater.
- . Apply this product only as specified on this label.

#### NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of Beta-cyfluthrin 0.05% Granular insecticide under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

#### D-9774 102403

Bayer Advanced
A business unit of Bayer CropScience, L.P.
95 Chestnut Ridge Rd.
Montvale, NJ 07645