12/30/2013 (

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

DEC 3 0 2013

Ms. Annette Bloomberg Bayer Advanced P.O. Box 12014 2 T.W. Alexander Dr. Research Triangle Park, NC 27709

Subject: Notification to add Oregon state restriction on Linden trees Merit<sup>®</sup> 0.25 Plus Lawn and Garden Fertilizer EPA Reg. No. 72155-36

Dear Ms. Bloomberg:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated <u>December 11, 2013</u> for the product <u>Merit<sup>®</sup> 0.25 Plus</u> <u>Lawn and Garden Fertilizer</u>. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-5967 or e-mail me at gaines.jennifer@epa.gov.

Sincerely

Jennifel Gaines Wildlife Biologist Insecticide-Rodenticide Branch Registration Division (7505P) Office of Pesticide Programs

ease read instructions on re	verse before comple	form.			(	Form Ap	2- pproved. OMB No. 2070-006
\$EPA	Environmental	nited States <b>Protecti</b> ngton, DC 20				gistration lendment her	OPP Identifier Number
, , , , , , , , , , , , , , , , , , ,		Application	on for Pesti	cide - Sec	tion.I		
I. Company/Product Numbe 72155-36	r		1	A Product Mer is Eagle	ager	3.	Proposed Classification
<mark>), Company/Product (Name)</mark> MERIT 0.25 Plus Lawn ar			PM#			_	
Name and Address of App Bayer Advanced 2 T W Alexander Drive		de)	6. E	-			th FIFRA Section 3(c)(3)
Research Triangle Park NC 27709	s is a new address		EPA Reg. No DEC 3 0 2013				
			Section	duct Name			
X Notification - Explain Explanation: Use addition Notification of mino Oregon State use r Contact: annette.b	nal page(s) if necessary or label modifica estriction on Lin	v. (For sectio tion per F Iden Tree	PR Notice 98 s	Other - Exp .) 3-10. See A	Attached		Explanation
			Section -	• 111			
1. Material This Product Wil	Τ				· · · · · · · · · · · · · · · · · · ·		
Child-Resistant Packaging Yes No Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per conteiner	Water Soluble Yes No If "Yes" Peckage wgt	No. per containe		ype of Containe Metal Plastic Glass Paper Other	
Label	Information container	4. Size(s) Ro	tail Container		5. Location	of Label Direct	
5. Manner in Which Label is	Affixed to Product	Lithog Paper Stenc	raph glued iled	Othe	r	د 	
			Section -	IV		ر ن زرر ر ر	CC C ( C C
. Contact Point <i> Complete</i>	items directly below fo	or identificatio	on of individual to	be contected,	if necessary	ı, to proçesي th	ic application.)
Name Annette M. Bloomber			Title         Telephone No. (Include Area Code           Registration Manager         919-549-2608				
•	ments I have made on y knowlinglly false or i law.		all attachments			•	6. Date Application Received (Stamped)
. Signature			3. Title				
	mnette M. Bloo	mbury-	Registration Manager			r	
4. Typed Name Annette N	I. Bloomberg	-	5. Date		Decemb	per 11, 2013	

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

.

.

Page 1 of 1

Merit 0.25 Plus Lawn and Garden Fertilizer EPA Reg. No. 72155-36 December 11, 2013

#### Section II - Explanation

Bayer Advanced is submitting a label **Notification** for **Merit 0.25 Plus Lawn and Garden Fertilizer**, EPA Reg. No. 72155-36 (ABN: Bayer Advanced Season Long Grub Control Plus Turf Revitalizer Ready-To-Spread Granules), in accordance with PR Notice 98-10. The purpose of this Notification is to add the Oregon State use restriction for imidacloprid on Linden, Basswood and other Tilia species issued on November 12, 2013 (clarification letter dated November 20, 2013). The following changes have been made to the label:

1. The use restriction statement for linden, basswood and other Tilia species is located in the Directions for Use section in the Before You Use row.

Enclosed are 2 copies of the product label (the clean copies and one copy with all changes highlighted in yellow).

This notification is consistent with the provision of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Net Contents:

( LÉG L

Pounds

1

DEC 3 0 2013

49

[FRONT PANEL]

# **Merit® 0.25 Plus Lawn and Garden Fertilizer**

#### [ABN: Bayer Advanced Season Long Grub Control Plus Turf Revitalizer Ready-To-Spread Granules]

READY TO USE

- Kills White Grubs, Mole Crickets, and European Crane Fly larvae
- · For Use On: Lawns, Ground Covers, Flower Beds, and around Trees & Shrubs
- · Just One Application Kills Grubs, Mole Crickets, and European Crane Fly larvae All Season Long
- Apply Once, Anytime...Spring Through Late Summer

CONTAINS ROOT BOOSTER™

- X-X-X Feeds Root Systems
- Promotes Vigorous Root Growth

[ART: treated lawn, untreated lawn]

• Convenient, Two-in-One Formula

- Feeds Roots (the lawn) and (Plus) Protects Against Grubs
- Season-Long Grub Control
- Kills White Grubs Before They Damage Your Lawn
- Kills White Grubs Early, Before They Damage Your Lawn
- Promotes Strong Roots
- Helps Strengthen Root Systems by Promoting Growth
- Helps Lawn Recover
- Helps Strengthen Root Systems
- Rejuvenates the Lawn
- Patented Formula Helps Lawn Recover
- Unique Patented Formula
- Contains Merit<sup>®</sup>
- Suppresses chinch bugs and cutworms
- Also Kills Mole Crickets, Billbugs, Annual Bluegrass Weevils, and European Crane Fly larvae
- 100% satisfaction guaranteed
- Kills grubs all season-long plus revitalizes (turf) the lawn
- Defends against grubs plus helps turf recover

One application of this product kills grubs all season-long and revitalizes your lawn. This patented 2-in-1 formula creates a protective zone in the soil to kill grubs before they can cause damage plus promotes new growth in stressed lawns. Keeping your lawn beautiful and free of damaging grubs has never been easier.

ACTIVE INGREDIENT: Imidacloprid\* OTHER INGREDIENTS: TOTAL: \* Imidacloprid is the chemical name for Merit<sup>®</sup> insecticide.

EPA Reg. No. 72155-36

# STOP - READ THE LABEL BEFORE USE KEEP OUT OF REACH OF CHILDREN FOR OUTDOOR RESIDENTIAL USE CAUTION

See back panel for Ingredients and Additional Precautionary Statements

Not for sale, sale into, distribution, and or use in Nassau, Suffolk, Kings, and Queens counties of New York.

### [BACK PANEL]

#### READ THE LABEL FIRST!

#### **QUICK FACTS**

- Easy-To-Use Granules
- Unique Double Action Formula (2-in-1)
- Kills White Grubs Before They Damage Lawns
  - Feeds Root Systems
  - Feeds The Lawn (for thicker, greener turf)
- Two-In-One Formula Kills Grubs While Feeding Your Lawn
- Kills White Grubs Before They Damage Lawns
- Just One Application Stops Grubs From Spring Through Late Summer
- Season-Long Grub Control
- Kills White Grubs, Billbugs, Annual Bluegrass Weevils, Mole Crickets, and European Crane Fly Larvae Early, Before They Damage The Lawn
- Patented 2-in-1 Formula
  - Helps Strengthen Root Systems
  - Kills White Grubs Before They Damage Lawns
  - Also Kills Mole Crickets and European Crane Fly Larvae Before They Damage The Lawn

KILLS	White Grubs [ART: WHITE GRUB]					
·	(Including larvae of the Asiatic Garden Beetle, Black Turfgrass, Ataenius, Chafers, Japanese Beetle, May or June Beetle, and Oriental Beetle.)					
	Billbugs					
	Annual Bluegrass Weevils Mole Crickets [ART: MOLE CRICKET] European Crane Fly larvae [ART: EUROPEAN CRANE FLY LARVAE]					
FEEDS	Promotes strong roots. (Builds thicker, greener turf)					
COVERAGE	This bag covers up to 5,000 sq ft (12 lb bag) (White Grubs, Billbugs, Annual Bluegrass Weevils, and European Crane Fly Larvae)					
	4,000 sq ft (Mole Crickets)					
WHERE TO USE	Lawns, Ground Covers, Flower Beds, and around Trees & Shrubs					
WHEN TO USE	May through mid-August, late summer to mid-fall for European Crane Fly					
HOW MUCH TO USE	See spreader settings					
	For questions or comments, call toll-free 1-877 BayerAG (877) 229-3724		LCLLCC			
			ίί <b>ς</b> ις ε ι ιι			
		ι ι ι ι ι ι	 د			
ACTIVE INGREDIENT:						

EPA Reg. No. 72155-36

FERTILIZER ANALYSIS x-x-x

EPA Est. No. XXX

619

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

- Harmful if swallowed or absorbed through skin.
- Causes eye irritation.
- Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and water after handling.

FIRST AID				
If swallowed:	<ul> <li>Call poison center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>			
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
lf inhaled:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>			
office, bring this prod	control center, have this product label accessible. If seeking treatment at an emergency room or doctor's luct label to show medical personnel. You may call Toll Free 1-877-229-3763 for medical emergency agredient: Imidacloprid [*CAS # 138261-41-3].			

TO PHYSICIAN: No specific antidote is available. Treat the patient symptomatically.

# **ENVIRONMENTAL HAZARDS**

• This product is highly toxic to aquatic invertebrates.

• To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

ددتر

3

	DIRECTIONS FOR USE	· · · ·			
It is a violation of Federal L	aw to use this product in a manner inconsistent with its labeling	•			
For best results, read and f	ollow all label directions.				
BEFORE YOU USE	RESTRICTIONS:				
Read and follow these	Do not apply the product near fish pools, ponds, streams, or lakes.				
directions when using.	Do not use in vegetable gardens.				
	• Do not apply this product, by any application method, to linden, basswood, or other Tilia species.				
TO CONTROL	WHEN TO APPLY				
GRUBS	Apply once anytime from May through mid-August.				
BILLBUGS AND ANNUAL BLUEGRASS WEEVILS	Apply once, when adults are present in large numbers (early to late spring)				
EUROPEAN CRANE FLY LARVAE	Apply once, when these insects are present in large numbers (late summer to mid-fall)				
MOLE CRICKETS	Apply once anytime from mid-May through mid-June.				
	Florida residents: Apply once anytime between early April through early May.				
AWNS	How Much: See Spreader Settings				
	Adjust spreader to the proper setting (see Spreader Settings).	[ART]			
	To be sure you cover the entire area uniformly, first treat the border of the lawn, then fill in the center. Make parallel passes, walking at a steady pace to ensure even distribution of the granules.	[ART]			
	Water thoroughly after applying.	[ART]			
FLOWER BEDS, GROUND COVERS, TREES & SHRUBS	How Much: 0.4 oz (X Tablespoons) per 10 sq ft of planting bed. 4 oz (X cups) per 100 sq ft of planting bed.				
	Spread granules evenly to the soil over flower beds, ground cover plantings, shrub beds and under trees. <b>Tip:</b> A hand-held spreader makes this easy.	[ART]			
	Rake granules into the soil around plants.	[ART]			
	Water thoroughly after applying.	[ART]			
FOR BEST RESULTS	Apply early, before Grubs, Billbugs, Annual Bluegrass Weevils, European Crane Flies, and Mole				
	Crickets hatch. Contact Extension Agent for the ideal dates to apply in your area.				
	Water thoroughly within 24 hours after applying.				
	Do not mow until the granules are watered into the soil.				
	Avoid applying this product to waterlogged areas, as this may decrease the product's effectiveness.				
	You may spread this product over soil or mulch. If present, remove weed barrier before applying.				
SIGNS OF DAMAGE TO	LAWNS:				
	White grubs cause extensive damage to lawns by feeding on	grass roots. Grass turns yellow, ther brown,			
GRUBS	and dies. Grubs chew off roots so that the grass is easily pulled up in pieces with your hands. You can roll it back like a carpet to reveal the grubs. If patches of dead grass appeared in your lawn late last summer, check for grubs.				
BILLBUGS AND ANNUAL BLUEGRASS WEEVILS	Grass turns yellow, then brown, and dies. Stems of damaged grass breaks off easily.				
EUROPEAN CRANE FLY LARVAE	European crane fly larvae often cause damage by feeding on grass roots and disrupting the soil surface.				
MOLE CRICKETS	Mole crickets often cause extensive damage by tunneling through lawns. Some species also feed on roots. Tunneling uproots the grass so it easily dries out. Lawns turn yellow, become thin, weedy, and can eventually die.				
HOW IT WORKS	After this product granules are watered in, a protective zone is product kills grubs, billbugs, annual bluegrass weevils, Europe hatchbefore they can cause damage. Also can suppress chi when they are young.	s formed in the soil. If applied early, this ean crane flies, and mole crickets when they			

· C

v

719

4

\*\*

Children and pets may re-enter after the treated area has been watered and allowed to dry.

	SPREADER SETTI		
If your spreader is not listed, please call our			
Rate for Grubs, Billbugs, Annual Bluegrass			sq ft
Rate for Mole Crickets and suppression of C	hinch Bugs and Cutworms: 3 lb	s per 1,000 sq ft	
BROADCAST SPREADERS MODEL	2.4 LB RATE SETTING*	3 LB RATE SETTING*	DISTANCE BETWEEN PASSES (FT)
EARTHWAY EV-N-SPREAD ROTARY	12.0	13.0	3.0
K-GRO ROTARY	3.5	4.0	5.5
REPUBLIC EZ ROTARY (#540)	3.5	4.0	5.0
SCOTTS EDGEGUARD	5.0	5.5	4.0
SCOTTS EASYGREEN (EG-3)	27.0	28.0	3.0
SCOTTS SPEEDYGREEN 1000	3.0	3.5	4.0
SCOTTS SPEEDYGREEN 2000, 3000	5.25	5.75	3.5
SEARS ROTARY	3.5	4.0	5.0
VIGORO ROTARY (#584000V)	4.0	4.5	3.0
VIGORO ROTARY (#584300RD)	2.5	3.0	2.5
DROP SPREADERS MODEL	2.4 LB RATE SETTING*	3 LB RATE SETTING*	DISTANCE BETWEEN PASSES (FT)
K-GRO DROP	7.5	8.0	N/A
REPUBLIC EZ ROTARY (#530)	7.5	8.0	N/A
SCOTTS ACCU GREEN 1000, 2000	7.0	8.0	N/A
SCOTTS ACCU GREEN 3000	7.5	8.25	N/A
SEARS DROP	7.5	8.0	N/A
VIGORO DROP (D584000V, D545000RD)	2.75	3.0	N/A

application. Calibrate your spreader according to manufacturer's directions. Tip: 1,000 sq ft = 20 ft x 50 ft Do not use a spreader that applies granules in narrow, concentrated, or uneven bands. Be sure the spreader works properly and spreads granules evenly.

# STORAGE AND DISPOSAL

Storage Conditions:	Store in original container in a cool, dry place, out of the reac locked storage cabinet.	h of children, prefe	rably a
Disposal:	If empty: Non-refillable container. Do not refill or reuse this co for recycling if available.	ontainer. Place in t	rash or offe
	If partly filled: Call your local solid waste agency for disposa unused product down any indoor or outdoor drain.	l instructions. Neve	er place
<u> </u>		<u>رد</u> دردرر در ب	
		ισεςι	ن ( (

5

ι ι ι ι ι ι ι 89

## NOTICE

Research and testing has determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.


Money Back Guarantee: If you are not satisfied, we will gladly refund your original purchase price.

#### PRODUCED FOR



A Divison of Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709

Bayer Advanced Season Long Grub Control (PENDING) 11/15/2013, 12/04/2013



c

....

6

 $\mathcal{O}$