

72155-39

01/05/2005

1/7

(Front Panel)

ACCEPTED
JAN 5 2005

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 72155-39

Tempo[®] Concentrate

Insecticide

For Use On: Lawns, Ground Covers, Flowers, Shrubs, Trees, Around Homes

Measure-Up[™] Cup
 Exact Measure Every Time

[READY TO SPRAY]
 CONCENTRATE
 KILLS INSECTS
 RAINPROOF WITHIN 1 HOUR OF APPLICATION

- Just One Application Quickly Kills Insects
- Keeps on Killing for up to 14 days
- Kills over 60 Different Outdoor Insects
- Treats 5,333 sq ft (For Lawns)
- Effective Home/Yard Barrier Treatment
- Contains Tempo[®]

DOUBLE PROTECTION FORMULA

- Fast Acting...Kills on Contact
- Long Lasting...Keeps on Killing for up to 14 days
- Kills on contact plus protects for weeks
- Also kills fleas, ticks & 58 other nuisance pests
- TEMPO Concentrate Insecticide kills mosquitoes and other nuisance pests on contact and keeps protecting for weeks in a single application. No mixing and measuring hassles. No messy cleanup. Controlling annoying outdoor insects around your home has never been easier.
- Protects home lawns, fruits & nuts, vegetables, houseplants, roses, flowers, trees & shrubs.
- Kills [controls] ants, aphids, chinch bugs, cutworms, fleas, mites, mosquitoes, sod webworms and many other listed insects
- Kills & Repels bugs in your backyard [yard]!
- Kills and repels mosquitoes
- Kills bugs fast
- Controls [Kills] ants, aphids, chinch bugs, cutworms, fire ants, fleas, beetles, grubs, mites, sod webworms and many other listed insects (others listed)
- Kills & Repels mosquitoes, flies, ants, fleas, ticks (including those which may transmit Lyme Disease), and other annoying pests!
- Keeps killing for weeks
- Kills ants, fleas, bagworms, grasshoppers, mole crickets, chinch bugs, sod webworms, crickets, aphids, mosquitoes, and other listed insects
- Just One Application Quickly Kills Insects
- Kills many troublesome outdoor insects which destroy lawns, roses, flowers, trees and shrubs, or annoy people or pets
- Keeps on Killing for up to 14 Days
- Kills Over 60 Different Outdoor Insects
- Kills up to 70 insects (pests as listed)

STOP – Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN

FOR OUTDOOR RESIDENTIAL USE ONLY

CAUTION

See back panel for additional ingredients and precautionary statements.

- Fast Acting...Kills on Contact
- Long Lasting
- Works in Hours
- Quickly Stops Harmful Insects before they do damage
- Effective Against a Broad Range of Listed Pests
- Kills Pests Outdoors Before They Come Indoors
- Helps protect your [house] [home] from invading insects [ants]
- Keeps annoying insects away
- Protects your yard all weekend long
- Won't wash away [in rain]
- Do-it-yourself pest control
- Just connect to your [garden] hose and spray
- Low odor
- For use around foundations, outside buildings, porches, wood piles, wooden fences and decks [patios]
- For Use On: Lawns, Ground Covers, Flowers, Shrubs, Trees, Vegetables, Around Homes
- For Use Outdoors on lawns, Shrubs, Trees, and in Flower or Vegetable Gardens
- Ready-To-Spray [Concentrate]
- Effective Home Barrier Treatment
- Creates a barrier around your home
- Ready-To-Spray...No Mixing, No Measuring (RTS)
- Apply with Most Common Garden Sprayers
- Rainproof in 1 hour
- Rainproof within 1 hour of Application
- Protects house lawns, flowers, shrubs, and trees
- Water Based
- Satisfaction guaranteed or your money back

[1/2 fl oz size only]

- Single dose packages
- Concentrate makes 1 gallon (each tube)

ACTIVE INGREDIENT:

Cyfluthrin 0.75%

OTHER INGREDIENTS.....99.25%

Net Contents: 16 fl oz or 32 fl oz or 4 x 0.5 fl oz

QUICK FACTS

- Quickly Stops Harmful Insects Before They Do Damage
- Kills on contact and keeps on protecting
- Effective Against a Broad Range of Listed Pests
- Kills Pests Outdoors Before They Come Inside
- Ready to Spray...No Mixing, no Measuring (RTS)
- Easy, Accurate Measuring & Mixing (Concentrate)
- Apply with most Common Garden Sprayers

KILLS	(ART: ant, flea, spider, tick)	
	Ants	Japanese beetles (adults)
	Aphids	Lace bugs
	Amyworms	Leaf Beetles
	Aster leafhoppers	Leaf-feeding beetles
	Bagworms	Leaf-feeding caterpillars
	Banded sunflower moths	Leafhoppers (including
	Bluegrass billbug (adults)	Glassy-winged
	Boxelder bugs	Sharpshooter)
	Budmoths	Leafminers
	Cabbage loopers	Mealybugs
	Carrot weevils (adults)	Midges
	Caterpillars	Mole Crickets
	Celery leaf tiers	Mosquitoes
	Chiggers	Pepper weevils (adults)
	Chinch bugs	Pillbugs
	Clover mites	Plant bugs
	Cockroaches	Potato aphids
	Colorado potato beetles	Potato leafhoppers
	Corn borers	Roaches
	Corn earworms	Scale (crawler stages)
	Corn rootworms (adults)	Seed weevils (adults)
	Crickets	Sod Webworms
	Cutworms	Sowbugs
	Earwigs	Spiders
	Elm leaf beetles	Spittlebugs
	Fire ants	Stem weevil (adults)
	Flea beetles	Stink bugs
	Fleas	Sunflower beetles
	Flies	Sunflower moths
	Garden webworms	Thrips
	Grasshoppers	Ticks (including deer
	Gypsy Moth Larvae	ticks)
	Head clipper weevils (adults)	Tomato Fruitworms
	Hyperodes weevil (adults)	Tomato Hornworms
		Tomato Pinworms
		Wasps
		Weevils (adults)
		Western Flower THrips
		Whiteflies

COVERAGE Makes up to 64 gallons of spray (32 oz) (For Ornamental Application)
Covers 5,333 sq ft (Lawn Application)

WHERE TO USE Lawns, Ground Covers, Flowers, Shrubs, Trees, Vegetables, Around Homes

WHEN TO USE When insects or damage first appear

HOW MUCH TO USE Dilute 1/2 oz (1 Tablespoon) per gallon of water (Ornamental)
No measuring needed. Dilutes automatically (Lawn)

For questions or comments, call toll-free 1-877-BayerAG (1-877-229-3724) or visit us on-line at www.BayerAdvanced.com

ACTIVE INGREDIENT:

Cyfluthrin 0.75 %

OTHER INGREDIENTS* 99.25 %

* Other ingredients include: Water, organic solvent (less than 3%, to dissolve the active ingredient for mixing) and surfactants (to keep the active ingredient dispersed in water).

Cyfluthrin is the chemical name for Tempo®

EPA Reg. No. 72155-39

EPA Est. No. XXXX-AA-1

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution

Harmful if swallowed or inhaled

- Causes eye irritation
- Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and water after handling.
- Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with this insecticide

First Aid

If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-229-3763 for emergency medical treatment information

DIRECTIONS FOR USE	
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.	
BEFORE YOU USE Read and follow these directions when using:	<ul style="list-style-type: none"> Apply the product to flowering plants during early morning or late evening, when bees are not present. Do not spray the product into fish pools, ponds, streams, or lakes. Remove animal feeding dishes prior to application. Keep children and pets away from treated areas until spray has dried.
WHEN TO USE	<ul style="list-style-type: none"> Spray when insects or damage first appear. For severe infestations, repeat every 7 to 14 days as necessary.
HOW TO USE Shake well before using	<ul style="list-style-type: none"> [For 1/2 oz size only.] 1. Remove one applicator tube from the package. 2. Hold the applicator tube in an upright position. Pull the cap off the tube. 3. Turn the cap around and place the other end of the cap back on the tube. 4. Twist the cap to break the seal, then remove the cap from the tube. 5. Mix with water to make 1 gallon of finished spray. 6. Discard the empty tube as described in the Storage and Disposal.
MIXING & MEASURING	SEE SPRAYER TYPES
HOW MUCH TO USE	Dilute 1/2 oz (1 Tbs) per gallon of water (ART)
HOW TO SPRAY	<p>Adjust nozzle on your sprayer to desired spray pattern.</p> <p>Hold sprayer about 12 inches from foliage.</p> <p>Spray leaves and tender new shoots.</p> <p>ART: of steps above</p> <p>To kills insects that may hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping.</p> <p>ART: spraying undersides of leaves</p>

Environmental Hazards
<ul style="list-style-type: none"> This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water when cleaning equipment washwater or rinse. This pesticide is highly toxic to bees. Do not apply TEMPO Concentrate Insecticide when bees are active. Apply this product only as specified on this label.

HOUSEHOLD NUISANCE PESTS OUTDOORS		
PEST		
Ants Boxelder bugs Clover mites Cockroaches Crickets	Earwigs Flies Midges Mosquitoes	Pillbugs Sowbugs Spiders Wasps
HOW TO APPLY		
Spray thoroughly beneath shrubs, around house foundation and in nearby tall grass or weeds. Cover evenly.		
ART		
Adjust spray nozzle to a coarse spray to reach down into tall grass.		
ART		

1 gallon of spray treats 1,000 sq ft of ground

FLOWERS, TREES, SHRUBS, GROUND COVERS		
PEST		
Aphids Bagworms Boxelder bugs Clover mites Elm leaf beetles Grasshoppers Gypsy moth larvae	Japanese beetle (adults) Lace bugs Leaf-feeding caterpillars Leaf-feeding beetles Leafhoppers (Including Glassy-winged Sharpshooter)	Mealybugs Pillbugs Scale (crawler stages) Spittlebugs Thrips Whiteflies
HOW TO APPLY		
Spray foliage, tender new shoots and the underside of leaves thoroughly.		
To Kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray droplets, but not dripping.		
ART		

VEGETABLES	
Carrots	Sweet Corn
Radishes	Tomatoes
PEST	
Aphids	Flea beetles
Armyworms	Grasshoppers
Aster leafhoppers	Leafhoppers
Cabbage loopers	Leafminers
Carrot weevils (adults)	Potato aphids
Chinch bugs	Stink bugs
Colorado potato beetles	Thrips
Corn borers	Tomato fruitworms
Corn earworms	Tomato hornworms
Corn rootworm (adults)	Tomato pinworms
Cutworms	Weevils (adults)
	Western Flower Thrips
HOW TO APPLY	
Spray foliage, tender new shoots and the underside of leaves thoroughly.	
To Kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray droplets, but not dripping.	
ART	

Peppers	
After spraying, wait 7 days before harvest.	
Do not spray more than 6 times per season.	
PEST	
Armyworms	Leafhoppers (including Glassy-winged Sharpshooter)
Cabbage loopers	Leafminers
Celery leaf tiers	Pepper weevils (adults)
Corn borers	Potato leafhoppers
Corn earworms	Thrips
Garden webworms	Weevils (adults)

Sunflowers	
After spraying, wait 30 days before harvest.	
Do not spray more than 3 times per season.	
PEST	
Banded sunflower moths	Midges
Budmoths	Seed weevils (adults)
Cutworms	Stem weevils (adults)
Grasshoppers	Sunflower beetles
Head clipper weevils (adults)	Sunflower moths
Leafhoppers (including Glassy-winged Sharpshooter)	Weevils (adults)

[Ready-to-Spray package only]

This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray.

HOW TO ATTACH & SPRAY	
<p>1. Connect your garden hose to the bottle. Be sure the (color inserted here) water control valve on top of the spray nozzle is in the OFF position.</p> <p>ART</p>	<p>2. Turn on the water at faucet. Twist the small, star-shaped, (color inserted here) product-control button to align the flat portion with the lock tab. Push the button in to open. Be certain to choose the setting below which describes your use area. (See below)</p> <p>ART</p>
<p>For Use On Lawn Pests: Turn on water at faucet. Pull the small star-shaped, (color inserted here) product-control button out until it stops. Twist the (color inserted here) product-control button so that the "L" on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open. Proceed to step #3/</p> <p>(ART)</p>	<p>For All Other Uses: Turn on water at faucet. Pull the small star-shaped, (color inserted here) product-control button out until it stops. Twist the (color inserted here) product-control button so that the "G" on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open. Proceed to step #3.</p> <p>(ART)</p>
<p>3. To begin spraying, point nozzle toward the area to be treated and turn the (Color) water control valve to the ON position. Tab will be horizontal.</p> <p>(ART)</p>	<p>4. To stop spraying, turn the (color) water control valve on top of the spray nozzle to OFF. TO close, push in the small round button opposite the star-shaped product-control button. Turn off faucet.</p> <p>(ART)</p>

TIPS FOR APPLYING	
<p>1. Extend hose to the farthest area to be treated and work back toward the faucet to avoid walking into wet, treated area.</p> <p>(ART)</p>	<p>2. Walk at a steady pace while spraying, using an even sweeping motion, slightly overlapping the treated areas.</p> <p>(ART)</p>

LAWN PESTS

PEST

Ants	Fire Ants
Amyworms	Fleas
Bluegrass Billbugs (adults)	Grasshoppers
Chiggers	Hyperodes weevils (adults)
Chinch bugs	Japanese Beetles (adults)
Crickets	Mole Crickets
Cutworms	Sod webworms (lawn moths)
Earwigs	Ticks (including deer ticks)

HOW TO APPLY

Use a hose-end sprayer according to sprayer directions. The goal is to have large droplets and enough spray to penetrate the lawn and reach the soil.

Do not mow for one day after application.



Children and pets may re-enter the treated area after spray has dried.

SPRAYER TYPES

(ART: ICON OF PUMP TYPE)

For Pump Style Tank Sprayer:

To make one gallon of spray:

1. Open flip-top lid
2. Gently squeeze bottle until concentrate reaches ½ oz. fill line.
3. Dilute with 1 gallon of water
4. Close sprayer and shake well before applying.

(ART: ICON OF DIAL TYPE)

For Dial-Style Hose-End Sprayers:

Dilution rate: ½ oz per gallon (1 tablespoon = ½ oz)

1. Fill sprayer jar with enough concentrate to cover area to be treated.
2. Close sprayer and set dial.
3. Attach sprayer to hose and apply.
4. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

OR

Fill sprayer jar with enough concentrate to cover area to be treated and follow sprayer label directions for applying.

(ART: ICON OF Concentrate Plus Water Hose End TYPE)

For Concentrate-Plus-Water Hose-End Sprayers:

Dilution rate: ½ oz per gallon (1 tablespoon = ½ oz)

1. Pour concentrate into sprayer jar to the required fluid ounce level.
2. Add the appropriate amount of water to the gallons level.
3. Replace sprayer top and shake well before applying.
4. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

OR

Pour concentrated into sprayer jar to the required fluid ounce level and follow sprayer label directions for applying.

FOR BEST RESULTS

Do not water the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

Important – Directions for Storage and Disposal

Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Disposal 	<p>If empty: Do not reuse container. Place empty container in trash or offer for recycling if available.</p> <p>If partly filled: Call your local solid waste agency or toll free 1-877-229-3724 [1-800 CLEAN-UP] for disposal instructions. Never place unused product down any indoor or outdoor drain.</p>

NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of TEMPO Concentrate Insecticide under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Label text for 1/2 fl oz tube:

For Concentrate-Plus-Water Hose-End Sprayers:

Active Ingredient: cyfluthrin, 0.75%

EPA Reg. No. 72155-39

CAUTION

Keep out of Reach of Children

See package for precautionary statements and directions for use

(ART: ICON OF PUMP TYPE)

For Pump Style Tank Sprayer:

To make one gallon of spray:

5. Open flip-top lid
6. Gently squeeze bottle until concentrate reaches 1/2 oz. fill line.
7. Dilute with 1 gallon of water
8. Close sprayer and shake well before applying.

(ART: ICON OF DIAL TYPE)

For Dial-Style Hose-End Sprayers:

Dilution rate: 1/2 oz per gallon (1 tablespoon = 1/2 oz)

5. Fill sprayer jar with enough concentrate to cover area to be treated.
6. Close sprayer and set dial.
7. Attach sprayer to hose and apply.
8. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

OR

Fill sprayer jar with enough concentrate to cover area to be treated and follow sprayer label directions for applying.