9-11-2006

Form Approved. OMB No. 2070-0060

	1	ĺ.		
60	7		J	

<b>⊕EPA</b>	Environmental	ited States Protection pton, DC 2046	•	x	Registr Amend Other		OPP Identifier Number
	A	pplication	n for Pestici	de - Sectio	n I		
1. Company/Product Number 72155-39	<b>,</b>			Próduct Managai E LaRocca		r 1	posed Classification  None Restricted
4. Company/Product (Name) Tempo Concentrate Insec			<b>PM#</b> 13				
5. Name and Address of App Bayer Advanced 2 T.W. Alexander Driv Research Triangle Pa	/e ark, NC 27709	•)	(b)(i), n to: EPA F	ny product is si leg. No	milar or iden	itical in cor	FIFRA Section 3(c)(3) mposition and labeling
Check if this	is a new address	<del></del>		ct Name			
Amendment - Explain Resubmission in resp  X Notification - Explain  Explanation: Use addition  See Attached	onse to Agency letter d		Section - I	Final printed lab Agency letter d "Me Too" Appli Other - Explain	sted cation.	to ·	P 1 1 2006
Meterial This Product Will	Be Packaged In:		Section - II	!			
Child-Resistant Packaging Yes No Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Parties  Yes  No  If "Yes" Package wgt	No. per container	2. Type of	Metal Plastic Glass Paper Other (Sp	pecify)
3. Location of Net Contents Label C	nformation 4	. Size(s) Retai	il Container	5. L	ocation of Lal	bel Direction	14
6. Manner in Which Label is	Affixed to Product	Lithogra Paper gi Stencile	iph lued d	Other			
			Section - I\	1			
1. Contact Point /Complete	items directly below for	identification	of individual to be	contacted, if ne	cessary, to pr	ocess this e	pplication.)
Name Charles W. Boyd			itte Registrations	Manager			No. (include Area Code) 49-2422
	nents I have made on th y knowlinglly felse or mi aw.		l attachments the			mpinte.	8. Date Application Received (Stamped)
2. Signature Clarky W.	Digitally signed by Charles DN. cn=Chailes W. Boyle E CropScience, ou=Bayer E Science, emails-charles. boyle-Bayer:opportunica 2 Dater 2006.08.28 13:49:18	c=US, o=Bayer invironmental	Titte Registrations	Manager			
4. Typed Name Charles W. Boyd		5.	Dete August 28	3, 2006			

2/11

Tempo® 0.75% Concentrate Insecticide EPA Reg. No. 72155-39 August 28, 2006

Page 1 of 1

# Section II - Explanation

Bayer Advanced is submitting a **Notification** to modify following claim:

The existing claim "This product kills outdoor pests on contact. Keeping your yard and garden free of nuisance pests has never been easier." has been modified by adding the word listed before nuisance pests.

Please find enclosed 1 copy of the proposed label.

This notification is consistent with the provision of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.



# **Tempo Concentrate Insecticide**

For Use On: Lawns, Ground Covers, Flowers, Shrubs, Trees, Around Homes

Measure-Up™ Cup

**Exact Measure Every Time** 

#### CONCENTRATE

#### KILLS INSECTS

#### RAINPROOF WITHIN 1 HOUR OF APPLICATION

- Just One Application Quickly Kills Insects
- Keeps on Killing for up to 14 days
- Kills over 60 Different Outdoor Insects
- Treats 5,333 sq ft (For Lawns)
- Effective Home/Yard Barrier Treatment
- · Contains Tempo®

#### **DOUBLE PROTECTION FORMULA**

- Fast Acting..Kills on Contact
- Long Lasting...Keeps on Killing for up to 14 days
- Kills on contact plus protects for weeks
- Also kills fleas, ticks & 58 other nuisance pests
- TEMPO Concentrate Insecticide kills mosquitoes and other nuisance pests on contact and keeps protecting for weeks in a single application. No mixing and measuring hassles. No messy cleanup. Controlling annoying outdoor insects around your home has never been easier.
- Protects home lawns, fruits & nuts, vegetables, houseplants, roses, flowers, trees & shrubs.
- Kills [controls] ants, aphids, chinch bugs, cutworms, fleas, mites, mosquitoes, sod webworms and many other listed insects
- · Kills & Repels bugs in your backyard [yard]!
- · Kills and repels mosquitoes
- Kills bugs fast
- Controls [Kills] ants, aphids, chinch bugs, cutworms, fire ants, fleas, beetles, grubs, mites, sod webworms and many other listed insects (others listed)
- Kills & Repels mosquitoes, flies, ants, fleas, ticks (including those which may transmit Lyme Disease), and other annoying pests!
- · Keeps killing for weeks
- Kills ants, fleas, bagworms, grasshoppers, mole crickets, chinch bugs, sod webworms, crickets, aphids, mosquitoes, and other listed insects
- Just One Application Quickly Kills Insects
- Kills many troublesome outdoor insects which destroy lawns, roses, flowers, trees and shrubs, or annoy people or pets
- Keeps on Killing for up to 14 Days
- Kills Over 60 Different Outdoor Insects
- Kills up to 70 insects [pests as listed]
- Fast Acting...Kills on Contact
- Long Lasting
- Works in Hours
- Quickly Stops Harmful Insects before they do damage
- Effective Against a Broad Range of Listed Pests
- Kills Pests Outdoors Before They Come Indoors
- Helps protect your [house] [home] from invading insects [ants]

- Keeps annoying insects away
- Protects your yard all weekend long
- Won't wash away [in rain]
- · Do-it-yourself pest control
- · Just connect to your [garden] hose and spray
- Low odo
- For use around foundations, outside buildings, porches, wood piles, wooden fences and decks [patios]
- For Use On: Lawns, Ground Covers, Flowers, Shrubs, Trees, Vegetables, Around Homes
- For Use Outdoors on lawns, Shrubs, Trees, and in Flower or Vegetable Gardens
- Ready-To-Spray [Concentrate]
- Effective Home Barrier Treatment
- · Creates a barrier around your home
- Ready-To-Spray...No Mixing, No Measuring (RTS)
- · Apply with Most Common Garden Sprayers
- Rainproof in 1 hour
- · Rainproof within 1 hour of Application
- · Protects house lawns, flowers, shrubs, and trees
- Water Based
- Satisfaction guaranteed or your money back
- Long Lasting Non stop protection
- 100% Satisfaction Guaranteed
- This product kills outdoor pests on contact. Keeping your yard and garden free of listed nuisance pests has never been easier.

#### [1/2 fl oz size only]

- · Single dose packages
- Concentrate makes 1 gallon (each tube)
- Guaranteed Results
- Use on lawns, flowers, shrubs, & Vegetables

#### **ACTIVE INGREDIENT:**

 Cyfluthrin
 0.75%

 OTHER INGREDIENTS
 99.25%

Net Contents: 16 fl oz or 32 fl oz or 4 x 0.5 fl oz

4/11

# QUICK FACTS

Quickly Stops Harmful Insects Before They Do Damage

Kills on contact and keeps on protecting

Effective Against a Broad Range of Listed Pests

Kills Pests Outdoors Before They Come Inseide

Ready to Spray...No Mixing, no Measuring (RTS)

Easy, Accurate Measuring & Mixing (Concentrate)

GLLS	(ART: ant, flea, spider, tick)	(ART: ant, flea, spider, tick)		
	Ants	Japanese beetles (adults)		
	Aphids	Lace bugs		
	Armyworms	Leaf Beetles		
	Aster leafhoppers	Leaf-feeding beetles		
	Bagworms	Leaf-feeding caterpillars		
	Banded sunflower moths	Leafhoppers (including Glassy-winged Sharpshooter)		
	Bluegrass billbug (adults)	Leafminers		
	Boxelder bugs	Mealybugs		
	Budmoths	Midges		
	Cabbage loopers	Mole Crickets		
	Carrot weevils (adults)	Mosquitoes		
	Caterpillars	Pepper weevits (adults)		
	Celery leaf tiers	Pillbugs		
	Chiggers	Plant bugs		
	Chinch bugs	Potato aphids		
	Clover mites	Potato leafhoppers		
	Cockroaches	Roaches		
	Colorado potato beetles	Scale (crawler stages)		
	Corn borers	Seed weevils (adults)		
	Corn earworms	Sod Webworms		
	Corn rootworms (adults)	Sowbugs		
	Crickets	Spiders		
	Cutworms	Spittlebugs		
	Earwigs	Stem weevil (adults)		
	Elm leaf beetles	Stink bugs		
•	Fire ants	Sunflower beetles		
	Flea beeties	Sunflower moths		
	Fleas	Thrips		
	Flies	Ticks (including deer ticks)		
	Garden webworms	Tomato Fruitworms		
	Grasshoppers	Tomato Hornworms		
	Gypsy Moth Larvae	Tomato Pinworms		
	Head clipper weevils (adults)	Wasps		
	Hyperodes weevil (adults)	Weevils (adults)		
	(Typorodos Woovii (ddaile)	Western Flower THrips		
		Whiteflies		
OVERAGE	Makes up to 64 gallons of spray (32 oz) (For	Ornamental Application)		
	Covers 5,333 sq ft (Lawn Application)	<del></del>		
WHERE TO USE	Lawns, Ground Covers, Flowers, Shrubs, Tre	es, vegetables, Arouno Homes		
HEN TO USE	When insects or damage first appear	(O)		
OW MUCH TO USE	Dilute ½ oz (1 Tablespoon) per gallon of wate No measuring needed. Dilutes automatically	the state of the s		
	Tro moderning modera. Directed determinedity	A CONTRACTOR OF THE PROPERTY O		

EPA Est. No. XXXX-AA-1

**ACTIVE INGREDIENT:** 

Cyfluthrin is the chemical name for Tempo®

EPA Reg. No. 72155-39

EPA Est. No. XXXX-AA-1

# PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

#### Caution

Harmful if swallowed or inhaled

- · Causes eye irritation
- · Avoid contact with skin, eyes, or clothing.
- · Wash thoroughly with soap and water after handling.
- Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with this
  insecticide

First Aid +		
If Inhaled	Move person to fresh air.	
	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.	
	Call a poison control center or doctor for further treatment advice	
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	Call a poison control center or doctor for treatment advice.	
If swallowed	Call a poison control center or doctor immediately for treatment advice.	
	Have person sip a glass of water if able to swallow.	
	Do not induce vomiting unless told to do so by the poison control center or doctor.	
	Do not give anything by mouth to an unconscious person.	

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-229-3763 for emergency medical treatment information

DIRECTIONS FOR USE			
	It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.		
BEFORE YOU USE Read and follow these directions when using:	<ul> <li>Apply the product to flowering plants during early morning or late evening, when bees are not present.</li> <li>Do not spray the product into fish pools, ponds, streams, or lakes.</li> <li>Remove animal feeding dishes prior to application. Keep children and pets away from treated areas until spray has dried.</li> </ul>		
WHEN TO USE	Spray when insects or damage first appear. For severe infestations, repeat every 7 to 14 days as necessary.		
HOW TO USE Shake well before using	[For ½ oz size only.]  Remove one applicator tube from the package.  Hold the applicator tube in an upright position. Pull the cap off the tube.  Turn the cap around and place the other end of the cap back on the tube.  Twist the cap to break the seal, then remove the cap from the tube.  Mix with water to make 1 gallon of finished spray.		
	Discard the empty tube as described in the Storage and Disposal.		
MIXING & MEASURING	SEE SPRAYER TYPES		
HOW MUCH TO USE	Dilute ½ oz (1 Tbs) per gallon of water (ART)		
HOW TO SPRAY	Adjust nozzle on your sprayer to desired spray pattern. Hold sprayer about 12 inches from foliage. Spray leaves and tender new shoots.		
	ART: of steps above		
	To kills insects that may hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping.		
·	ART: spraying undersides of leaves		

VEGETABLES			
No waiting.			
You may spray up to day of harvest.			
Do not spray more than 5 times per year.			
Carrots Sweet Corn	<del></del>		
Radishes Tomatoes			
PEST			
Aphids	Flea beetles		
Armyworms	Grasshoppers		
Aster leafhoppers	Leafhoppers		
Cabbage loopers	Leafminers		
Carrot weevils (adults)	Potato aphids		
Chinch bugs	Stink bugs		
Colorado potato beetles	Thrips		
Com borers	Tomato fruitworms		
Corn earworms	Tomato hornworms		
Com rootworm (adults)	Tomato pinworms		
Cutworms	Weevils (adults)		
Western Flower Thrips			
HOW TO APPLY			
Spray foliage, tender new shoots and the underside of leaves thoroughly.			
To Kill insects that hide, spray the underside of the leaves. Apply until leave	s are evenly coated with spray droplets, but not dripping.		
ART			
Peppers			
After spraying, wait 7 days before harvest.			
Do not spray more than 6 times per season.			
PEST			
Armyworms	Leafhoppers (including Glassy-winged Shartshooter)		
Cabbage loopers Leafminers			
Celery leaf tiers	Pepper weevils (adults)		
Corn borers Potato leafhoppers			
Corn earworms	Thrips		
Garden webworms Weevils (adults)			
Sunflowers			
After spraying, wait 30 days before harvest.			
Do not spray more than 3 times per season.			
PEST			
Banded sunflower moths	Midges		
Budmoths	Seed weevils (adults)		
Cutworms	Stern weevils (adults)		
Grasshoppers	Sunflower beetles		
Head clipper weevils (adults)	Sunflower moths		
Leafhoppers (including Glassy-winged Sharpshooter)	Weevils (adults)		

FLOWERS, TREES, SHRUBS, GROUND COVERS			
PEST			
Aphids	Japanese beetle (adults)	Mealybugs	
Bagworms	Lace bugs	Pillbugs	
Boxelder bugs	Leaf-feeding caterpillars	Scale (crawler stages)	
Clover mites	Leaf-feeding beetles	Spittlebugs	
Elm leaf beetles	Leafhoppers (Including Glassy-winged	Thrips	
Grasshoppers	Sharpshooter)	Whiteflies	
Gypsy moth larvae			
HOW TO APPLY			
Spray foliage, tender new shoots as	nd the underside of leaves thoroughly.		
To Kill insects that hide, spray the L	inderside of the leaves. Apply until leaves are evenly coated v	rith spray droplets, but not dripping.	

HOUSEHOLD NUISANCE PESTS OUTDOORS

PEST

Ants
Boxelder bugs
Clover mites
Cockroaches
Crickets

Hilbugs
Sowbugs
Sowbugs
Spiders
Wasps

#### **HOW TO APPLY**

Spray thoroughly beneath shrubs, around house foundation and in nearby tall grass or weeds. Cover evenly.

ART

ART

Adjust spray nozzle to a coarse spray to reach down into tall grass.

1 gallon of spray treats 1,000 sq. ft. of ground.

Do not mow for one day after application.

ART

LAWN PESTS (3 fl. oz. per gallon of water (covers 500 sq. ft.))		
PEST		
Ants	Fire Ants	
Armyworms	Fleas	
Bluegrass Billbugs (adults)	Grasshoppers	
Chiggers	Hyperodes weeviis (adults)	
Chinch bugs	Japanese Beetles (adults)	
Crickets	Mole Crickets	
Cutworms	Sod webworms (lawn moths)	
Earwigs	Ticks (including deer ticks)	
HOW TO APPLY		
Use a hose-end sprayer according to sprayer directions	s. The goal is to have large droplets and enough spray to penetrate the lawn and reach the soil.	

<del></del>	
	OUT THE COLUMN THE COL
•	Children and pets may re-enter the treated area after spray has dried
大 <b>州</b>	
	<del></del>

# [Ready-to-Spray package only]

This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray.

HOW TO ATTACH & SPRAY	
Connect your garden hose to the bottle. Be sure the (color inserted here) water control valve on top of the spray nozzle is in the OFF position.	<ol> <li>Turn on the water at faucet. Twist the small, star-shaped, (color inserted here) product-control button to align the flat portion with the lock tab. Push the button in to open. Be certain to choose the setting below which describes your use area. (See below)</li> </ol>
ART	ART
For Use On Lawn Pests: Turn on water at faucet. Pull the small star-shaped, (color inserted here) product-control button out until it stops.  Twist the (color inserted here) product control button so that the "L" on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open. Proceed to step #3/	For All Other Uses: Turn on water at faucet. Pull the small star-shaped, (color inserted here) product-control button out until it stops. Twist the (color inserted here) product-control button so that the "G" on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open. Proceed to step #3.
To begin spraying, point nozzle toward the area to be treated and turn the (Color) water control valve to the ON position. Tab will be horizontal.	To stop spraying, turn the (color) water control valve on top of the spray nozzle to OFF. To close, push in the small round button opposite the star-shaped product-control button. Turn off faucet.  (ART)
(ART)	

TIPS FO	OR APPLYING	*	
1.	Extend hose to the farthest area to be treated and work back toward the faucet to avoid walking into wet, treated area.	2.	Walk at a steady pace while spraying, using an even sweeping motion, slightly overlapping the treated areas.
(ART)		(ART)	

[Concentrate package only]

# SPRAYER TYPES

# (ART: ICON OF PUMP TYPE)

#### For Pump Style Tank Sprayer:

# To make one gallon of spray:

- 1. Open flip-top lid
- 2. Gently squeeze bottle until concentrate reaches ½ oz. fill line.
- 3. Dilute with 1 gallon of water
- 4. Close sprayer and shake well before applying.

## (ART: ICON OF DIAL TYPE)

#### For Dial-Style Hose-End Sprayers:

Dilution rate: 1/2 oz per gallon (1 tablespoon = 1/2 oz)

- 1. Fill sprayer jar with enough concentrate to cover area to be treated.
- 2. Close sprayer and set dial.
- 3. Attach sprayer to hose and apply.
- 4. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

OR

Fill sprayer jar with enough concentrate to cover area to be treated and follow sprayer label directions for applying.

# (ART: ICON OF Concentrate Plus Water Hose End TYPE)

#### For Concentrate-Plus-Water Hose-End Sprayers:

Dilution rate: 1/2 oz per gallon (1 tablespoon = 1/2 oz)

- 1. Pour concentrate into sprayer jar to the required fluid ounce level.
- 2. Add the appropriate amount of water to the gallons level.
- 3. Replace sprayer top and shake well before applying.
- 4. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

OR

Pour concentrated into sprayer jar to the required fluid ounce level and follow sprayer label directions for applying.

#### FOR BEST RESULTS

Do not water the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

# (ART: ICON OF PUMP TYPE)

#### For Pump Style Tank Sprayer:

#### To make one gallon of spray:

- 5. Open flip-top lid
- 6. Gently squeeze bottle until concentrate reaches ½ oz. fill line.
- 7. Dilute with 1 gallon of water
- 8. Close sprayer and shake well before applying.

#### (ART: ICON OF DIAL TYPE)

#### For Dial-Style Hose-End Sprayers:

Dilution rate: 1/2 oz per gallon (1 tablespoon = 1/2 oz)

- 5. Fill sprayer jar with enough concentrate to cover area to be treated.
- 6. Close sprayer and set dial.
- 7. Attach sprayer to hose and apply.
- 8. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

OR

Fill sprayer jar with enough concentrate to cover area to be treated and follow sprayer label directions for applying.

Store in original container in a cool, dry place, out of the reach of children preferably a locked storage cabinet.
If empty: Do not reuse container. Place empty container in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency or toll free 1-877-229-3724 [1-800 CLEAN-UP] for disposal instructions. Never place unused product down any indoor or outdoor drain.
NOTICE
ons for Use" are appropriate for the proper use of TEMPO Concentrate Insecticide under for lack or performance or safety if not used according to the directions.
s product, we will gladly refund your original purchase price.

# Label text for ½ fl oz tube:

For Concentrate-Plus-Water Hose-End Sprayers:

Active Ingredient: cyfluthrin, 0.75%

EPA Reg. No. 72155-39

#### **CAUTION**

Keep out of Reach of Children

See package for precautionary statements and directions for use

# Bayer Advanced

A Business Unit of Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709

Tempo Concentrate Insecticide (MASTER) Approved 01/05/05, Notification Submitted 08/11/05, Notification 12/08/05, Notification 08/28/06