

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

AND POLLUTION PREVENTION

SEP 2 4 2013

Annette M. Bloomberg Bayer Advanced P.O. Box 12014 2 T.W. Alexander Drive Research Triangle Park, NC 27709

Subject:

Notification per PRN 98-10

EPA Registration No.: 72155-39 Tempo Concentrate Insecticide

Date of Submission: September 10, 2013

Dear Ms. Bloomberg:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration (PRN) 98-10 for the abovementioned product. The Registration Division (RD) has conducted a review of this request and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Since you are adding a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance. As an alternative, you may refer consumers to the company's phone number or e-mail address.

If you have any questions regarding this action, please contact Olga Odiott at (703)308-9369.

Sincerely,

Mark Suarez

Product Manager 13 Insecticide Branch

Registration Division (7505P)

EPA Environmenta	Inited States I Protection Ington, DC 20460		Form Approv	Registration Amendme Other	on	O. Approvel expires 2-28-9 OPP Identifier Number
	Application	for Pesticid	e - Sectio	n I		
1. Company/Product Number 72155-39		2. EPA P Mark S	roduct Manage uarez	· ·	3. Pro	pposed Classification
4. Company/Product (Name) Tempo Concentrate Insecticide		PM# 13				
5. Name and Address of Applicant <i>(Include ZIP Co</i> Bayer Advanced P.O. Box 12014, 2 T.W. Alexander Dri Research Triangle Park, NC 27709 Check if this is a new address		(b)(i), my to: EPA Ro	y product is s		l in cor	FIFRA Section 3(c)(3) mposition and labeling
		Section - II				
Amendment - Explain below. Resubmission in response to Agency letter Notification - Explain below. Explanation: Use additional page(s) if necessar Notification of minor label modifications/corrections email: annette.bloomberg@bayer.com	y. (For section I	and Section II.)	Agency letter of "Me Too" App Other - Explain	lication.		
	<u> </u>	Section - III	,			
Material This Product Will Be Packaged In:	 					
Child-Resistant Packaging Yes No * Certification must be submitted Unit Packaging If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Pa Yes No If "Yes" Package wgt	No. per container	P	ntainer Metal Mastic Mass Maper Other (S	pecify)
B. Location of Net Contents Information Label Container	4. Size(s) Retail	Container	5.	Location of Label I	Direction	ns ·
6. Manner in Which Label is Affixed to Product	Lithograp Paper glu Stenciled	oh ied	Other _			
		Section - IV				
1. Contact Point Complete items directly below t	for identification o	of individual to be	contacted, if n	ecessary, to pr့ဝင္မမွ	şş this	app:iççtion=)
Name Annette M. Bloomberg	ì	tle legulatory Produc	t Manager	- Y		No. (Include Area Code) -2668 ം ം
I certify that the statements I have made on I acknowledge that any knowlinglly false or both under applicable law.	Certification this form and all misleading states	attachments the	eto are true, as shable by fine (ccurate and comple	66.	6. Date Application (Acceleration) (Stamped)

3. Title

5. Date

Regulatory Product Manager

September 10, 2013

Annette M. Bloomberg (annette.bloomberg@bayer.com)

Innette M. Bloomberg

2. Signature

4. Typed Name

NOTIFICATION

SEP 2 4 2013

(Front Panel)

Tempo® Concentrate Insecticide

[ABN: Bayer Advanced Vegetable & Garden Insect Spray Concentrate]

[ABN: Bayer Advanced Vegetable & Garden Insect Spray Ready-to-Spray]

For Use On: Vegetables, Peanuts, Sunflowers, Grapes, Lawns, Ground Covers, Flowers, Shrubs, Trees, and Around Homes Measure-Up™ Cup

Exact Measure Every Time

CONCENTRATE KILLS LISTED* INSECTS RAINPROOF WITHIN 1 HOUR OF APPLICATION

- Just One Application Quickly Kills listed* Insects
- · Keeps on Killing for up to 14 days
- Kills over 60 Different Outdoor Listed* Insects
- Treats 5,333 sq. ft. (For Lawns)
- Contains Tempo®
- Fast Acting...Kills on Contact
- Long Lasting... Keeps on Killing for up to 14 days
- · Kills on contact plus protects for up to 2 weeks
- Also kills fleas, ticks & 58 other listed* nuisance pests
- TEMPO® Concentrate Insecticide kills mosquitoes and other nuisance pests on contact and keeps protecting for up to 2 weeks in a single application. No mixing and measuring hassles. No messy cleanup. Controlling annoying outdoor insects around your home has never been easier.
- Protects home lawns, fruits & nuts, vegetables, houseplants, roses, flowers, trees & shrubs against listed* insects.
- Kills [controls] ants, aphids, chinch bugs, cutworms, fleas, mites, mosquitoes, sod webworms and other listed* insects
- Kills & Repels listed* bugs in your backyard [yard]!
- Kills and repels mosquitoes
- Kills listed* bugs fast
- Controls [Kills] ants, aphids, chinch bugs, cutworms, fire ants, fleas, beetles, grubs, mites, sod webworms and other listed* insects (others listed*)
- Kills & Repels mosquitoes, flies, ants, fleas, ticks (including those which may transmit Lyme Disease), and other listed* annoying pests!
- Keeps killing for up to 2 weeks
- Kills ants, fleas, bagworms, grasshoppers, mole crickets, chinch bugs, sod webworms, crickets, aphids, mosquitoes, and other listed* insects
- Just One Application Quickly Kills listed* insects
- Kills listed* troublesome outdoor insects which destroy lawns, roses, flowers, trees and shrubs, or annoy people or pets
- Keeps on Killing for up to 14 Days
- · Kills Over 100 Different Listed* Outdoor Insects
- Kills Over 100 insects pests as listed*

- Kills Stink Bugs (including Brown Marmorated Stink Bugs)
- · Fast Acting... Kills on Contact
- · Long Lasting for up to 2 weeks
- · Works in Hours
- · Quickly Stops Harmful Listed* Insects before they do damage
- · Effective Against a Broad Range of Listed* Pests
- · Protects your yard all weekend long
- · Won't wash away [in rain]
- Do-it-yourself pest control
- Just connect to your [garden] hose and spray
- Low odo
- For Use On: Lawns, Ground Covers, Flowers, Shrubs, Trees, and Vegetables, Around Homes
- For Use Outdoors on lawns, Shrubs, Trees, and in Flower or Vegetable Gardens
- · For use around foundations and outside of home
- Ready-To-Spray [Concentrate]
- Ready-To-Spray... No Mixing, No Measuring (RTS)
- · Apply with Most Common Garden Sprayers
- Rainproof in 1 hour
- Rainproof within 1 hour of Application
- · Protects house lawns, flowers, shrubs, and trees
- Water Based
- Satisfaction guaranteed or your money back
- · Long Lasting Nonstop protection for up to 2 weeks
- 100% Satisfaction Guaranteed
- This product kills outdoor pests on contact. Keeping your vegetable garden and lawn free of listed* pests has never been easier.
- · Simply hook to hose and spray (RTS)
- Kills aphids, Japanese beetles (adults), cutworms, tomato hornworms, and other listed* pests
- Also for use on lawns
- Mix and spray (sprayer art)

*	[The word "listed"	can appear as	a footnote with the	appropriate phrase	, such as "listed	insects

·		 	C 1. 1.
ACTIVE INGREDIENT:		 - C C C C C	C C C C
ACTIVE INGREDIENT:		((C	
· · ·			0.7504 5
Cyfluthrin	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	 t	0.75% `
OTHER INGREDIENTS:		осесес 9	9 25%cccc
OTTIER MOREDIEM O	***************************************	 	<u>0.20</u> 70
TOTAL ·		€ C 1∩	n nn%
IOIAL:		- 10	U.UU /0

Net Contents: 16 fl. oz. or 32 fl oz or 40 fl oz

STOP - Read This Entire Label Before Use KEEP OUT OF REACH OF CHILDREN CAUTION

(BACK PANEL)

QUICK FACTS

Quickly Stops Harmful Listed* Insects Before They Do Damage

Kills listed* on contact and keeps [on] protecting for up to 2 weeks

Effective Against a Broad Range of Listed* Pests

Ready to Spray...No Mixing, no Measuring (RTS)

Easy, Accurate Measuring & Mixing (Concentrate)

Apply with most Common Garden Sprayers

KILLS	Aphids, Caterpillars, Japanese beetles (adults), Leaf-feeding beetles, Stink Bugs (including Brown Marmorated Stink Bugs), Whiteflies, and other listed* pests.	
COVERAGE	Makes up to 64 gallons of spray (32 fl oz size) (For Vegetable and Ornamental Applications) Covers 5,333 sq ft (32 fl oz size) (Lawn Application)	
WHERE TO USE	Vegetables, Lawns, Ground Covers, Flowers, Shrubs, Trees, and around Homes	
WHEN TO USE	When insects or damage first appear	
HOW MUCH TO USE	[For Concentrate:] For Vegetable and Ornamental applications, dilute 1/2 fl oz (1 Tablespoon) per gallon of water. For Lawn Pests, dilute 3 fl oz per gallon of water. [For Ready-to-Spray:] No measuring needed. Dilutes automatically.	
WHEN TO HARVEST	See plant specific restrictions for pre-harvest interval. If no pre-harvest interval is listed, the product may be applied up to and including day of harvest.	
☎□	For questions or comments, call toll-free 1-877-BayerAG (1-877-229-3724) or visit our website at www.BayerAdvanced.com	

ACTIVE INGREDIENT:

 Cyfluthrin
 0.75 %

 OTHER INGREDIENTS:
 99.25 %

 TOTAL:
 100.00 %

Cyfluthrin is the chemical name for Tempo®

EPA Reg. No. 72155-39

EPA Est. No. XXXX-AA-1

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

Caution

Harmful if swallowed or inhaled

- · Causes eye irritation
- · Avoid contact with skin, eyes, or clothing
- · Wash thoroughly with soap and water after handling
- Do not use kitchen utensils for measuring. Keep utensils used for measuring with product and away from children.

+ FIRST AID		
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center or doctor Do not give anything by mouth to an unconscious person 	
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes Call a poison control center or doctor for treatment advice 	

	•	Move person to fresh air.	
IF INHALED	•	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible	/
	•	Call a poison control center or doctor for further treatment advice	

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free (877) 229-3763 for medical emergency information.

Active Ingredient: 0.75% Cyfluthrin [CAS # 68359-37-5]

Note to Physician: No specific antidote is available. Treat the patient symptomatically.

ENVIRONMENTAL HAZARDS

- This pesticide is toxic to fish and other aquatic organisms.
- This pesticide is highly toxic to bees. Do not apply TEMPO® 0.75% Concentrate Insecticide when bees are active.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.



i ((, i , i (, i , i

	DIRECTIONS FOR USE					
It is a violation of Federal la	It is a violation of Federal law to use this product in a manner inconsistent with its labeling.					
For best results, read and follow all label directions.						
BEFORE YOU USE Read and follow these directions when using:	ad and follow these • Do not spray the product into fish pools, ponds, streams, or lakes.					
	drain during or after application.					
WHEN TO USE	Spray when insects or damage first appear. For severe infestations, repeat every 7 to 14 days as necessary.					
MIXING & MEASURING (CONCENTRATE)	SEE SPRAYER TYPES					
HOW MUCH TO USE (CONCENTRATE)	For Vegetable and Ornamental applications, dilute 1/2 fl oz (1 Tablespoon) per gallon of water. For Lawn Pests, dilute 3 fl oz (6 Tablespoons) per gallon of water.					
HOW TO SPRAY	Shake Well Before Using					
	Adjust nozzle on your sprayer to desired spray pattern.					
	Hold sprayer about 12 inches from foliage.					
	Spray leaves and tender new shoots.					
	ART: of steps above					
	To kills listed insects that may hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping.					
	ART: spraying undersides of leaves					

Peanut				
PESTS CONTROLLED				
Armyworm (1 st and 2 nd instar) Bean leaf beetle Beet armyworm (1 st and 2 nd instar) Cutworms	Fall armyworm (1st and 2nd instar) Green cloverworm Grape colaspis (adult) Grasshoppers	Potato leafhopper Rednecked peanut worm Stink bugs Threecornered alfalfa hopper Southern armyworm (1st and 2nd	Thrips Vegetable weevi Velvetbean catel Whitefringed bee Whitefly (adfilt)	rpillar
Corn earworm Corn rootworms (adult)	Japanese beetle (adult) June beetle (adult)	instar) Soybean looper	000000	60000
Restrictions:	vest until at least 14 days after a			c c

4

. . .

Sunflowers

PESTS CONTROLLED

Banded sunflower moth

Sunflower beetle

Stink bugs

Sunflower midge Sunflower moth

Grasshoppers

Cutworms

Sunflower bud moth

Sunflower seed weevil

Palestripped flea beetle

Sunflower headclipping weevil

Sunflower stem weevil (adult)

Restrictions:

Pre-harvest Interval: Do not harvest until at least 30 days after application.

Do not spray more than 3 times per season.

Brassica (Cole) Leafy Vegetables:

Broccoli, Broccoli raab (rapini), Chinese (gai lon) broccoli, Brussels sprouts, Cabbage, Chinese (bok choy) cabbage, Chinese (napa) cabbage, Chinese mustard (gai choy) cabbage, Cauliflower, Cavalo broccolo, Collards, Kale, Kohlrabi, Mizuna, Mustard greens, Mustard spinach, Rape greens, and Turnip greens.

PESTS

Alfalfa looper

Corn earworm

Japanese beetle (adult)

Southern cabbageworm

Armyworm (1st and 2nd instar)

Culworms

Lygus bug

Tarnished plant bug

Beet armyworm (1st and 2nd

Diamondback moth (larvae)

Imported cabbageworm

Meadow spittlebug

Thrips

instar)

Fall armyworm (1st and 2nd

Potato leafhopper

Vegetable weevil (adult)

Cabbage flea beetle

instar)

Southern armyworm (1st and 2nd

Whitefly (adult)

Cabbage looper Cabbage webworm Grasshoppers

instar) Stink bugs Yellowstriped armyworm (1st

and 2nd instar)

Restrictions:

Do not spray more than 4 times per season.

Cucurbits (except crops grown for seed):

Balsam apple, Balsam pear, Bitter melon, Chayote, Chinese cucumber, Chinese waxqourd (Chinese preserving melon), Citron melon, Cucumber, Gherkin, Edible gourd (includes: hyotan, cucuzza, henchmia and Chinese okra), Muskmelon (includes: cantaloupe, true cantaloupe, casaba, crenshaw melon, golden pershaw melon, honeydew melon, honey balls, mango melon, Persian melon, pineapple melon, Santa Claus melon, and snake melon), Pumpkin, Summer squash (includes: crookneck squash, scallop squash, straightneck squash, vegetable marrow, and zucchini), Watermelon, Winter squash (includes: butternut squash, calabaza, hubbard squash, acorn squash and spaghetti squash)

PESTS

Armyworm (1st and 2nd instar)

Cucumber beetle

Pickleworm

Stripped cucumber beetle

Cabbage looper

Grasshoppers

Potato leafhopper

Tarnished plant bug Tobacco budworm

Corn earworm Cutworms

Lygus bug Melonworm Rindworm Stink bugs

Whitefly (adult)

. . .

Restrictions:

Do not spray more than 4 times per season.

Fruiting Vegetables

Eggplant, Groundcherry, Pepino, Pepper (includes: bell pepper, chili pepper, cooking pepper, pimento, sweet pepper). Tomatillo, and Tomato

PESTS

Beet armyworm (1st and 2nd

instar)

Cabbage looper

Celery leaftier Colorado potato beetle

European corn borer

Flea beetles

Garden webworm

Leafminers Pepper weevil Potato aphid

Potato leafhopper

Southern armyworm (1st and 2nd

Stink bugs (including Brown Marmorated Stink Bugs)

Tarnished plant bug Thrips (except Thrips palmi)

Tomato fruitworm (corn earworm)

Tomato hornworm

Tomato pinworm

Variegated cutworm Whitefly (adult)

Western vellowstriped

armyworm (1st and 2nd instar)

Restrictions:

Pre-harvest Interval: Do not harvest until at least 7 days after application, except for tomato, which has no PHI.

Do not spray more than 6 times per season.

Leafy Vegetables:

Amaranth (Chinese spinach), Arugula (rouquette), Cardoon, Celery, Chinese celery, Celtuce, Chervil, Chrysanthemum (edible-leaved and garland), Corn salad, Cress (garden and upland), Dandelion, Dock (sorrel), Endive (escarole), Florence fennel, Lettuce (head and leaf), New Zealand spinach, Orach, Parsley, Purslane (garden and winter), Radicchio (red chicory), Rhubarb, Spinach, Swiss chard, Vine spinach

PESTS

Alfalfa looper

Beet armyworm (1st and 2nd

instar)

Cabbage looper Corn earworm

Cutworms

Diamondback moth (larvae)

European corn borer

Fall armyworm (1st and 2nd

instar)

Flea beetles Grasshoppers

Green cloverworm Imported cabbageworm Japanese beetle (adult)

Leafhoppers Lygus bug

Meadow spittlebug

Saltmarsh caterpillar

Southern armyworm (1st and 2nd instar)

Stink bugs

Tarnished plant bug

Thrips

Vegetable weevil (adult) Whitefly (adult)

Yellowstriped armyworm (1st and 2nd instar)

Restrictions:

Do not spray more than 4 times per season.

Potato and Other Tuberous and Corm Vegetables:

Arracacha, Arrowroot, Artichoke (Chinese and Jerusalem), Edible canna, Cassava (bitter and sweet), Chayote root, Chufa, Dasheen (taro), Ginger, Leren, Potato, Sweet potato, Tanier, True yam, Turmeric, Yam bean

PESTS

Aphids Cabbage looper Cutworms

Potato psyllid

Sweetpotato weevil (adults)

Colorado potato beetle

Flea beetles

European corn borer

Potato tuberworm

Tarnished plant bug cocc

Restrictions:

Do not spray more than 6 times per season.

CCCCCC

Root Vegetables (except sugarbeet):

Garden beet, Edible burdock, Carrot, Celeriac, Turnip-rooted chervil, Chicory, Ginseng, Horseradish, Turnip-rooted parsley, Parsnip, Radish, Oriental radish, Rutabaga, Salsify (black, Spanish, and oyster plant), Skirret, Turnip

PESTS

Aster leafhopper

Cutworms

Flea beetles

Potato leafhopper

Carrot weevil Restrictions:

Do not spray more than 5 times per season.

Sweet Corn

PESTS

Armyworm (1st and 2nd instar)

Bean leaf beetle

Black cutworm Cereal leaf beetle

Chinch bug Click beetle (adult)

Corn earworm Corn rootworms (adult) Corn silk fly

instar)

European corn borer Fall armyworm (1st and 2nd

Flea beetle

Grape colaspis (adult)

Granulate cutworm

Grasshoppers

Japanese beetle (adult)

June beetle (adult) Leafhoppers

Masked chafer (adult) Sand hill cutworm

Southern armyworm (1st and 2nd instar)

Southern corn leaf beetle

Southwestern corn borer

Stalk borer Stink bugs Webworm

Western bean cutworm Yellowstriped armyworm (1st and 2nd instar)

Restrictions:

Do not spray more than 10 times per season.

Grapes

Includes: Table grape, Raisin, Wine and Muscadine grape

PESTS

Climbing cutworm

Grape berry moth

Grape bud beetle

Grape cane gallmaker (adult)

Grape flea beetle

Grape leaffolder Grape leafhopper

Grape leafroller

Grape mealybug (crawlers)

Glassywinged sharpshooter

Grape leaf skeletonizer

Omnivorous leafroller

Orange tortrix

Thrips

Variegated leafhopper

Western grape leaf skeletonizer

Restrictions:

Pre-harvest Interval: Do not harvest until at least 3 days after application.

Do not spray more than 4 times per season

FOR BEST RESULTS:

Do not water the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply

PESTS		
Aphids	Japanese beetle (adults)	Mealybugs
Bagworms	Lace bugs	Pillbugs
Boxelder bugs	Leaf-feeding caterpillars	Scale (crawler stages)
Clover mites	Leaf-feeding beetles	Spittlebugs
Elm leaf beetles	Leafhoppers (Including Glassy-winged	Stink Bugs (including Brown Marmorated
Grasshoppers	Sharpshooter)	Stink Bugs)
Gypsy moth larvae		Thrips
• •		Whiteflies

Spray foliage, tender new shoots and the underside of leaves thoroughly.

To Kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray droplets, but not dripping. (ART)

HOUSEHOLD NUISANCE PESTS OUTDOORS

PESTS

Ants	Earwigs	Pillbugs
Boxelder bugs	Flies	Sowbugs
Clover mites	Midges	Spiders
Cockroaches	Mosquitoes	Stink Bugs (including Brown Marmorated
Crickets		Stink Bugs)
	·	Wasps

HOW TO APPLY

Spray thoroughly beneath shrubs, around house foundation and in nearby tall grass or weeds. Cover evenly.

(ART)

Adjust spray nozzle to a coarse spray to reach down into tall grass.

1 gallon of spray treats 1,000 sq ft of ground.

(ART)



• People and pets may reenter the treated area after it has dried.

PESTS	
Ants	Grasshoppers
Armyworms	Hyperodes weevils (adults)
Bluegrass Billbugs (adults)	Japanese Beetles (adults)
Chiggers	Mole Crickets
Chinch bugs	Sod webworms (lawn moths)
Crickets	Stink Bugs (including Brown Marmorated Stink Bugs)
Cutworms	Ticks (including deer ticks)
Earwigs	
Fire Ants	
Fleas	C (C C
HOW TO APPLY	. 600000 000000

[For Concentrate:] Use a hose-end sprayer. [For Ready-to-Spray:] Use this hose-end sprayer. The goal is to have large droplets and enough spray to penetrate the lawn and reach the soil.

Do not mow for one day after application.

[Ready-to-Spray package only]

This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray.

HOW TO ATTACH & SPRAY	
Connect your garden hose to the bottle. Be sure the (color inserted here) water control valve on top of the spray nozzle is in the OFF position. (ART)	Turn on the water at faucet. Twist the small, star-shaped, (color inserted here) product-control button to align the flat portion with the lock tab. Push the button in to open. Be certain to choose the setting below which describes your use area. (See below) (ART)
For Use On Lawn Pests: Turn on water at faucet. Pull the small star-shaped, (color inserted here) product-control button out until it stops. Twist the (color inserted here) product control button so that the "L" on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open. Proceed to Step #3/	For All Other Uses: Turn on water at faucet. Pull the small starshaped, (color inserted here) product-control button out until it stops. Twist the (color inserted here) product-control button so that the "G" on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open. Proceed to Step #3.
To begin spraying, point nozzle toward the area to be treated and turn the (Color) water control valve to the ON position. Tab will be horizontal.	To stop spraying, turn the (color) water control valve on top of the spray nozzle to OFF. To close, push in the small round button opposite the star-shaped product-control button. Turn off faucet.
(ART)	(ART)
TIPS FOR APPLYING	
Extend hose to the farthest area to be treated and work back toward the faucet to avoid walking into wet, treated area.	Walk at a steady pace while spraying, using an even sweeping motion, slightly overlapping the treated areas.
(ART)	(ART)

[Concentrate package only]

SPRAYER TYPES				
(ART: ICON OF PUMP TYPE)	, .			
For Pump Style Tank Sprayer:				
To make one gallon of spray:				
1. [Open flip-top lid]				
2. [Gently squeeze bottle until concentrate reaches 1/2 fl oz fill line.]				
3. [Dilute 1/2 fl oz (1 Tablespoon) of the liquid concentrate per gallon of water]	•			
4. [Dilute with 1 gallon of water]		,		
5. Close sprayer and shake well before applying.				

(ART:	ICON OF <u>DIAL</u> TYPE)		(((
For Dia	Il-Style Hose-End Sprayers:	((; ;	tice
Dilution	rate: 1/2 fl oz per gallon (1 Tablespoon = 1/2 fl oz)	c c	· · ·
1.	Fill sprayer jar with enough concentrate to cover area to be treated.	C C C C C C C C C C C C C C C C C C C	000066
2.	Close sprayer and set dial.	, 6 c	G &
3.	Attach sprayer to hose and apply	60,60	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
. 4.	To avoid contact with the treated area, begin by spraying area farthest from faucet walking	i backwards aş you :	spray.
OR			1 6 6 6 6 6
Fill spra	ayer jar with enough concentrate to cover area to be treated and follow sprayer label directio	ns for applying.	į.
		* *****	

(ART: ICON OF Concentrate Plus Water Hose End TYPE)

For Concentrate-Plus-Water Hose-End Sprayers:

Dilution rate: 1/2 fl oz per gallon (1 Tablespoon = 1/2 fl oz)

- 1. Pour concentrate into sprayer jar to the required fluid ounce level.
- 2. Add the appropriate amount of water to the gallons level.
- 3. Replace sprayer top and shake well before applying.
- 4. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

OR

Pour concentrated into sprayer jar to the required fluid ounce level and follow sprayer label directions for applying.

(ART: ICON OF PUMP TYPE)

For Pump Style Tank Sprayer:

To make one gallon of spray:

- 1. Open flip-top lid.
- 2. Gently squeeze bottle until concentrate reaches 1/2 fl oz fill line.
- 3. Dilute with 1 gallon of water.
- 4. Close sprayer and shake well before applying.

(ART: ICON OF DIAL TYPE)

For Dial-Style Hose-End Sprayers:

Dilution rate: 1/2 fl oz per gallon (1 Tablespoon = 1/2 fl oz)

- 1. Fill sprayer jar with enough concentrate to cover area to be treated.
- 2. Close sprayer and set dial.
- 3. Attach sprayer to hose and apply.
- 4. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

OR

Fill sprayer jar with enough concentrate to cover area to be treated and follow sprayer label directions for applying.

PESTICIDE STORAGE AND DISPOSAL				
Pesticide Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.			
Pesticide Disposal	If empty: Non-refillable container. Do not refill or reuse container. Place empty container in trash or offer for recycling if available.			
	If partly filled: Call your local solid waste agency or toll free 1-877-229-3724 [1-800 CLEAN-UP] for disposal instructions. Never place unused product down any indoor or outdoor drain.			

NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of TEMPO Concentrate Insecticide under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack or performance or safety if not used according to the directions.

Money back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

PRODUCED FOR



A Business Unit of Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709

Tempo® Concentrate Insecticide (PENDING) 06/19/12, 07/10/12, 09/14/12, 06/07/2013