

72155-40

01/05/2005

1/7

(FRONT PANEL)

# Tempo<sup>®</sup> Ready-to-Use Insecticide

For use on: Vegetables (Tomatoes, Carrots, Corn, Radishes, Peppers), Flowers, Shrubs, Trees, Groundcovers, Lawns and Around Homes

GUARANTEED SATISFACTION  
READY TO USE  
KILLS INSECTS  
MULTIPURPOSE INSECTICIDE

### DOUBLE PROTECTION FORMULA

- Fast Acting...Kills On Contact
- Long Lasting...Keeps On Killing For Up To 14 Days

FAST ACTING  
LONG LASTING

- Kills outdoor pests on contact
- Lasts up to 14 days
- For use on flowers, shrubs, and listed vegetables
- Just One Application Quickly Kills Insects
- Keeps On Killing For Up To 14 Days
- Use On Tomatoes Up To Day Of Harvest
- Contains Tempo<sup>®</sup>
- Low odor[formula]
- Won't harm plants
- Protects plants
- Water-based
- Kills Beetles (including Japanese Beetle), Caterpillars (Including Tomato Hornworm), Ants, Armyworms, Ticks (including ticks carrying Lyme disease) and [&] other garden and [&] nuisance pests [insects] [bugs] [plus others listed]
- Kills Beetles, Caterpillars, Ants, Ticks, and [&] More
- Kills [Controls over] [more than] 100 insects [bugs] [pests] on vegetables, flowers, small trees and [&] shrubs
- Kills [Controls over] [more than] 100 garden and nuisance pests without harming roses, flower, or shrubs
- Kills on Contact
- Kills over 100 insects [bugs] [pests] on contact
- On [For] [For use on] Roses, Flowers, Small Trees, Shrubs, Fruits, Vegetables and [&] Other Outdoor Surfaces [Areas]
- Can be used on [most popular] fruits and [&] vegetables (see back panel for details)
- User in (on) Vegetable Gardens
- Fast Acting Formula
- New Improved Formula
- Reapply as directed for a more beautiful garden
- Guaranteed Kill or your money back

**ACCEPTED**

**JAN 5 2005**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 72155-40

2/7

**ACTIVE INGREDIENT:**

Cyfluthrin..... 0.003 %

**OTHER INGREDIENTS:**..... 99.997 %


Net Contents:

**STOP - Read This Entire Label Before Use  
KEEP OUT OF REACH OF CHILDREN**

**FOR OUTDOOR RESIDENTIAL USE ONLY  
CAUTION**

**See back panel / booklet for ingredients and precautionary statements.**

(BACK PANEL)

<b>QUICK FACTS</b>			
<ul style="list-style-type: none"> <li>• Ready to Use...No Mixing, No Measuring</li> <li>• Quickly Stops Harmful Insects Before They Destroy Vegetables</li> <li>• May Be Used Up to Day of Harvest on Tomatoes</li> <li>• Effective Against Broad Range of Listed Pests</li> <li>• Quickly Stops Harmful Insects Before They Do Damage</li> <li>• Kills Household Nuisance Pest Outdoors</li> </ul>			
<b>KILLS</b>	(ART: aphid, cabbage looper, tomato hornworm, whitefly)		
	<ul style="list-style-type: none"> <li>Ants</li> <li>Aphids</li> <li>Armyworms</li> <li>Aster leafhoppers</li> <li>Bagworms</li> <li>Banded sunflower moths</li> <li>Boxelder bugs</li> <li>Budmoths</li> <li>Cabbage loopers</li> <li>Carrot weevils (adults)</li> <li>Caterpillars</li> <li>Celery leaf tiers</li> <li>Chinch bugs</li> <li>Clover mites</li> <li>Cockroaches</li> <li>Colorado potato beetles</li> <li>Corn borers</li> <li>Corn earworms</li> <li>Corn rootworms (adults)</li> <li>Crickets</li> <li>Cutworms</li> <li>Earwigs</li> </ul>	<ul style="list-style-type: none"> <li>Elm leaf beetles</li> <li>Flea beetles</li> <li>Flies</li> <li>Garden webworms</li> <li>Grasshoppers</li> <li>Gypsy moth larvae</li> <li>Head clipper weevils (adults)</li> <li>Japanese beetles (adults)</li> <li>Lace bugs</li> <li>Leaf beetles</li> <li>Leaf-feeding beetles</li> <li>Leaf-feeding caterpillars</li> <li>Leafhoppers (including Glassy-Winged Sharpshooter)</li> <li>Leafminers</li> <li>Mealybugs</li> <li>Midges</li> <li>Mosquitoes</li> <li>Pepper weevils (adults)</li> <li>Pillbugs</li> <li>Plant bugs</li> </ul>	<ul style="list-style-type: none"> <li>Potato aphids</li> <li>Potato leafhoppers</li> <li>Scale (crawler stages)</li> <li>Seed weevils (adults)</li> <li>Sod webworms</li> <li>Sowbugs</li> <li>Spiders</li> <li>Spittlebugs</li> <li>Stem weevil (adults)</li> <li>Stink bugs</li> <li>Sunflower beetles</li> <li>Sunflower moths</li> <li>Thrips</li> <li>Tomato fruitworms</li> <li>Tomato hornworms</li> <li>Tomato pinworms</li> <li>Wasps</li> <li>Weevils (adults)</li> <li>Western flower thrips</li> <li>Whiteflies</li> </ul>
<b>WHERE TO USE</b>	Vegetable and flower gardens, shrubs, ground covers, lawns and around homes		
<b>WHEN TO USE</b>	When insects or damage first appear For severe infestations, repeat every 7 to 14 days as necessary.		
	Questions or comments, call toll-free (877) 229-3724 <a href="http://www.BayerAdvanced.com">www.BayerAdvanced.com</a>		

**ACTIVE INGREDIENT:**

Cyfluthrin

0.003 %

**OTHER INGREDIENTS:\***

99.997 %

100.000 %

\* Other ingredients include: Water, organic solvent (less than 0.1%, to dissolve the active ingredient for mixing) and surfactants (to keep the active ingredient dispersed in water).

Cyfluthrin is the chemical name for Tempo®

4/7

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

#### CAUTION

- Harmful if swallowed or inhaled.
- Causes eye irritation.
- Avoid contact with skin, eyes, or clothing.
- Avoid breathing spray mist.
- Wash thoroughly with soap and water after handling.

### ⊕ First Aid

The table below describes the first aid procedures for incidents involving TEMPO Ready-to-Use Insecticide.

If inhaled	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
If in eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
If swallowed	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>

**NOTE:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-229-3763 for emergency medical treatment information.

Active Ingredient: 0.003% Cyfluthrin [CAS # 68359-37-5]

**Note to Physician:** No specific antidote is available. Treat the patient symptomatically.

### Environmental Hazards

- This pesticide is toxic to fish. Do not apply directly to water.
- This pesticide is highly toxic to bees. Do not apply TEMPO Ready-to-Use Insecticide when bees are active.
- Apply this product only as specified on this label.

<b>DIRECTIONS FOR USE</b>	
<p>It is a violation of Federal law to use this product in a manner inconsistent with its labeling.                      For best results, read and follow all label directions.</p>	
<p><b>BEFORE YOU USE</b>                      Read and follow these directions when using:</p>	<ul style="list-style-type: none"> <li>• Apply the product to flowering plants during early morning or late evening when bees are not present.</li> <li>• Do not spray the product into fish pools, ponds, streams, or lakes.</li> <li>• Do not use in small, enclosed areas where spray can be inhaled.</li> </ul>
<p><b>WHEN TO USE</b></p>	<p>When insects or damage first appear.</p>
<p><b>HOW TO USE</b>                      Shake well before using.</p>	<p>To apply TEMPO Ready-to-Use Insecticide:</p> <ul style="list-style-type: none"> <li>• Adjust nozzle to desired spray pattern.</li> <li>• Hold sprayer about 12 inches from foliage.</li> <li>• Spray leaves, stems, and tender new shoots.</li> <li>• To kill insects that may hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping.</li> </ul> <p>(ART: spraying undersides of leaves)</p>
<p><b>HOW OFTEN TO USE</b></p>	<p>Kills insects on contact and keeps on killing for weeks. For severe infestations, repeat every 7 to 14 days as necessary.</p>

<b>FLOWERS, SHRUBS, GROUND COVERS</b>			
<b>PEST</b>			
Aphids	Grasshoppers	Leaf-feeding beetles	Scale (crawler stages)
Bagworms	Gypsy moth larvae	Leafhoppers (including Glassy-winged Sharpshooter)	Spittlebugs
Boxelder bugs	Japanese beetle (adults)	Mealybugs	Thrips
Clover mites	Lace bugs	Pillbugs	Whiteflies
Elm leaf beetles	Leaf-feeding caterpillars		
<b>HOW TO APPLY</b>			
<p>Spray foliage, tender new shoots and the underside of leaves thoroughly.                      To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray droplets, but not dripping.                      (ART)</p>			

6/7

## VEGETABLES

### Carrots

### Radishes

### Sweet corn

### Tomatoes

No waiting.

You may spray up to day of harvest.

Do not spray more than 5 times per season.

### PEST

Aphids	Colorado potato beetles	Grasshoppers	Tomato fruitworms
Armyworms	Corn borers	Leafhoppers	Tomato hornworms
Aster leafhoppers	Corn earworms	Leafminers	Tomato pinworms
Cabbage loopers	Corn rootworm (adults)	Potato aphids	Weevils (adults)
Carrot weevils (adults)	Cutworms	Stink bugs	Western flower thrips
Chinch bugs	Flea beetles	Thrips	

### Peppers

After spraying, wait 7 days before harvesting peppers.

Do not spray peppers more than 6 times per season.

### PEST

Armyworms	Corn borers	Leafhoppers (including Glassy-winged Sharpshooter)	Potato leafhoppers
Cabbage loopers	Corn earworms	Leafminers	Thrips
Celery leaf tiers	Garden webworms	Pepper weevils (adults)	Weevils (adults)

### Sunflowers

After spraying, wait 30 days before harvesting.

Do not spray more than 3 times per season.

### PEST

Banded sunflower moths	Grasshoppers	Midges	Sunflower beetles
Budmoths	Head clipper weevils (adults)	Seed weevils (adults)	Sunflower moths
Cutworms	Leafhoppers (including Glassy-winged Sharpshooter)	Stem weevil (adults)	Weevils (adults)

### FOR BEST RESULTS:

Do not water the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

**DIRECTIONS FOR USE (Continued)**

**HOUSEHOLD NUISANCE PESTS OUTDOORS**

**PEST**

Ants	Crickets	Midges	Sowbugs
Boxelder bugs	Earwigs	Mosquitoes	Spiders
Clover mites	Flies	Pillbugs	Wasps
Cockroaches			

**HOW TO APPLY**

Spray around doors, window frames and other places where insects may enter house. Spray around foundations and porches. Spray on ant hills and ant trails.

(ART)

**LAWN PESTS**

**PEST**

Ants	Crickets	Earwigs	Japanese beetles (adults)
Armyworms	Cutworms	Grasshoppers	Sod webworms (lawn moths)
Chinch bugs			


**HOW TO APPLY**

For localized infestations, spray to penetrate the lawn and reach the soil. Do not mow for one day after application. For large areas, use Tempo® Concentrate Insecticide.



Children and pets may re-enter the treated area after spray has dried.

**IMPORTANT – DIRECTIONS FOR STORAGE AND DISPOSAL**

<b>Storage Conditions</b>	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
<b>Disposal</b> 	<b>If empty:</b> Do not reuse container. Place empty container in trash or offer for recycling if available. <b>If partly filled:</b> Call your local solid waste agency or toll free 1-877-229-3724 [1-800 CLEAN-UP] for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE**

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of TEMPO Ready-to-Use Insecticide under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.