

09/99/9002

Form Approved. OMB No. 2070-0060

"	8
•	_
	"

<b>≎EPA</b>	<b>Environmental</b>	nited States Protection ngton, DC 2046		ncy	×	Registr Amend Other		OPP Identifier Number
		<b>Application</b>	n for f	Pesticid	e - Sectio	n I		
1. Company/Product Number				1	oduct Manage	er	3. Pro	posed Classification
72155-50	·**			Dan Ker	nny		[x]	None Restricted
4. Company/Product (Name) Merit + Tempo Concentra				<b>PM#</b> 1				
5. Name and Address of App	olicent <i>(Include ZIP Cod</i>	de)		, ,				FIFRA Section 3(c)(3)
Bayer Advanced 95 Chestnut Ridge Rd. Montvale, NJ 07645				to:	•			nposition and labeling
Check if this	is a new address			Product	t Name			
			Sect	tion - II				
Amendment - Explain	below.		-,		Final printed la	bels in repson	•• to NOT	IFICATION
Resubmission in resp	onse to Agency letter	deted			Me Too" App		FFR	2 2 2005
X Notification - Explain	belaw.				Other - Explain	below.	,	<b>2 2</b> -
Explanation: Use addition	al page(s) if necessary	. (For section	I and Sec	ction II.)			<i>"</i> .	
See attached								
oco allaonoa								
•								
			Sect	ion - III				
1. Material This Product Will	Be Peckeged In:		<del>,</del>			· · · · · · · · · · · · · · · · · · ·		
Child-Resistant Packaging	Unit Packaging		Water S	Soluble Pac	kaging	2. Type of	Container	i
Yes	Yes		<i>l</i>	Yes			Metal Plastic	
No	No		<del> </del>	No			Glass	
* Certification must be submitted	if "Yes" Unit Packaging wgt.	No. per container	If "Yes" Packag		No. per container		Paper Other (S	pecify)
3. Location of Nat Contents I	nformation	4. Size(s) Retai	il Contain	ier	5.	Location of La	bel Direction	18
Label C	ontainer				1 6			
6. Manner in Which Label is .	Affixed to Product	Lithogra	ph .		Other _			
		Paper g Stencile	d d					
			Secti	on - IV				
1. Contact Point (Complete	items directly below fo	or identification	of individ	dual to be d	contacted, if n	ecessary, to p	rocese this i	pplication.)
Name		1 '	îtle				1 '	No. (Include Area Code)
Charles W. Boyd		F	Registi	rations r	Manager		(201)	307 3140
I certify that the staten	y knowlinglly false or n		il attachn				n plets.	6. Date Application Received (Staniped)
both under applicable !	5W.					<del></del>		
2. Signature	Bow	1	. 1786 Regis	stratio	ns Ma	nager		•
4. Typed Name		5.	Date	<del></del>	<del></del>			
Charles W. Boyd			2/15	5/05				•

Merit® + Tempo® Concentrate Insecticide II EPA Reg. No. 72155-50 February 15, 2005

Page 1 of 1

### Section II - Explanation

Bayer Advanced is submitting a **Notification** to add the revised storage and disposal statements.

I am enclosing one copy of the label with the additional text highlighted.

This notification is consistent with the provision of PR Notice 2001-6 and 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

NOTIFICATION

FEB 2 2 2005

[FRONT PANEL]



# Merit<sup>®</sup> + Tempo<sup>®</sup> Concentrate Insecticide II

For use on: Flowers, Roses, Shrubs, Trees

#### **RAINPROOF WITHIN 1 HOUR OF APPLICATION**

- Just One Application Quickly Kills Insects
- · Protects Up to 30 days
- · Fast acting . . . kills on contact
- Long lasting . . . keeps on killing for weeks

Contains Merit® and Tempo®

#### **ACTIVE INGREDIENTS:**

Cyfluthrin	0.72 %
Imidacloprid	0.72 %
OTHER INGREDIENTS:	98.56 %

Net Contents: 16 fl oz or 32 fl oz or 4 x 0.5 fl oz

# STOP - Read This Entire Label Before Use KEEP OUT OF REACH OF CHILDREN FOR OUTDOOR RESIDENTIAL USE ONLY

# CAUTION

See back panel booklet for ingredients and precautionary statements

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens counties of New York.

#### [OUTSIDE BACK PANEL]



### **QUICK FACTS**

- Effective Against a Broad Range of Insects
- Keeps on Killing for Up to 30 Days
- Easy, Accurate Measuring & Mixing
- Apply with most common garden sprayers

KILLS	(ART: Aphid, Japanese Beetle, Leafminer, Lace bugs)				
	Adelgids Aphids Ants Armyworms Bagworms Billbugs Bluegrass bilibug (adult) Boxelder bugs Chiggers Chinch bugs Clover mites Cockroaches Crickets Cutworms	Earwigs Elm leaf beetles Fire ants Fleas Flies Fungus gnats Grasshoppers Gypsy moth larvae Hyperodes weevil (adult) Japanese beetles (adult) Lace bugs Leaf-feeding beetles Leaf-feeding caterpillars	Leafhoppers (including Glassy-Winged Sharpshooter) Leafminers Mealybugs Midges Mole crickets Mosquitoes Pillbugs Pine Shoot moths Pine Tip moths Plant bugs Psyllids Rose Midges	Rose Slugs Sawfly larvae Scale insects (crawler stages) Sod webworms Sowbugs Spiders Spittlebugs Thrips Whiteflies Ticks (including deer ticks) Wasps Weevil White grubs	
COVERAGE	Makes up to 64 gallons of spray (32 oz)				
WHERE TO USE	Flowers, Roses, Trees an	d Shrubs		<del></del>	
WHEN TO USE	When insects or damage first appear				
HOW MUCH TO USE	Dilute 1/2 oz (1 Tbs) concentrate in 1 gallon of water				
	Questions or comments, o	call toll-free (877) 229-3724			

#### **ACTIVE INGREDIENTS:**

Cyfluthrin	72 %
lmidacloprid	0.72 %
OTHER INGREDIENTS:*	98.56 %
•	100.00 %

\* Other ingredients include: Water, glycerin (stabilizer), organic solvent (less than 3%, to dissolve the active ingredient for mixing) and surfactants (to keep the active ingredient dispersed in water).

Cyfluthrin is the chemical name for Tempo® and Imidacloprid is the chemical name for Merit®.

EPA Reg. No. 72155-50

· · · ÈPA Est. No. XXXX-AA-1

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

#### CAUTION

- Harmful if swallowed or inhaled.
- · Causes eye irritation.
- · Avoid contact with skin, eyes, arclothing.
- Wash thoroughly with soap and water after handling.

+ First Aid				
IN THE CASE OF ACCIDENTAL	IMMEDIATELY			
Swallowing	If the person is able to swallow:			
	Call a poison control center or doctor immediately for treatment advice.			
	Have person sip a glass of water if able to swallow.			
	Do not induce vomiting unless told to do so by a poison control center or doctor.			
	Do not give anything by mouth to an unconscious person.			
Contact with eyes	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.			
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.			
	Call a poison control center or doctor for treatment advice.			
Inhalation	Move person to fresh air.			
	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouthy-to-mouth if possible.			
	Call a poison control center or doctor for further treatment advice			

**NOTE:** When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. For medical emergency information, you may call toll-free 1-877-229-3763.

Active Ingredients: 0.72% Cyfluthrin [CAS # 68359-37-5],

0.72% Imidacloprid [CAS# 138261-41-3].

#### **Environmental Hazards**

- This pesticide is highly toxic to aquatic invertebrates and fish. Do not apply directly to water.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater or rinsate.
- This pesticide is highly toxic to bees. Do not apply MERIT + TEMPO Concentrate Insecticide when bees are active.
- · Apply this product only as specified on this label.

DIRECTIONS FO	OR USE
}	law to use this product in a manner inconsistent with its labeling.
For best results, read and	TOIIOW AII IADEI DIRECTIONS.
BEFORE YOU USE	Apply the product to flowering plants during early morning or late evening, when bees are not present.
	Do not spray the product into fish pools, ponds, streams, or lakes.
Read and follow these directions when using:	Remove animal feeding dishes prior to application. Keep children and pets away from treated areas until spray has dried.
	Do not apply to fruits or vegetables used for food.
HOW TO USE	[For 1/2 oz size only]
	Remove one applicator tube from the package.
Shake well before using.	Hold the applicator tube in an upright position. Pull the cap off the tube.
	Turn the cap around and place the other end of the cap back on the tube.
	Twist the cap to break the seal, then remove the cap from the tube.
	Mix with water to make 1 gallon of finished spray.
	Discard the empty tube as described in Storage and Disposal.
WHEN TO USE	Spray when insects or damage first appear.
MIXING & MEASURING	SEE SPRAYER TYPES
HOW TO SPRAY	Adjust nozzle on your sprayer to desired spray pattern.
	Hold sprayer about 12 inches from foliage.
	Spray leaves and tender new shoots.
	(ART: of steps above)
	To kill insects that may hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping.
•	(ART: spraying undersides of leaves)
HOW OFTEN	Kills insects on contact and keeps on killing for up to 30 days.
	For severe infestations, repeat every 7 to 14 days as necessary

#### FOR BEST RESULTS

Do not wet the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

₹**≒** 

Children and pets may re-enter after spray has dried.

		NUISANCE P	ESTS
	(li	Ornamental Areas and Areas	Adjacent to Buildings)
	PESTS		HOW MUCH TO USE
Ants	Earwigs	Pillbugs	
Boxelder bugs	Flies	Sowbugs	1/2 fl oz
Clover mites	Midges	Spiders	(1 Tablespoon)
Cockroaches	Mosquitoes	Wasps	per gallon of water
Crickets			

### **APPLICATION GUIDELINES**

- Apply when pests first appear.
- Spray thoroughly onto areas where pests appear, such as:
  - beneath shrubbery
  - around foundations and
  - in tall grass or weeds
- Reapply at 7 to 14 days, if needed.

	(Trees, Shrubs	s, Ground Covers, Evergreens, F	Flowers and Foliage Plants)	
	PESTS		HOW MUCH TO USE	
Adelgids	Lace bugs	Plant bugs		
Aphids	Leaf-feeding	Psyllids	1/2 fl oz	
Bagworms	caterpillars	Rose Midges	(1 Tablespoon)	
Boxelder bugs	Leaf-feeding beetles	Rose Slugs	per gallon of water	
Clover mites	Leafhoppers (Including Glassy-	Sawfly larvae		
Elm leaf beetles	Winged	Scale insects		
Fungus gnats	Sharpshooter)	(crawler stages)		
Grasshoppers	Leafminers	Spittlebugs		
Gypsy moth larvae	Mealybugs	Thrips		
Japanese beetles	Pillbugs	Whiteflies		
(adult)	Pine Shoot moths			
	Pine Tip moths			

- Apply when pests or damage first appear.
- Spray area thoroughly.
- Reapply at 7 to 14 days, if needed.

SPRAYER T	YPES
(ART: ICON OF	For Pump Style Tank Sprayer:
PUMP NTYPE)	To make one gallon of spray:
	1. Open flip-top lid.
	2. Gently squeeze bottle until concentrate reaches 1/2 oz fill line.
	3. Dilute in 1 gallon of water.
	Close sprayer and shake well before applying.
(ART: ICON	For Dial-Style Hose-End Sprayers:
DIAL TYPE)	Dilution rate: 1/2 oz per gallon (1 tablespoon = 1/2 oz)
	Fill sprayer jar with enough concentrate to cover area to be treated.
	2. Close sprayer and set dial.
	3. Attach sprayer to hose and apply.
	4. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.
	OR
	Fill sprayer jar with enough concentrate to cover area to be treated and follow sprayer label directions for applying.
(ART: ICON OF	For Concentrate-Plus-Water Hose-End Sprayers:
WATER TYPE)	Dilution rate: 1/2 oz per gallon (1 tablespoon = 1/2 oz)
	Pour concentrate into sprayer jar to the required fluid ounce level.
	2. Add the appropriate amount of water to the gallons level.
	Replace sprayer top and shake well before applying.
	4. To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.
	OR .
	Pour concentrate into sprayer jar to the required fluid ounce level and follow sprayer label directions for applying.

IMPORTANT: Directions for Storage and Disposal			
Storage Conditions:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.		
Disposal:	If Empty: Do not reuse this container. Place in trash or offer for recycling if available.  If partly filled: Call your local solid waste agency or toll-free 877-229-3724 (877 Bayer AG) for disposal instructions. Never place unused product down any indoor or outdoor drain.		

### NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of MERIT + TEMPO Concentrate Insecticide under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

#### B-9645a 2/01/02

**Bayer Advanced** 

A business unit of Bayer CropScience, L.P.

95 Chestnut Ridge Rd.

Montvale, NJ 07645