[FRONT PANEL]

Tempo[®] 2.5 SC Ultra

Concentrate Insecticide

- · Controls listed wood-infesting, stinging, crawling and flying insects on contact
- Kills and protects against wood-destroying & home-invading insects
- Kills termites, carpenter ants, & other wood-destroying and home-invading insects
- Kills Subterranean, Formosan, and Drywood Termites on contact
- Kills over 75 types of insects around home, garden, and lawn
- · Kills ticks that transmit Lyme Disease
- · Creates protective barrier around home
- Keeps wood-destroying and other home-invading insects out of your home
- For use on listed sites
- Controls Home-Invading Pests for up to 3 months and Lawn & Landscape Pests for up to 14 days.
- One Quart makes up to 384 gallons of product
- Low odor formula
- Will not stain or damage exterior surfaces
- · Kills wood destroying insects on contact
- Plus kills ants, fleas, ticks, crickets, spiders, flies, & other listed pests
- 100% satisfaction guaranteed

ACTIVE INGREDIENT:	
β-Cyfluthrin.	2.5 %
OTHER INGREDIENTS	97.5 %

Net Contents: 32 fl oz (946 mL) or 64 fl. oz. (1.89 L)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

ACCEPTED NOV 2 1 2005

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 72/55-58

(BACK PANEL)

TEMPO 2.5 SC ULTRA CONCENTRATE INSECTICIDE provides a better way to protect your home against termites, carpenter ants, and other wood-destroying pests. This convenient formula kills home invading insects on contact and keeps working for up to 3 months. Protecting your home, garden, and lawn from damaging insects has never been easier.

READ THE LABEL FIRST!

		READ THE LABEL FIRST!
QUICK FACTS		
One Quart treats up to	21,000 sq. ft. (approx. hal	f the size of a football field)
Protects against wood-	damaging and home-inva-	ding insects
Effective home barrier	treatment	
Kills on contact		
Convenient MEASURE	-UP CUP™	
KILLS	Termites, Ants, Carpente	er Ants, Spiders, Ticks, Fleas and other listed pests.
WHERE TO USE	patios & porches, walks,	other outbuildings (foundations, walls, eaves, doorways, window frames), decks, garages, garbage cans & garbage areas, fences, posts & poles, stored lumber, cape trees, shrubs, flowers, ground covers, vines, tree stumps and other listed
WHEN TO USE	To control and prevent in	sect infestations
COVERAGE	Pest	One Quart Treats up to:
	Termites	13 ft. of trench length
,	Wood-Destroying & Home-Invading Pests	10,500 sq. ft.
	Lawn Pests	21,000 sq. ft.
	Landscape Pests	190 medium size trees or 6,000 medium size shrubs
	TIP: To determine 'squa multiply the two readings	re feet', measure length & width of the area to be treated to the nearest foot and together.
☎ 🖳	For questions or comme	nts, call toll-free 1-877-BayerAH or visit us on-line at www.BayerAdvanced.com .

FOR OUTDOOR HOMEOWNER USE ONLY

ACTIVE INGREDIENT:

OTHER INGREDIENTS TOTAL	
EPA Reg. No. 72155-58	EPA Est. NoAA
DIRECTIONS FOR L	JSE
It is a violation of Federal La	w to use this product in a manner inconsistent with its labeling.
For best results, read and for	llow all label directions.
BEFORE YOU USE	Do not apply near fish pools, ponds, streams, rivers or lakes.
Read and follow directions	Apply to flowering plants early morning or late evening, when bees are not present.
when using.	Do not apply to plants grown for food.
	Food utensils such as measuring spoons and measuring cups should not be used for food purposes after use with insecticides.
	Do not apply in or on electrical equipment due to possibility of shock.
HOW TO USE	Shake well before use.

Subterranean Termites

Building Foundations:

Use 3/4 Cup (6 fl. oz.) of TEMPO 2.5 SC ULTRA CONCENTRATE INSECTICIDE per gallon of water.

Prevents subterranean termite infestations. For outdoor homeowner post-construction use only. If termites are found within the house or structure, contact a licensed pest control operator for treatment.

Wells & Cisterns: Do not treat structures that contain cisterns or wells. Soil in the vicinity of wells, cisterns or ponds should not be treated.

HOW TO APPLY

- Dig a trench next to the foundation, 6" wide and 6" deep or down to the top of the footing, whichever is less. Never dig below the top of a footing (to avoid shifting the foundation). Remove & discard any scrap wood unearthed while digging.
- Apply 4 gallons of diluted product to every 10 feet of trench length. Refill trench with soil mixing with liquid.
- Reapplication should only be made when there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping, etc. Reapplication should be made as a spot treatment to those areas. Annual reapplication of the entire premises must be avoided.

Use 1/4 Cup (2 fl. oz.) of TEMPO 2.5 SC ULTRA CONCENTRATE INSECTICIDE per gallon of water. HOW TO APPLY To protect wooden posts & wooden poles (fence, deck, mailbox, etc.), place post or pole in hole and evenly disperse one gallon of diluted product in soil around post.

Firewood		
Use 2 Tbs. (1 fl. oz.) of	TEMPO 2.5 SC ULTRA CONCENTRATE INSECTICIDE per gallon of water.	
HOW TO APPLY	Treat each 8 square feet of ground with	
	1 gallon of diluted product prior to stacking.	

Other Wood-Destroying	g Pests
Use 2 Tbs. (1 fl. oz.) of	TEMPO 2.5 SC ULTRA CONCENTRATE INSECTICIDE per gallon of water.
	(Drywood, Formosan), Carpenter Ants, Carpenter Bees & Wood-Infesting Beetles (Ambrosia Beetles, ilse Powderpost Beetles, Old House Borer Beetles, Powderpost Beetles)
HOW TO APPLY	 Spray or brush evenly onto outdoor wooden surfaces. Spray into areas of known or suspect insect activity such as holes, voids and channels in damaged wood, spaces between wooden parts of a structure, spaces between different types of building materials (for example, wood and concrete) and cracks & crevices. Spray exposed insects.
	 Carpenter Bee holes should be filled with a suitable sealant when there is no evidence of bee activity, usually 24 hours after treating holes.
	 To keep insects from entering the house, spray a 3 foot band on the ground around the house next to the foundation. Spray the foundation of the house to a height of 1 - 2 feet. Spray around doors, windows and other possible entry points.
	 To protect firewood from Carpenter Ants, treat each 8 square feet of ground with 1 gallon of diluted product prior to stacking.
FOR BEST RESULTS	Use a Hose-End Sprayer for large areas.

Home Invading Pests	
Use 2 Tbs. (1 fl. oz.) of will treat 1,000 sq. ft.	TEMPO 2.5 SC ULTRA CONCENTRATE INSECTICIDE per gallon of water. Three gallons of diluted product
Ants, Boxelder Bugs, Flies, Gnats, Ground I	Carpenter Ants, Cecidflies, Centipedes, Clusterflies, Cockroaches, Crickets, Elm Leaf Beetle, Firebrats, Fleas, Beetles, Midges, Millipedes, Mosquitoes, Moths, Scorpions, Silverfish, Spiders, Ticks
HOW TO APPLY	 Spray where these pests may be found or could enter the house, pet quarters or other outbuilding. For example, the walls, eaves, doorways & window frames of the house; spaces between different types of building materials and other cracks & crevices; decks, patios & porches, walks; garages; garbage cans & garbage areas; stored lumber & woodpiles; under trees & shrubs.
	 To keep insects from entering the building, spray a 3 foot band on the ground around the house next to the foundation. Also spray the foundation of the house to a height of 1 - 2 feet.
Bees, Hornets, Wasps	and Yellow Jackets
HOW TO APPLY	Adjust sprayer nozzle to pin stream & spray nest during evening when insects are at rest.

Lawn Pests	
Use 1 Tbs. (1/2 fl. oz.) of 7 will treat 1,000 sq. ft.	FEMPO 2.5 SC ULTRA CONCENTRATE INSECTICIDE per gallon of water. Three gallons of diluted product
Pests Above Ground:	
	urfgrass Ataenius (adult), Bluegrass Billbug (adult), Chiggers, Chinch Bugs, Crickets, Cutworms, Earwigs, erodes Weevil (adult), Japanese Beetles (adult), Scorpions, Sod Webworms, Ticks (including Deer Ticks)
HOW TO APPLY	Hose-End Sprayers work best on large areas while Pump Style Sprayers & Sprinkling Cans work best for spot treating smaller sections of the lawn.
FOR BEST RESULTS	Do not mow or water lawn for at least 24 hours to keep the insecticide above ground.
Pests Below Ground:	
Fire Ants (aids in control o	nly), Mole Crickets
HOW TO APPLY	Hose-End Sprayers work best on large areas while Pump Style Sprayers & Sprinkling Cans work best for spot treating smaller sections of the lawn.
	To control Fire Ants, thoroughly drench the entire mound.
FOR BEST RESULTS	Water lawn thoroughly after application to move insecticide below ground.
	Do not mow lawn until thoroughly watered in.

Landscape Pests	
Use 1/2 tsp. of TEMPO 2.5 SC ULTRA CONCENTRATE INSECTICIDE per gallon of water.	
Cankerworms, Casebeare Fungus Gnats, Grasshopp Caterpillars, Leafrollers, Le Peppertree Psyllid, Pillbug (crawler stages), Sowbugs	Azalea Caterpillars, Bagworms, Boxelder Bugs, Bristly Rose Slugs, Budworms, California Oakworms, rs, Clover Mites, Cockroaches, Crickets, Cutworms, Elm Leaf Beetles, Elm Spanworms, Flea Beetles, Flies, ers, Gypsy Moth Larvae, Japanese Beetles (adult), June Beetles (adult), Lace Bugs, Leaf-feeding eaf Skeletonizers, Mealybugs, Midges, Mosquitoes, Oleander Moth Larvae, Orchid Weevil, Pear Psylla, is, Pine Shoot Moths, Pine Tip Moths, Plant Bugs, Redhumped Caterpillars, Sawfly Larvae, Scale Insects, Spiders, Spittlebugs, Striped Beetles, Striped Oakworms, Tent Caterpillars, Thrips, Ticks (including Deer ae, Wasps, Walnut Caterpillars, Webworms, Whiteflies, Yellownecked Caterpillars
FOR USE ON	Landscape Trees & Shrubs, Roses & Flowers (Annuals, Biennials, Perennials), Ground Covers and Vines
HOW TO APPLY	Spray leaves until evenly coated, but not dripping.
	To kill insects that hide, spray underside of leaves.
	 To achieve outdoor cockroach control, spray hiding or resting places such as under shrubbery & ground covers and in mulch & hollow trees.
FOR BEST RESULTS	Keep foliage dry for one hour after application.
	Avoid serious damage to plants. Begin treatment as soon as insects or damage first appears.

}

APPLICATION METHODS	
Sprinkling Can or Bucket	Shake well. Add the appropriate amounts of concentrate and water to sprinkling can or bucket. Mix well and apply.
Pump Style Sprayers	 Shake well. Add the appropriate amounts of concentrate and water to Sprayers the sprayer tank. Close sprayer, shake well and pressurize. Adjust nozzle to a coarse spray pattern and apply. Occasionally re-pressurize the sprayer if needed to maintain a good spray pattern.
Dial-Style Hose-End Sprayers	 Shake well. Fill sprayer jar with enough concentrate to cover plants to be treated. Close sprayer and set dial. TIP: The numbers on Dial-Style Hose-End Sprayers are ounces of Concentrate per gallon of spray. Attach sprayer to hose and apply.
Concentrate Plus Water Hose-End Sprayers	 Shake well. Pour concentrate into sprayer jar to the required fluid ounce level. Add the appropriate amount of water to the gallons level. Replace sprayer top and shake well. Attach sprayer to hose and apply.





Children and pets may reenter the treated area after it has dried.

Storage and Disposal Do not contaminate water, for	ood, or feed by storage or disposal.
STORAGE CONDITIONS: Store in original container in a cool, dry place, out of the reach of children, preferably a locker cabinet. Protect from freezing.	
DISPOSAL	 If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or call 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- · Harmful if swallowed, absorbed through skin or inhaled.
- · Causes moderate eye irritation.
- · Avoid contact with skin, eyes or clothing.
- · Avoid breathing spray mist.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will
 reduce exposure.
- When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. Removing and washing
 contaminated clothing before reuse may reduce exposure.

FIRST AID +		
IN CASE OF ACCIDENTAL	IMMEDIATELY	
Swallowing	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person. 	
Contact with Eyes	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
Contact with Skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 	
Inhalation	 Move person to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 	

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredient: 2.5% ß Cyfluthrin (CAS #68359-37-5).

ENVIRONMENTAL HAZARDS

- . This product is highly toxic to fish and aquatic invertebrates. Do not apply directly to water.
- · This product is highly toxic to bees. Do not apply when bees are active.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater.



NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of TEMPO 2.5 SC ULTRA CONCENTRATE INSECTICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.



🖙) Bayer Environmental Science

A Business Group of Bayer CropScience LP

P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709

Tempo 2.5 SC Ultra (MASTER) Approved 05/03/01, Notification Submitted 08/23/05