

72155-61

11/10/2005

1/2

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
--	---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 72155-61	2. EPA Product Manager Mary Waller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Tebuconazole 1.0% + Imidacloprid 0.2% Fungicide/Insecticide	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Bayer Advanced 2 T.W. Alexander Drive Research Triangle Park, NC 27709 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION NOV 10 2005
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

See Attached

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Charles W. Boyd	Title Registrations Manager	Telephone No. (Include Area Code) (919) 549-2422
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registrations Manager	
4. Typed Name Charles W. Boyd	5. Date 10/13/05	

2/12

Section II - Explanation

Bayer Advanced is submitting a **Notification** of alternate brand name. The alternate brand name is Bayer Advanced Dual Protection Azalea Camelia, & Rhododendron Insect & Disease Control. We are also adding the following claims to the label:

100% satisfaction guaranteed ✓
Insect & Disease Protection – One Easy Step
6 Weeks Protection
No Spraying! Mix and Pour at tree base
It provides 6 week protection with a single application.
2-in-1 Formula

- Insect Control
- Disease Control

Systemically protects flowers and shrubs
One application protects for up to 6 weeks

These claims are rewording of already existing claims.

I am enclosing one copy of the label with the additional text highlighted.
A final printed label is also enclosed.

This notification is consistent with the provision of PR Notice 98-10, 2001-6 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Bayer Advanced Dual Protection Azalea, Camellia, & Rhododendron Insect & Disease Control Concentrate

A soil applied drench used to systemically protect roses, flowers and shrubs from insects and disease for up to 6 weeks. This product was especially designed without fertilizer for those consumers who wish to apply their own plant nutrient(s).

- 2 Products in One
- 2-in-One Rose Care
- Total/Complete Rose and Flower Care
- Contains Merit®
- Protects Against Insects & Diseases in One Easy Step
- Protects Against Insects & Diseases for 6 Weeks
- Rainproof Protection
- Even Protects New Growth
- Easy-to-Use . . . Mix in Water and Pour Around Rose/Flower/Shrub
- One Quart Makes Up To 32 Gallons of Solution
- One Quart Treats up to 16 Rose Bushes, Azaleas, Camellias, Rhododendrons, and Other Shrubs or up to 200 Square Feet of Flowerbed
- For Control of Specified Diseases on Roses, Flowers, and Shrubs
- Prevents, Stops and Cures Specified Common Diseases of Roses, Flowers, and Shrubs
- Controls All Specified Fungal Diseases That Harm Roses and Flowers
- Controls Specified Diseases That Harm Roses, Flowers, and Shrubs
- Rescues Roses, Flowers, and Shrubs from Insects & Diseases
- Cures Specified Diseases and Restores Beauty to Roses, Flowers and Shrubs
- A New Way to Protect Your Roses, Flowers and Shrubs from Insects & Diseases
- 100% Satisfaction Guaranteed
- Insect & Disease Protection-One Easy Step
- 6 Weeks Protection
- No Spraying! Mix & Pour At Tree Base
- It Provides 6 Week Protection With A Single Application.
- No Spraying! Just Mix In Water And Pour Around Flowers Or Shrubs
- Read Label First
- 2-In-1 Formula – Insect Control – Disease Control
- Systemically Protects Flowers And Shrubs
- One Application Protects For Up To 6 Weeks.

ACTIVE INGREDIENTS:

Tebuconazole	1.00%
Imidacloprid	0.20%

OTHER INGREDIENTS:	98.80%
	100.00%

Net Contents: 32 fl. oz. (946 mL)

KEEP OUT OF REACH OF CHILDREN

CAUTION


See Back Panel Booklet for Additional Precautionary Statements

4/12

[BACK PANEL]

This product's exclusive 2-in-1 formula protects against insects & diseases in one easy step. It provides 6 week protection against the major problems of roses, hibiscus, iris and other flowers and shrubs. Growing beautiful roses, flowers and shrubs has never been easier!

READ THE LABEL FIRST!

QUICK FACTS									
(Marketing Claims Positioned Here)									
INSECTS CONTROLLED	Insects Adelgids Aphids Black Vine Weevil Larvae Borers, Flatheaded (including Bronze Birch and Alder Borers) Roundheaded (including Eucalyptus Longhorned Borers) Japanese Beetles, Adult Lace Bugs Leaf Beetles (including Elm Leaf Beetles and Viburnum Leaf Beetles) Leafhoppers (including Glassy-winged Sharpshooters) Leafminers (including Birch Leafminers and Holly Leafminers) Mealybugs Pine Tip Moth Larvae Psyllids Royal Palm Bugs Sawfly Larvae Scales (including Armored Scale [suppression] and Soft Scale) Thrips Whiteflies								
DISEASES CONTROLLED	<table border="1"> <thead> <tr> <th>Diseases</th> <th>Plants</th> </tr> </thead> <tbody> <tr> <td>Black Spot Powdery Mildew Rust</td> <td>Roses</td> </tr> <tr> <td>Powdery Mildew Rust Southern Blight</td> <td>Flowers</td> </tr> <tr> <td>Black Spot Powdery Mildew Rust Southern Blight</td> <td>Azaleas Camellias Rhododendrons And Other Landscape [Ornamental] Shrubs</td> </tr> </tbody> </table>	Diseases	Plants	Black Spot Powdery Mildew Rust	Roses	Powdery Mildew Rust Southern Blight	Flowers	Black Spot Powdery Mildew Rust Southern Blight	Azaleas Camellias Rhododendrons And Other Landscape [Ornamental] Shrubs
	Diseases	Plants							
	Black Spot Powdery Mildew Rust	Roses							
	Powdery Mildew Rust Southern Blight	Flowers							
Black Spot Powdery Mildew Rust Southern Blight	Azaleas Camellias Rhododendrons And Other Landscape [Ornamental] Shrubs								
WHERE TO USE	Roses, flowers, iris, hibiscus, azaleas, camellias, rhododendrons and other shrubs								
WHEN TO USE	Every 6 weeks throughout the growing season (See seasonal limitations in Directions For Use.)								
COVERAGE	Treats up to 16 roses & other shrubs or 200 square feet of flowerbed (32 fl. oz.)								
	Questions or comments, call toll-free 1-877 BayerAG or visit us on-line at www.BayerAdvanced.com								

FOR OUTDOOR RESIDENTIAL USE ONLY


Imidacloprid is the chemical name for Merit[®] insecticide

EPA Reg. No. 72155-61 EPA Est. No. XXXX-AA-XX


Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

<p>BEFORE YOU USE</p> <p>Read and follow these directions when using.</p>	<ul style="list-style-type: none"> Do not apply near lakes, streams, rivers or ponds. Do not apply to plants grown for food. Do not apply to soils which are water logged or frozen. Measuring utensils such as measuring cups and measuring spoons should not be used for any food or drinking water purposes after use with this product.
<p>HOW TO USE</p> <p>Shake well before use.</p>	<ul style="list-style-type: none"> Fill a bucket or watering can with the appropriate amounts of concentrate (add first) and water (add last). <ul style="list-style-type: none"> <u>Single Plants</u> Slowly pour as close to the base of the plant as possible, being careful not to get on leaves. <u>Flowerbeds</u> Sprinkle over the tops of the plants and cover the entire area. NOTE: The Flowerbed solution is diluted with more water than the Single Plant solution to ensure safety to plant leaves when sprinkling over the top. When finished, rinse the bucket/watering can with clean water and pour onto treated area.
<p>HOW MUCH TO USE</p>	<p><u>Roses</u> 2 fl. oz. (4 TBSP) in 1 quart of water treats 1 plant</p> <p><u>Flowerbeds</u> 2 fl. oz. (4 TBSP) in 2 gallons of water treats 12 sq. ft.</p> <p><u>Azaleas, Camellias, Rhododendrons, and Other Shrubs</u> 1 fl. oz. (2 TBSP) in 1 quart of water per foot of plant height</p>
<p>FOR BEST RESULTS</p>	<ul style="list-style-type: none"> Begin using this product in the spring when plants are actively growing. Reapply every 6 weeks for a total of 3 applications per year. In areas where disease occurs frequently and the soil is sandy, the application interval can be shortened to 4 – 5 weeks for a total of 4 applications per year. Ensure the product gets down into the rootzone by, <ul style="list-style-type: none"> pulling mulch away from plants to be treated. building a well around individual plants. pouring the drench solution slowly to allow the soil to absorb it. Keep rose, flower and shrub beds clean. This minimizes harborage sights for diseases and insects (for additional cultural practices, consult your local County Extension Service).
<p>HOW THIS PRODUCT WORKS</p>	<p>Water moves the product down into the root zone where it is taken up & moved into the plant. The entire plant, even new growth, is protected against insects and disease. Rain or watering cannot wash off this long-lasting systemic protection.</p>

	<p>Do not allow entry of children, pets or others into treated areas until drench solution has dried.</p>
---	---

IMPORTANT: Directions for Storage and Disposal

<p>Storage Conditions:</p>	<p>Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.</p>
<p>Disposal:</p> <div style="text-align: center;">  </div>	<p>If Empty:</p> <ul style="list-style-type: none"> Do not reuse empty container Place in trash. <p>If Partly Filled:</p> <ul style="list-style-type: none"> It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.

6/12

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION

- Causes moderate eye irritation.
- Avoid contact with eyes or clothing.
- Wear long-sleeved shirt, long pants, shoes, socks, and gloves made of any waterproof material.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will reduce exposure.

First Aid +

IN CASE OF ACCIDENTAL...

IMMEDIATELY...

Contact with Eyes

- Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 1-877-229-3763 for medical emergency information.
Active Ingredients: 1.00% Tebuconazole (CAS # 107534-96-3) and 0.20% Imidacloprid (CAS # 138261-41-3)

Environmental Hazards

- Do not apply directly to water.
- This product is highly toxic to aquatic invertebrates.
- Do not contaminate water when disposing of equipment washwaters.

NOTICE

Research and testing have determined that the "Directions For Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

File ID Tebuconazole 1.0+Merit 0.2 Conc

Bayer Advanced

A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709

Bayer Advanced Azalea, Camellia & Rhododendron (MASTER) Approved 05/06/04, Notification Submitted 10/13/05.

7/10



BAYER ADVANCED



DUAL PROTECTION

Azalea, Camellia, & Rhododendron

Insect & Disease Control

**INSECT & DISEASE
PROTECTION-
One Easy Step**

PROTECCIÓN CONTRA INSECTOS
Y ENFERMEDADES-Un paso fácil



- Rescues Plants from Insects & Diseases
- Protects even New Growth

**6 Weeks
Protection**

NO SPRAYING!

Active Ingredients:
Tebuconazole
Myclobutanil

**MIX & POUR
AT TREE BASE**

10/12/05

8/12

A, C, & R CARE 32oz CONCENTRATE



DUAL PROTECTION

**Azalea, Camellia,
& Rhododendron
Insect & Disease Control**

CONCENTRATE

This product's exclusive 2-in-1 formula protects against insects & diseases in one easy step. It provides 6 week protection with a single application. Growing beautiful flowers and shrubs has never been easier!

PRECAUTIONARY STATEMENTS

CAUTION Hazards to Humans and Domestic Animals

- Causes moderate eye irritation.
- Avoid contact with eyes or clothing.
- Wear long-sleeved shirt, long pants, shoes, socks, and gloves made of any waterproof material.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will reduce exposure.

FIRST AID +

IN CASE OF ACCIDENTAL... IMMEDIATELY...

CONTACT WITH EYES

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses if present after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel.

For medical emergency information, you may call toll-free 1-877-229-3763.
Active ingredients: 1.00% Tebuconazole CAS# 107534-96-3 and 0.20% Imidacloprid CAS# 138261-41-3

ENVIRONMENTAL HAZARDS

- Do not apply directly to water.
- This product is highly toxic to aquatic invertebrates.
- Do not contaminate water when disposing of equipment washwaters.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Bayer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

© 2005 Bayer CropScience LP
Bayer Advanced
A Business Unit of Bayer CropScience LP
P.O. Box 12014, 27014 Alexander Drive
Research Triangle Park, NC 27709
Made in USA

EPA Reg. No. 72755-E
EPA Est. No. Indicated by 2nd and 3rd digits
of the batch number on this package
65-4327x-39 58996 MO 1
33 07215x AL 001-01 - 3125 MO

Mert, Bayer Advanced, Bayer, and + are trademarks of Bayer.

PRESS TO RESEAL

7/16" MARGINS
LEFT AND RIGHT

7.797"

6"
tall booklet

3.992"

10/12/05

9/12

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIONES

PRECAUCIÓN Riesgos para Seres Humanos y Animales Domésticos

- Provoca irritación ocular moderada.
- Evitar el contacto con los ojos, la piel o la ropa.
- Usar camisa de mangas largas, pantalones largos, zapatos, y guantes impermeables.
- Lavarse las manos prolijamente con agua y jabón después de manipular el producto y antes de comer, beber, masticar goma de mascar o utilizar tabaco reducirá la exposición al producto.

PRIMEROS AUXILIOS +

EN CASO ACCIDENTAL DE ... INMEDIATAMENTE...

CONTACTO CON LOS OJOS

- Mantener el ojo abierto y efectuar lavado ocular con abundante agua durante 15 a 20 minutos.
- Quitar los lentes de contacto, si los hubiera, después de los primeros 5 minutos, luego continuar el enjuague ocular.
- Llamar a un centro de control de envenenamiento o al médico para consultas sobre el tratamiento

NOTA: Al llamar a un centro de control de envenenamiento, tener la etiqueta del producto a mano. En caso de solicitar tratamiento en una sala de emergencia o consultorio médico, llevar la etiqueta de este producto para mostrarla al personal médico.

Para solicitar información de emergencia médica, llamar sin cargo al 1-877-229-3763. Ingrediente Activo: 1.00% Tebuconazole (CAS# 107534-96-3) y 0.20% Imidacloprid (CAS# 138261-41-3)

RIESGOS AMBIENTALES

- No aplicar directamente al agua
- Este producto es altamente tóxico para los invertebrados acuáticos
- No contaminar el agua al eliminar el agua utilizada para el lavado del equipo aplicador

NOTA: Investigaciones y pruebas han determinado que las "instrucciones de Uso" son las adecuadas para el uso apropiado de este producto bajo las condiciones previstas. El comprador asume la responsabilidad por la falta de rendimiento o seguridad si no es utilizado de acuerdo con las instrucciones

Garantía de Devolución de Dinero: Si usted no está satisfecho con este producto gustosamente le reembolsaremos el monto original de precio de su compra

READ THE LABEL FIRST!

Indicaciones en español después de las de inglés
OPEN
 Resealable Label for Directions & Precautions

NO SPRAYING!



JUST MIX IN WATER ...



AND POUR



AROUND FLOWERS OR SHRUBS

FOR OUTDOOR RESIDENTIAL USE ONLY

QUICK FACTS

- 2-in-1 Formula
- Insect Control
- Disease Control
- Systemically Protects Flowers and Shrubs
- One Application Protects for up to 6 Weeks
- Rainproof Protection

INSECTS CONTROLLED

Aphids, Black Vine Weevil Larvae, Japanese Beetles (adults), Lace Bugs, Leaf Beetles, Leafhoppers, Mealybugs, Whiteflies and other listed insects

DISEASES CONTROLLED

Leaf Spot, Powdery Mildew, and Rust

WHERE TO USE

Azaleas, Camellias, Rhododendrons, Hibiscus and other shrubs

WHEN TO USE

Every 6 weeks throughout the growing season (See seasonal limitations in Directions For Use.)

COVERAGE

Treats up to 16 shrubs or 200 sq. ft. of flowerbed



For questions or comments, call toll-free 1-877-BayerAG (1-877-229-3724), or visit us on-line at www.BayerAdvanced.com

INGREDIENTS

ACTIVE INGREDIENTS

Tebuconazole 0.2%

Imidacloprid 0.2%

OTHER INGREDIENTS 98.8%

TOTAL 100.00%

Imidacloprid is the chemical name for Merit insecticide

Net Weight: 1.0 L (33.8 FL OZ)
 Total Volume: 1.0 L (33.8 FL OZ)
 Lot No. 417619 18996 MO
 Exp. Date: 12/31/10



10/12

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- BEFORE YOU USE**
- Do not apply near lakes, streams, rivers or ponds.
 - Do not apply to plants grown for food.
- Read and follow these directions when using:**
- Do not apply to soils which are water-logged or frozen.
 - Measuring utensils such as measuring cups and measuring spoons should not be used for any food or drinking water purposes after use with this product.

- HOW TO USE**
- Shake Well Before Use**
- Fill a bucket or watering can with the appropriate amounts of concentrate (add first) and water (add last).
- Single Plants**
Slowly pour as close to the base of the plant as possible, being careful not to get on leaves.
- Flowerbeds:**
Sprinkle over the tops of the plants and cover the entire area. **NOTE:** The Flowerbed solution is diluted with more water than the Single Plant solution to ensure safety to plant leaves when sprinkling over the top.
- When finished, rinse the bucket/watering can with clean water and pour onto treated area

- HOW MUCH TO USE**
- Azaleas, Camellias, Rhododendrons, and Other Shrubs**
1 fl. oz. (2 TBSP) in 1 quart of water per foot of plant height
- Flowerbeds**
2 fl. oz. (4 TBSP) in 2 gallons of water treats 12 sq. ft.

INSECTS CONTROLLED

- | | |
|---|---|
| Adelgids | Leafminers (including Holly Leafminers) |
| Aphids | Mealybugs |
| Black Vine Weevil Larvae | Psyllids |
| Japanese Beetles, Adult | Scales (including Armored Scale [suppression] and Soft Scale) |
| Lace Bugs | Thrips |
| Leaf Beetles (including Elm Leaf Beetles and Viburnum Leaf Beetles) | Whiteflies |
| Leafhoppers (including Glassy-winged Sharpshooters) | |

cont d

DIRECTIONS FOR USE (cont'd)

DISEASES CONTROLLED

Diseases	Plants
Leaf Spots (including Black Spot) Powdery Mildew Rust	Azaleas, Camellias, Rhododendrons and Other Landscape (Ornamental) Shrubs
Leaf Spot Powdery Mildew Rust	Flowers

HOW IT WORKS


Water moves the product down into the root zone where it is taken up & moved into the plant. The entire plant, even new growth, is protected against insects and disease. Rain or watering cannot wash off this long-lasting systemic protection.



FOR BEST RESULTS

- Begin using this product in the spring when plants are actively growing
- Reapply every 6 weeks for a total of 3 applications per year. In areas where disease occurs frequently and the soil is sandy, the application interval can be shortened to 4-5 weeks for a total of 4 applications per year
- Ensure the product gets down into the root zone by
 - Pulling mulch away from plants to be treated
 - Building a well around individual plants
 - Pouring the drench solution slowly to allow the soil to absorb it.
- Keep flower and shrub beds clean. This minimizes harborage sites for diseases and insects (for additional cultural practices, consult your local County Extension Service)

11/12

 Do not allow entry of children, pets or others into treated areas until drench solution has dried

IMPORTANT- Directions for Storage and Disposal

STORAGE CONDITIONS Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

If Empty:

- Do not reuse empty container.
- Place in trash

DISPOSAL



If Partly Filled:

- It is best to use all of the product in accordance with label directions.
- If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions.
- Never place unused product down any indoor or outdoor drain.

¡LEA LA ETIQUETA ANTES DE UTILIZAR EL PRODUCTO!

INFORMACIÓN RÁPIDA

- **Fórmula 2 en 1**
- **Controla a los insectos**
- **Controla las enfermedades**
- **Protege flores y arbustos sistemáticamente**
- **Una aplicación protege hasta 6 semanas**
- **Protección a prueba de lluvia**

INSECTOS QUE CONTROLA

Añidos, larva del gorgojo negro de enredadera, escarabajo japonés (adulto), chinche de encaje, escarabajo de hoja, cigarrillas, cochinilla rosada, pulgones y demás insectos que figuran en la lista

ENFERMEDADES QUE CONTROLA

Mancha foliar, mildew y roya.

DÓNDE UTILIZAR

Azaleas, camelias, rododendros, hibiscos y otros arbustos

CUÁNDO UTILIZARLO

Cada 6 semanas durante el periodo de crecimiento (Ver limitaciones de temporada en la sección Instrucciones de uso)

COBERTURA

Trata hasta 16 arbustos o 200 pies cuadrados de lechos florales (18.5 m²)



Para consultas y comentarios, llame sin cargo 1-877-BayerAG (1 877 229-3724), o visite nuestra página www.BayerAdvanced.com



¡NO ROCIAR



SOLO MEZCLE EN AGUA...



Y VIERTA



ALREDEDOR DE FLORES O ARBUSTOS

SÓLO PARA USO RESIDENCIAL EN EXTERIORES

INGREDIENTES
INGREDIENTES ACTIVOS:
 Tebuconazole 1.30F-
 Imidacloprid .20-
OTROS INGREDIENTES 98.80-
TOTAL 100.00-

Imidacloprid es la denominación química del insecticida Merit*

INSTRUCCIONES DE USO

Es una violación a la Ley Federal utilizar este producto de manera contraria a la indicada en esta etiqueta.

ANTES DE UTILIZAR
Lea y siga las siguientes instrucciones de uso:

- No aplicar cerca de lagos, arroyos, ríos o estanques.
- No aplicar a plantas cultivadas comestibles.
- No aplicar sobre suelos inundados ni congelados.
- Los utensilios medidores como tazas o cucharas no deben utilizarse para comer o beber después de haber sido usados con este producto.

CÓMO UTILIZARLO
Agitar bien antes de usar

- Llenar el balde o regadera con la cantidad apropiada de concentrado (agregar primero) y agua (agregar último).
Plantas individuales: Verter lentamente lo más cerca posible a la base de la planta, cuidando de no aplicar sobre las hojas.
Lechos florales: Rociar por encima de las plantas y cubrir toda el área.
NOTA: La solución para lechos florales debe diluirse con mayor cantidad de agua que la solución para plantas individuales para brindar seguridad a las hojas al rociar por encima de la planta.
- Al finalizar, enjuagar el balde o la regadera con agua limpia y verter sobre el área tratada

CUÁNTO UTILIZAR

- Azaleas, camelias, rododendros y otros arbustos**
1 fl. oz. (onza líquida) (2 CUCHARADAS) en 1 cuarto de galón de agua (0.94 l) por pie de altura de la planta (cada 30 cm)
- Lechos florales**
2 fl. oz. (onzas líquidas) (4 CUCHARADAS) en 2 galones de agua (7.5 l) para tratar 12 pies cuadrados (aprox. 1 m²).

INSECTOS QUE CONTROLA

Adelgidae	Cigarrillas	Escamas
Afidos	incluso la cigarrilla	incluso escama
Larvas de gorgojo de la vid	de las alas cristalinas	armada
Escarabajo japonés, adulto	Minadores foliares	(suppression) y
Chinche de encaje	incluso minadores	escama suave
Escarabajos de hoja	foliares sagrados	Trips
(incluso escarabajo de la hoja	Cochinilla rosada	o tisanopteros
del olmo y el escarabajo foliar	Psilidos	Pulgones
de viburnum)		

ENFERMEDADES QUE CONTROLA

Enfermedades	Plantas
Mancha de la hoja (incluyendo la mancha negra)	Azaleas, camelias, rododendros y otros arbustos arbustos de jardín ornamentales
Mildeu	
Roya	


INSTRUCCIONES DE USO (continuación)

ENFERMEDADES QUE CONTROLA (continuación)

Enfermedades	Plantas
Mancha de la hoja Mildeu Roya	Flores

CÓMO FUNCIONA

El agua hace que el producto se traslade hacia la zona de la raíz donde es absorbido y transportado dentro de la planta. La planta completa, incluso sus brotes nuevos, son alimentados y protegidos contra insectos y enfermedades. La lluvia o el riego no pueden eliminar esta protección sistémica duradera.



PARA OBTENER MEJORES RESULTADOS

- Comenzar a utilizar este producto en primavera cuando las plantas están en pleno crecimiento.
- Volver a aplicar cada 6 semanas para un total de 3 aplicaciones por año. En áreas afectadas frecuentemente por enfermedades y donde el suelo es arenoso, el intervalo de aplicación debe acortarse a 4-5 semanas para un total de 4 aplicaciones por año.
- Asegurarse de que el producto penetre en la zona de la raíz:
 - Retirando el mantillo de las plantas a tratar.
 - Haciendo un pozo alrededor de las plantas individuales.
 - Vertiendo el producto lentamente para permitir que el suelo la absorba
- Mantener limpios los lechos de rosas, flores y arbustos. Esto reduce los sitios de anclaje de enfermedades e insectos (para prácticas culturales adicionales, consultar al Servicio de Extensión del Condado local).



No permitir el ingreso de niños, mascotas u otros a las áreas bajo tratamiento hasta que el producto se haya secado.

IMPORTANTE - Instrucciones para Almacenamiento y Eliminación

CONDICIONES DE ALMACENAMIENTO
Almacenar en el contenedor original en un lugar fresco y seco, fuera del alcance de los niños, preferentemente en un armario bajo llave. Proteger del congelamiento

ELIMINACIÓN

- Si está vacío:**
 - No volver a utilizar este contenedor
 - Coloque el contenedor vacío en la basura o entreguelo para reciclar si fuera posible
- Si está parcialmente lleno:**
 - Es mejor utilizar todo el producto de acuerdo con las instrucciones de la etiqueta
 - En caso de que sea necesario eliminar producto no utilizado, rogamos comunicarse con la agencia de residuos sólidos de su área o llamar sin cargo al 1-877-229-3724 para recibir instrucciones para la eliminación
 - No colocar nunca el producto no utilizado debajo de desagües internos o externos

