



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number
72155-62

Date of Issuance:
SEP 28 2004

Term of Issuance:
Conditional

Name of Pesticide Product:
TriWay + Fenoxaprop
Ready-to-Spray
Herbicide

NOTICE OF PESTICIDE:

Registration
Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Bayer Advanced
95 Chestnut Ridge Road
Montvale, NJ 07645

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:

1. Add the phrase "EPA Registration No.72155-62" the label before you release the product for shipment.

COMMENTS CONTINUED ON PAGE 2 OF THIS NOTICE OF REGISTRATION

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product under the enclosed stamped copy of the label constitutes acceptance of these conditions.

Enclosure

Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Signature of Approving Official:

151

Date:

SEP 28 2004

2. Submit the storage stability data (EPA Guidelines Number 830.6317) and Corrosion Characteristic data (EPA Guidelines Number 830.6320) within one year from the date of this Notice of Registration.
3. Revise the "First Aid" section by adding "IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice." following the "IF SWALLOWED:" statements.
4. Revise the ingredient statement by giving the chemical names of the active ingredients, identical to those stated on Confidential Statement of Formula for this product; alternatively, give the CAS numbers of the common names of the active ingredients as described in PR Notice 97-5, Policy IV-D.
5. Add to the front panel of the labeling: either "Not for Commercial Use" or "For Homeowner Use Only".
6. On the front panel, delete the claims:
 "Acclaim® Extra*, an Exclusive Bayer Advanced Ingredient"
 "Kills Over 200 Lawn Weeds Plus Crabgrass in One Easy Step"
 "Contains Trimec®**"
 "Contains Acclaim® Extra*"
And revise the claim: "Kills Both Broadleaf and Grassy Weeds" to read: "Kills Both Broadleaf and Weed Grasses".
And on "Back Panel" revise the claim for "200 types of lawn weeds" to read "200 lawn weeds". And, delete the statement that reads: "Controlling weeds in your lawn has never been easier"; and delete "Editorial Notes" and add "Graphic" where indicated.
7. Submit one (1) copy of the final printed labeling before you release this product for shipment.
8. Submit and/or cite all data required for the registration of this product when the Agency requires all registrants of similar products to submit data; and submit acceptable responses required for reregistration of this product under FIFRA, section 4.

A Stamped copy of the label is enclosed for your records.

(Front Panel)

TriWay + Fenoxaprop Ready-to-Spray Herbicide

- Kills Lawn Weeds plus Crabgrass in One Step
- Kills Over 200 Lawn Weeds Plus Crabgrass in One Easy Step
- Kills Crabgrass plus Broadleaf Weeds
- Acclaim® Extra*, an Exclusive Bayer Advanced Ingredient
- Kills Listed Weeds
- Kills Hard-to-Control Weeds
- Systemic [Herbicide] [Activity]
- Kills Both Broadleaf and Grassy Weeds
- Kills Dandelion, Crabgrass, Clover, plus 200 Other listed Weeds
- Contains Trimec®**
- Contains Acclaim® Extra*
- New!
- Two-in-One Product that Kills Crabgrass & Broadleaf Weeds
- Kills both Crabgrass & Broadleaf weeds
- Proprietary Formula that Kills Both Crabgrass and Broadleaf Weeds
- Effectively Kills Both Broadleaf and Weed grasses

Active Ingredients:

2,4-D, dimethylamine salt.....	3.00%
Mecoprop-p, dimethylamine salt	1.60%
Dicamba, dimethylamine salt	0.54%
Fenoxaprop-p-ethyl	0.40%
Other Ingredients.....	94.46 %
	100.00%

Net 32 fl oz. (946 mL)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional precautionary statements

Protected by U.S. Patent No. 5,254,527

*Acclaim® Extra is the Tradename for fenoxaprop-p-ethyl

**Trimec® is a Registered Trademark of PBI/Gordon Corporation for the Herbicide Blend 2,4-D, Mecoprop & Dicamba

Editorial Note – [Bracketed text] is optional language

**ACCEPTED
with COMMENTS
In EPA Letter Dated:
SEP 28 2004**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.


72155-62

(Back Panel)

TriWay + Fenoxaprop Ready-to-Spray Herbicide exclusive formula kills lawn weeds plus crabgrass in one easy step. And it will not harm your lawn when used as directed. Convenient sprayer top connects to garden hose and automatically dispenses the weed killer. Ideal for large areas – treats up to 10,667 square feet [approximate size of 5 tennis courts]. Rainproof in [6] hours. No messy cleanup. Controlling weeds in your lawn has never been easier!

READ THE LABEL FIRST!



QUICK FACTS	
<i>Editorial Note – Marketing Claims Positioned Here</i>	
KILLS	Over 200 types of lawn weeds including dandelion, clover, chickweed, plantain, ground ivy, henbit, black medic AND grassy weeds like crabgrass, goosegrass, foxtail
WHERE TO USE	ON LAWNS without harming lawn grasses (Do not use on Carpetgrass, Centipedegrass, Creeping Fescue, St. Augustine [including Floratam], or Dichondra.)
COVERAGE	This bottle treats, Fescue lawns – 10,667 sq ft Kentucky Blue, Perennial Rye & Buffalo lawns – 6,400 sq ft Bermuda & Zoysia lawns – 4,571 sq ft
	For questions or comments, call toll-free 1-877 BayerAL (1-877-229-3725) or visit our website at www.BayerAdvanced.com

THIS PRODUCT CONTAINS: 2.49% 2,4-D acid equivalent, 1.33% Mecoprop-p acid equivalent, 0.45% Dicamba acid equivalent. Isomer Specific by AOAC Methods.

FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 72155 – XX


EPA Est. No. XXX-AA-XX

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOW MUCH TO USE	<p>Measure area to be sprayed. Calculate 'square feet' by multiplying length times width. Find your lawn type below. This bottle will cover the corresponding area in about 20 minutes (actual time will vary depending on water pressure), <i>Editorial Note – Final time value will be adjusted based on actual hose-end sprayer selected for market.</i></p> <p>Fescue (NOT for use on Creeping Fescue) – walk at a fast pace to cover 10,667 sq ft.</p> <p>Kentucky Blue, Perennial Rye, Buffalo – walk at a moderate pace to cover 6,400 sq ft.</p> <p>Bermuda, Zoysia – walk at a moderate pace to cover 4,571 sq ft.</p>
------------------------	--

DIRECTIONS FOR USE (cont.)

HOW TO USE	<p>CONNECT</p> <ol style="list-style-type: none"> 1. Shake well before use. 2. Connect sprayer to garden hose. 3. Turn on water. <p>SPRAY</p> <ol style="list-style-type: none"> 1. Extend hose to farthest area to be treated, point nozzle in direction to be sprayed and turn on sprayer. Work back toward the faucet to avoid walking over wet, treated grass. 2. Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap the treated areas.  <p>[Operating the Sprayer Top</p> <p>Water control knob (closest to hose). < Graphic > Twist counterclockwise for 'On' & clockwise for 'Off'.</p> <p>Weed killer control knob. < Graphic > Twist knob until flat side is next to protruding plastic tab. This will release the safety feature. Push in for 'On' & out for 'Off'.]</p> <p>FINISH</p> <ol style="list-style-type: none"> 1. Turn off sprayer. 2. Turn off water at faucet. 3. Relieve pressure in hose by turning water back on at sprayer until water slows to a drip. Close sprayer. 4. Disconnect sprayer from hose.
FOR BEST RESULTS	<p>WHEN TO APPLY</p> <ul style="list-style-type: none"> • Spray when <ul style="list-style-type: none"> – weeds are small and actively growing – temperature is below 80°F when using on Kentucky Blue, Perennial Rye or Fescue <i>Editorial Note – Temperature may be adjusted upward based on ongoing research.</i> – temperature is below 90°F when using on Bermuda, Buffalo or Zoysia • Certain hard-to-kill weeds may be retreated in 2 weeks if necessary. • Do not apply while grass is emerging from dormancy. • Newly seeded lawn may be sprayed after fourth mowing. • Bare spots may be seeded 3 weeks after application. <p>MOWING</p> <ul style="list-style-type: none"> • Do not mow for 1 to 2 days after spraying. <p>WATERING</p> <ul style="list-style-type: none"> • If lawn is dry, water 1 to 2 days before using this product. • Rain or watering 6 hours after application will not wash away effectiveness.
HOW IT WORKS	<p>TriWay + Fenoxaprop Ready-to-Spray Herbicide contains four proven weed killers that target lawn weeds and crabgrass. The herbicides enter the lawn weeds through their leaves and move inside the weeds, even down into the roots. And lawns will not be harmed when used as directed.</p>

WEEDS

Annual Yellow Sweetclover	Cocklebur	Mouseear Hawkweed	Speedwell
Aster	Common Mullein	Mugwort	Spiny Amaranth
Austrian Fieldcress	Crabgrass	Musk Thistle	Spiny Cocklebur
Barnyardgrass	Creeping Charlie	Mustard	Spiny Sowthistle
Bedstraw	Creeping Jenny	Narrowleaf Plantain	Spotted Catsear
Beggarticks	Cudweed	Narrowleaf Vetch	Spotted Spurge
Betony, Florida	Curly Dock	Nettle	Sprangletop
Bindweed, Field	Daisy, English	Orange Hawkweed	Spurweed
Bird Vetch	Daisy, Fleabane	Oriental Cocklebur	Stinging Nettle
Bitter Wintercress	Daisy, Oxeye	Oxalis	Strawberry, India Mock
Bittercress, Hairy	Dandelion	Panicum	Tall Nettle
Bitterweed	Dichondra	Parsley-piert	Tall Vervain
Black-eyed Susan	Dogbane	Parsnip	Tansy Mustard
Black Medic	Dogfennel	Pearwort	Tansy Ragwort
Black Mustard	Dollarweed	Pennycress	Tanweed
Blackseed Plantain	Elderberry	Pennywort	Thistle
Blessed Thistle	False Dandelion	Pepperweed	Trailing Crownvetch
Bloodflower Milkweed	False Flax	Pigweed	Tumble Mustard
Blue Lettuce	False Sunflower	Pineywoods Bedstraw	Tumble Pigweed
Blue Vervain	Fiddleneck	Plains Coreopsis (Tickseed)	Velvetleaf
Bracted Plantain	Florida Pusley	Plantain	Venice Mallow
Brassbuttons	Foxtail	Poison Ivy	Virginia Buttonweed
Bristly Oxtongue	Frenchweed	Poison Oak	Virginia Creeper
Broadleaf Dock	Galinsoga	Pokeweed	Virginia Pepperweed
Broadleaf Plantain	Goathead	Poorjoe	Water Pennywort
Broomweed	Goldenrod	Prairie Sunflower	Wavyleaf Bullthistle
Buckhorn	Goosegrass	Prickly Lettuce	Western Clematis
Buckhorn Plantain	Ground Ivy	Prickly Sida	Western Salsify
Bulbous Buttercup	Gumweed	Prostrate Knotweed	White Mustard
Bull Thistle	Hairy Fleabane	Prostrate Pigweed	Wild Aster
Bullnettle	Hawkweed	Prostrate Spurge	Wild Buckwheat
Burclover	Healall	Prostrate Vervain	Wild Carrot
Burdock	Heartleaf Drymary	Puncturevine	Wild Four-o'clock
Burning Nettle	Heath Aster	Purslane, Common	Wild Garlic
Burweed	Hedge Bindweed	Ragweed	Wild Geranium
Buttercup	Hedge Mustard	Red Sorrel	Wild Lettuce
Buttonweed	Hemp	Redroot Pigweed	Wild Marigold
Canada Thistle	Henbit	Redstem Filaree	Wild Mustard
Carolina Geranium	Hoary Cress	Rough Cinquefoil	Wild Onion
Carpetweed	Hoary Plantain	Rough Fleabane	Wild Parsnip
Catchweed Bedstraw	Hoary Vervain	Russian Pigweed	Wild Radish
Catnip	Horsenettle	Russian Thistle	Wild Rape
Catsear	Jimsonweed	Sandbur	Wild Strawberry
Chickweed, Common	Johnsongrass (seedling)	Scarlet Pimpernel	Wild Sweet Potato
Chickweed, Mouseear	Knawel	Scotch Thistle	Wild Vetch
Chicory	Knotweed	Sheep Sorrel	Woodsorrel
Cinquefoil	Kochia	Shepherdspurse	Wooly Croton
Clover, Crimson	Lambsquarters	Slender Plantain	Wooly Morningglory
Clover, Hop	Lespedeza	Smallflower Galinsoga	Wooly Plantain
Clover, Red	Mallow	Smooth Dock	Wormseed
Clover, Strawberry	Matchweed	Smooth Pigweed	Yarrow
Clover, Sweet	Mexicanweed	Sorrel	Yellow Rocket
Clover, White	Milk Vetch	Sowthistle	Yellowflower Pepperweed
Cockle	Morningglory	Spanishneedles	and other broadleaf weeds

	Do not allow people (other than applicator) or pets on treatment area during application and until spray has dried.
---	---

PRECAUTIONARY STATEMENTS

CAUTION

Hazards to Humans and Domestic Animals

- Harmful if swallowed
 - Causes moderate eye irritation.
 - Avoid contact with eyes, skin, or clothing.
 - When using this product, wear long-sleeved shirt, long pants, socks, shoes, and rubber gloves.
- After using this product:
- Rinse gloves before removing and wash hands.
 - If product gets on clothing, remove clothing as soon as possible and launder clothing separately before reuse.
 - Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will reduce exposure.


FIRST AID +

If Swallowed	<ul style="list-style-type: none"> ▪ Call a poison control center or doctor immediately for treatment advice. ▪ Have person sip a glass of water if able to swallow. ▪ Do not induce vomiting unless told to do so by a poison control center or doctor. ▪ Do not give anything by mouth to an unconscious person.
If in Eyes	<ul style="list-style-type: none"> ▪ Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. ▪ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. ▪ Call a poison control center or doctor for further treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. **You may call toll-free 1-877-229-3763 for medical emergency information.** Active Ingredients: 3.00% 2,4-D, dimethylamine salt (CAS # 2008-39-1), 1.60% Mecoprop-p, dimethylamine salt single isomer (CAS # 66423-09-4), 0.54% Dicamba, dimethylamine salt (CAS # 2300-66-5), and 0.40% Fenoxaprop-p-ethyl (CAS # 71283-80-2).

ENVIRONMENTAL HAZARDS

- This product is toxic to fish & aquatic invertebrates. Do not apply directly to lakes, streams, rivers or ponds.
- Drift or runoff may harm fish, aquatic invertebrates and non-target plants.

Important – Directions for Storage and Disposal	
Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Disposal 	If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

D-9792 042304

Bayer Advanced
A Business Group of Bayer CropScience, L.P.
95 Chestnut Ridge Rd.
Montvale, NJ 07645