

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W.

NOTICE OF PESTICIDE: x Registration

Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance

72155-67

11 2005

Term of Issuance: Conditional

Name of Pesticide Product

Imidacloprid Ant Killer Station

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code)

__ Reregistration

Mr. Charles W. Boyd Bayer Environmental Science 95 Chestnut Ridge Road Montvale, NJ 07645

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

1. Revise the EPA Registration Number to read, "EPA Reg. No. 72155-67"

Signature of Approving Official:	Date:
· · · · · · · · · · · · · · · · · · ·	MAY 1 1 2005
Dani Daniel	2503
Insecticide-Rodenticide Branch	
Registration Division (7505C)	

Page Two 72155-67

- 2. Remove all references to pharoh and carpenter ants from the label. Pharoah ants are considered to be a public health pest (refer to PR Notice 2002-1), and carpenter ants are considered to be a structural pest. As such, each require the submission of supporting efficacy data. In addition, as a result of this change, the claim reading "Kills seven different household ants" must be deleted or revised so that it reference five ants.
- 3. The Agency does not allow "Guaranteed" claims unless such claims are qualified with further information in the same location. Therefore, delete the claims "DEAD COLONIES GUARANTEED" and GUARANTEED RESULTS" from the labeling, or add a qualifying statement to these claims, such as "....or your money back".
- 4. Submit two (2) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the label is enclosed for your records. If you have any questions regarding this notice, please contact me at (703) 305-5409.

Enclosure:

(Front Panel)

Imidacloprid Ant Killer Station

Contains two labels, one for the product in a prepackaged bait station and one for the bait in a bottle used to refill bait stations.

- · Convenient to use bait station
- · Pre-filled -- ready to use
- · Liquid formula, highly attractive to ants
- · Ready-to-Use station
- · Fast acting, long lasting
- For Indoor and Outdoor Use
- Spill resistant packaging design
- Highly attractive bait for guicker ant control
- Kitls the colony at its source
- DEAD COLONIES GUADANTEED
- __GUARANTEED RESULTS
- Dual Action bait formulation that attracts and kills
- · Ants attracted to bait and feed
- Can be placed anywhere ants are seen

- Begins Killing ants within 24 hours
- Delayed ant mortality allows bait transfer throughout the colony
- · Kills ants, and colony
- Destroys entire colonies
- Kills hidden ant colonies
- Kills ants where they breed
- Kills ants including Argentine, Carpanta Crazy, Ghost, Odorous, Pavement and Pharaon Ants
- Kills sugar-feeding ants
- · Kills wide variety of household ants
- Kills most common household ants
- Kills Seven Cittlerent household ante

Active ingredients:

Net contents XX fl.oz.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements

Protected by U.S. Patent No.

Editorial Note - [Bracketed text] is optional language

ACCEPTED
with COMMENTS
In EPA Letter Dated:

MAY 1 1 2005

Under the Federal Insecticide, Pungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

1

(Front Panel)

Imidacloprid Ant Killer Station

Pre-filled Bait station

- · Convenient to use bait station
- Pre-filled ready to use
- · Liquid formula, highly attractive to ants
- Ready-to-Use station
- · Fast acting, long lasting
- For Indoor and Outdoor Use
- Spill resistant packaging design
- Highly attractive bait for quicker ant control
- Kills the colony at its source
- DEAD COLONIES GUARANTEED
- GUARANTEED RESULTS
- Dual-Action bait formulation that attracts and kills
- Ants attracted to bait and feed
- Can be placed anywhere ants are seen

- · Begins killing ants within 24 hours
- Delayed ant mortality allows bait transfer throughout the colony
- · Kilis ants, and colony
- Destroys entire colonies
- Kills hidden ant colonies
- Kills ants where they breed
- Kills ants including Argentine, Carpenter, Crazy, Ghost, Odorous, Pavement and Pharach Ants
- Kills sugar-feeding ants
- · Kills wide variety of household ants
- Kills most common household ants
- Kills seven different household ants

Active ingredients:

Imidacloprid
Other ingredients
100%

Net contents XX fl oz.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements

Protected by U.S. Patent No.

Editorial Note - [Bracketed text] is optional language

(Back Panel)

This product controls a wide variety of household ants, by combining an attractive bait and a highly effective ant killer. The ants take the bait back to the colony, destroying it. Controlling ants and keeping them from coming back has never been easier.

READ THE LABEL FIRST!



QUICK FACTS	
Destroys the Kills a Wide	g Ants within 24 Hours Entire Colony, Guaranteed. Variety of Ants here They Breed
KILLS	Ants including Argentine, Carpenter, Crazy, Ghost, Odorous, Pavement & Pharaoh Ants
WHERE TO USE	Indoors or outdoors by ant trails or anywhere ants are seen
☎□	For questions or comments, call toll-free 1-877 BayerAH (1-877-229-3724) or visit our website at www.BayerAdvanced.com

Active Ingredients:

Imidacloprid	0.005%
Other Ingredients	<u>99.995 %</u>
	100%

EPA Reg. No. 72155 - AT

EPA Est. No. XXX-AA-XX

DIRECTIONS FOR	USE
It is a violation of Federa	I law to use this product in a manner inconsistent with its labeling.
BEFORE YOU USE	 Do not place in areas easily accessible to children or pets Do not contaminate feed or food products, or food preparation surfaces, dishes, kitchen utensils or storage containers. Handle and place station in a manner to prevent spillage.
HOW TO USE	 Carefully peel off foil top from station and discard. Place stations upright by ant trails or near areas where ants have been seen.
WHERE TO USE	 Indoors: For use in attics, basements, bathrooms, closets, dining rooms, kitchens, pantries and storage areas. Place stations next to baseboards, in corners, under appliances and sinks. Outdoors: Place directly over nests, ant trails or where ants have been seen entering the building. Ants will soon find the bait, and take it back to the nest Remove stations once ants are no longer seen. (The colony has been eliminated.)
PESTS CONTROLLED	Sugar-feeding ants including: Argentine, Carpenter, Crazy, Ghost, Odorous, Pavement & Pharaoh Ants
FOR BEST RESULTS	 For added protection, treat outdoors near points of ant entry with (name of appropriate contact insecticide). Be careful not to apply on or near the ant bait, as this will diminish the effectiveness of the bait attracting ants.

PRECAUTIONARY STATEMENTS

CAUTION

Hazards to Humans and Domestic Animals

- · Causes moderate eye irritation.
- · Avoid contact with eyes, skin, or clothing.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will reduce exposure.

FIRST AID +

if in Eyes	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
if Swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 1-877-229-3763 for medical emergency information. Active Ingredients: 0.005% imidacloprid (CAS #138261-41-3)

ENVIRONMENTAL HAZARDS

- This product is highly toxic to aquatic invertebrates.
- Do not apply directly to water.

Important – Directions for Storage and Disposal	
Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Disposal	If empty: Do not reuse this container. Place in trash or offer for recycling if available.
<u> </u>	If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

D-9799 101804

Bayer Advanced
A Business Group of Bayer CropScience, L.P.
95 Chestnut Ridge Rd.
Montvale, NJ 07645

(Front Panel)

Imidacloprid Ant Killer Station

Bottle for Refillable Bait Stations

- Liquid formula, highly attractive to ants
- Fast acting, long lasting
- For Indoor and Outdoor Use
- Highly attractive bait for quicker ant control
- Kills the colony at its source
- DEAD COLONIES GUARANTEED
- GUARANTEED RESULTS
- Dual-Action bait formulation that attracts and kills
- Ants attracted to bait and feed
- Can be placed anywhere ants are seen
- Begins killing ants within 24 hours

- Delayed ant mortality allows bait transfer throughout the colony.
- Kills ants, and colony
- Destroys entire colonies
- Kills hidden ant colonies
- Kills ants where they breed
- Kills ants including Argentine, Garpetter, Crazy, Ghost, Odorous, Pavement and Pharach-Ants
- Kills sugar-feeding ants
- Kills wide variety of household ants
- Kills most common household ants
- Kills seven different household anto

midacloprid	0
Other Ingredients <u>99.995 %</u>	ò
100%	3

Net contents XX fl oz.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements

Protected by U.S. Patent No.

Editorial Note - [Bracketed text] is optional language

ACCEPTED with COMMENTS In EPA Letter Dated:

MAY 1 1 2005

Under the Federal Insecticide, Fungicide, and Rodenticide Act, an amended, for the pesticide registered under EPA Reg. No.

(Back Panel)

This product controls a wide variety of household ants, by combining an attractive bait and a highly effective ant killer. The ants take the bait back to the colony, destroying it. Controlling ants and keeping them from coming back has never been easier.

READ THE LABEL FIRST!



QUICK FACTS	
Destroys the Kills a Wide	g Ants within 24 Hours Entire Colony. Guaranteed. Variety of Ants here They Breed
KILLS	Ants including Argentine, Carpenter, Crazy, Ghost, Odorous, Pavement & Pharaoh Ants
WHERE TO USE	Indoors or outdoors by ant trails or anywhere ants are seen
☎□	For questions or comments, call toll-free 1-877 BayerAH (1-877-229-3724) or visit our website at www.BayerAdvanced.com

nidacloprid
ther ingredients <u>99.995 %</u>
100%

EPA Reg. No. 72155 - AT

EPA Est. No. XXX-AA-XX

DIRECTIONS FOR USE		
It is a violation of Federa	l law to use this product in a manner inconsistent with its labeling.	
BEFORE YOU USE	 Do not place in areas easily accessible to children or pets Do not contaminate feed or food products, or food preparation surfaces, dishes, kitchen utensils or storage containers. Handle and place station in a manner to prevent spillage. 	
HOW TO USE	 Remove top from station and add a few drops of product. Replace top. Take care not to over-fill the station to avoid spillage. Carefully place stations by ant trails or where ants have been seen. 	
WHERE TO USE	 Indoors: For use in attics, basements, bathrooms, closets, dining rooms, kitchens, pantries and storage areas. Place stations next to baseboards, in corners, under appliances and sinks. Outdoors: Place directly over nests, ant trails or where ants have been seen entering the building. Ants will soon find the bait, and take it back to the nest Refill stations as needed, remove stations once ants are no longer seen. (The colony has been eliminated.) 	
PESTS CONTROLLED	Sugar-feeding ants including: Argentine, Carpenter, Crazy, Ghost, Odorous, Pavernent & Pharaoh Ants	
FOR BEST RESULTS	 For added protection, treat outdoors near points of ant entry with (the name of appropriate contact insecticide products). Be careful not to apply on or near the ant bait, as this will diminish the effectiveness of the bait attracting ants. 	

PRECAUTIONARY STATEMENTS

CAUTION

Hazards to Humans and Domestic Animals

- · Causes moderate eye irritation.
- · Avoid contact with eyes, skin, or clothing.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will reduce exposure.

FIRST AID .

If in Eyes	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
If Swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 1-877-229-3763 for medical emergency information. Active Ingredients: 0.005% Imidacloprid (CAS #138261-41-3)

ENVIRONMENTAL HAZARDS

- This product is highly toxic to aquatic invertebrates.
- Do not apply directly to water.

Important - Directions for Storage and Disposal			
Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.		
Disposal	If empty: Do not reuse this container. Place in trash or offer for recycling if available.		
	If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.		

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

D-9799 101804

Bayer Advanced
A Business Group of Bayer CropScience, L.P.
95 Chestnut Ridge Rd.
Montvale, NJ 07645