



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Annette Bloomberg
Bayer Advanced
P.O. Box 12014
2. T. W. Alexander Drive
Research Triangle Park, NC 27709

FEB 1 1 2014

Subject:

Notification: Addition of prohibition of application to *Tilia* species

Imidacloprid CTG Insecticide Ready-To-Spread Granules

EPA Reg. No. 72155-68 Decision #: 487646

Submission date: December 18, 2013

Dear Ms. Bloomberg:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated December 18, 2013, for the product EPA Reg No. 72155-68. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the label revisions requested fall within the scope of PRN 98-10. The label submitted has been stamped "Notification" and will be placed in our records. If you have any questions, please contact me at 703-347-0156 or urbanski.jennifer@epa.gov.

Sincerely,

Jennifer Urbanski, Ph.D.

Insecticide-Rodenticide Branch

Office of Pesticide Programs

Please read instructions on reverse before compl. form.	Form Approved 18 No. 2070-0060, Approvel expires 2-28-95
United States Environmental Protection Washington, DC 20460	Agency Amendment OPP Identifier Number
Application	for Pesticide - Section I
1. Company/Product Number 72155-68	2. EPA Product Manager Reuben Baris 3. Proposed Classification Restricted
4. Company/Product (Name) Imidacloprid CTG Insecticide Ready-to-Spread Granules	PM#
5. Name and Address of Applicant (Include ZIP Code) Bayer Advanced P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, NC 27709 Check if this is a new address	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name
	Section - II
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.	Final printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below.
Explanation : Use additional page(s) if necessary. (For section I a Notification in accordance with PR Notice 98-10. See attached Section Oregon State use restriction on Linden Trees Contact Information: annette.bloomberg@bayer.com (919-549-2608 w	n II Explanation.
	Section - III
1. Material This Product Will Be Packaged In:	
Yes Yes No No If "Yes" No. per	Water Soluble Packaging Yes No If "Yes" No. per Package wgt Package wgt No. per Package wgt No. per Package wgt No. per Package wgt No. per Package wgt Other (Specify)

Section - IV 1. Contact Point | (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Title Telephone No. (include Area Code) Annette M. Bloomberg (019) 549-2648 Regulatory Product Manager 6. Date Application Certification **bevices**3 I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. Innette M. Bloomberg 3. Title 2. Signature Regulatory Product Manager 4. Typed Name 5. Date Annette M. Bloomberg December 18, 2014

4. Size(s) Retail Container

Lithograph Paper glued Stenciled

3. Location of Net Contents Information

6. Manner in Which Label is Affixed to Product

Container

Label

5. Location of Label Directions

Other

Page 1 of 1

Imidacloprid CTG Insecticide Ready-to-Spread Granules EPA Reg. No. 72155-68 January 18, 2014

Section II - Explanation

Bayer Advanced is submitting a label **Notification** for **Imidacloprid CTG Insecticide Ready-to-Spread Granules**, EPA Reg. No. 72155-68 (ABN: Bayer Advanced Termite Killer Granules), in accordance with PR Notice 98-10. The purpose of this Notification is to add the Oregon State use restriction for imidacloprid on Linden, Basswood and other Tilia species issued on November 12, 2013 (clarification letter dated November 20, 2013). The following changes have been made to the label:

1. The use restriction statement for linden, basswood and other Tilia species is located in the Directions for Use section in the Before You Use row under Restrictions.

Enclosed are 3 copies of the product label (the clean copies and one copy with all changes highlighted in yellow).

This notification is consistent with the provision of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

NOTIFICATION FEB 1 1 2014

(Front Panel)

Imidacloprid CTG Insecticide

Ready-To-Spread Granules

- No odor
- [Insert Trademark] Termites don't detect until it's too late
- · Stops termite feeding
- · Kills termites in one application
- · Fast (Quick) releasing (dissolving) termite killing granules
- Treats the perimeter of an average home
- Do-It-Yourself Termite Killing Granules (against subterranean termites)
- · Easy to use custom dispenser
- Fast releasing (dissolving) granules
- · Easy to use granules: apply, water in, and walk away
- Contains Premise®
- · Pour & Go Easy to use granules: apply, water in, and walk away
- Easy to use granules: Sprinkle, water in, and walk away
- 100% Satisfaction Guaranteed* (or your money back)

NOTIFICATION FEB 1 1 2014

Active Ingredients:	
Imidacloprid	0.37%
Other Ingredients	99.63%
·	100.00%

Net Contents 9 lbs.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements

Do not use this product as the sole source of control for active, structural infestations by subterranean termites; the purpose of this application is to kill workers or winged reproductive forms of termites which may be present at the time of treatment. It is not intended to provide structural pest control. It is not a substitute for mechanical alteration, soil and foundation treatment, but merely a supplement. For active, structural infestations by subterranean termites, this product can only be used to supplement a federally registered conventional product that is registered as sole source for termite control. This product will not eliminate termite infestations or provide protection against future infestations.

(Back Panel)

This product kills termites with a single application. Just spread the granules around the outside of your home, water in and walk away. Killing Termites around your home has never been easier.

- Break off tab
- Lift applicator spout to open
- Tilt container to apply
- To stop flow of product, tilt container upright
- (Hold container steady, as shaking will affect the flow of granules.)

READ THE LABEL FIRST!



QUICK FACTS		
Editorial Note	Editorial Note – Marketing Claims Positioned Here	
KILLS	Termites: (including Subterranean termite species of Reticulitermes and Coptotermes)	
COVERAGE	Will treat up to 200 linear feet with a 6 inch band (9 lb. size) (treated area around an average size home).	
WHERE TO USE	This product can be applied to areas that surround building structures, wooden fence posts or poles, other wooden constructions, subject to termite attack. Areas that can be treated include bare soils, landscaped planting areas, mulched areas and turfgrass.	
WHEN TO USE	Whenever you want to kill termites.	
	For questions or comments, call toll-free 1-877 BayerAG	

For Outdoor Residential Use Only

Active Ingredients:	
Imidacloprid	0.37%
Other Ingredients	99.63%
Total	100.00%

EPA Reg. No. 72155 - 68

EPA Est. No. XXX-AA-XX

DIRECTIONS FOR	USE
It is a violation of Federa	al law to use this product in a manner inconsistent with its labeling.
BEFORE YOU USE Read and follow	RESTRICTIONS: • This product is a ready-to-use granule formulation of Imidacloprid intended to kill termites
directions when using.	 (including subterranean termite species of <i>Reticulitermes</i> and <i>Coptotermes</i>). Determine distance in feet around your home. This 9.0 lb container will treat a home 100 - 200 linear feet in distance (6 inches wide). If active subterranean termite infestations continue to occur in the area where the treatment was made, it is recommended that a licensed pest control operator be contacted for treatment (see Guarantee). Applications must not be made when areas are waterlogged, snow covered, or frozen. Adequate distribution of the active ingredient into the soil cannot be achieved when these conditions exist. Applications must not be made to hard surfaces, such as driveways, sidewalks, or patios. Do not plant for the purpose of consumption, edible plants into the treated areas of soil for 1 year. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with this insecticide. Do not contaminate public and private water supplies. Do not apply this product, by any application method, to linden, basswood, or other Tilia species.
HOW TO USE	 This product is formulated on a granulated carrier for perimeter band applications. When applied to soil, moisture (rainfall or irrigation) causes the granules to disintegrate and release the active ingredient into the uppermost layers of soil where termite foraging activity occurs. This product must only be used on existing structures.
BUILDING FOUNDATION	1
HOW TO APPLY	 Open the container and sprinkle the granules onto the ground (bare soils, mulched areas, landscape beds, or turf grass) directly adjacent to the building foundation. Make a band of sprinkled granules 6 inches wide around the structure being treated. Directly after application, water until moist, but not to the point of run-off. Do not disrupt treated soil. If significant disruption occurs (construction work, downspout erosion, landscaping, etc.) reapplication should be made as a spot treatment to those areas where the original treatment zone has been disrupted. Make a band of sprinkled granules 6 inches wide around the structure where the disruption occurred.
HOW MUCH TO APPLY	This 9.0 lb container will treat a structure with an outside perimeter of 100 - 200 linear feet. Distribute granules evenly in a 6 inch wide band over these 100 - 200 linear feet, which equals to (0.75 grams A.I.) about 1 cup granules per 5 - 10 linear feet.
WOODEN POSTS ANI	D POLES
HOW TO APPLY	 This product can be applied around wooden posts, wooden poles (such as, fences, decks, mailboxes), and other wooden constructions. Sprinkle the granules evenly onto the ground (bare soil, mulched areas, landscape beds, or turfgrass) to provide a 6 inch wide band completely surrounding each post or pole. Directly after application, water until moist, but not to the point of run-off.
HOW MUCH TO APPLY	Distribute (sprinkle) granules evenly over the area to be treated For each linear foot treated, use (0.075 – 0.15 grams of A.I. in a half foot band around wooden post or pole) approximately 1.5 to 3.0 tablespoons of product in a 6 incl. band around the wooden post or pole.

FOR BEST RESULTS

- · Do not disturb the treatment after making application.
- · Keep landscaping a few feet from the home foundation.
- Eliminate or correct sources of moisture around the home. Promptly repair any water leaks, clean gutters and downspouts regularly so water flows away from home, divert sprinkler water and AC condensation from home. Slope the grade so surface water drains away from the house.
- Keep wood-based items, such as firewood, scrap lumber, fencing, stumps, and brush away from the home exterior.
- · Have a professional wood-destroying insect inspection performed annually.



Children and pets may re-enter after the treated area has been watered and allowed to dry.

Important – Directions for Storage and Disposal	
Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Disposal	Non-refillable container. Do not refill or reuse container. Place empty container in trash or offer for recycling if available. If partly filled:
	Call your local solid waste agency or toll free 1-877-229-3724 [1-800 CLEAN-UP] for disposal instructions.
	 Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

- · Harmful if swallowed or absorbed through skin.
- · Causes eye irritation.
- · Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and water after handling.

FIRST AID +	
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 1-877-229-3763 for medical emergency information. Active Ingredients: 0.37% Imidacloprid (CAS # 138261-41-3).

ENVIRONMENTAL HAZARDS

- This product is highly toxic to aquatic invertebrates.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface
 waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or
 rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or
 street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of Imidacloprid CTG under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

*Money back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.



A Business Group of Bayer CropScience, L.P. 2 T.W. Alexander Drive Research Triangle Park, NC 27709

Imidacloprid CTG (PENDING) 01/17/2014