72155-70

03/26/2013

STUNDOWN HAT AL PROTECTION

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Annette Bloomberg Bayer Advanced 2 T W Alexander Drive Research Triangle Park, NC 27709

MAR 2 6 2013

Subject:

Notification: Minor label modifications including adding a total of 100% to the ingredients, deleting two marketing claims, and changing pen directions to syringe directions Imidacloprid 2.15 RB Insecticide EPA Reg. No. 72155-70

Dear Ms. Bloomberg:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated March 11, 2013, for the product EPA Reg No. 72155-70. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the label revisions requested fall within the scope of PRN 98-10. The label submitted has been stamped "Notification" and will be placed in our records. If you have any questions, please contact me at 703-347-0156 or urbanski.jer.nifer@epa.gov.

Sincerely,

Jennifer Urbanski, Ph.D. Insecticide-Fodenticide Branch Office of Pesticide Programs

ease read instructions on reverse before completing form.	( Form Approved. OMB No. 2070-0060		
United States <b>SEPA</b> Environmental Protect Weshington, DC 2	tion Agency Amendment		
Applica	tion for Pesticide - Section I		
1. Company/Product Number	2. EPA Product Manager 3. Proposed Classification		
72155-70	John Hebert None Restricted		
4. Company/Product (Name) Imidacloprid 2.15 RB Insecticide	PM# 7		
5. Name and Address of Applicant (Include ZIP Code) Bayer Advanced 2 T W Alexander Drive Research Triangle Park NC 27709 Check if this is a new address.	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.		
	Product Name		
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below. Explanation: Use additional page(s) if necessary. (For sector See Section II Explanation Attached	Final printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below.		
L Manufacture Mill Re Deckaned In	Section - III		
1. Material This Product Will Be Packaged In:         Child Resistant Packaging       Unit Packaging         Yes       Yes         No       No         * Certification must be submitted       If "Yes"       No. per contained	Water Soluble Packaging     2. Type of Container       Yes     Metal       No     Plastic       If "Yes"     No. per       Package wgt     container         Other (Specify)		
Label Container	Retail Container 5. Location of Label Directions		
5. Manner in Which Label is Affixed to Product Lith Pap Ste	ograph Other er glued nciled		
	Section - IV		
. Contact Point (Complete items directly below for identifica	tion of individual to be contacted, if necessary, to process this application.)		
Annette M. Bloomber	Title         Telephone No. '(Include Area Code)           Registration Manager         919-549-2608 c         ccccc		
•	cation nd all attachments thereto are true, accurate and complete. statement may be punishable by fine or imprisonment or (Stamped)		
2. Signature	3. Title		
Annette M. Bloomberg	Registration Manager		
Annette M. Bloomberg	5. Date March 11, 2013		

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

Yellow - Applicant Copy

Page 1 of 2

Imidacloprid 2.15 RB Insecticide EPA Reg. No. 72155-70 Notification March 11, 2013

#### Section II - Explanation

Bayer Advanced is submitting a label **Notification** for **Imidacloprid 2.15 RB**, EPA Reg. No. 72155-70, in accordance with PR Notice 98-10.

The purpose of this Notification is to make the following changes to the label:

- 1. Page 1
  - a. Corrected the typo, weather should be whether.
  - b. Deleted the claim "Push Button POWER PEN makes it easy"
  - c. Deleted the claim "enough to treat an entire house"
  - d. Added Net Weight : 20-60 grams
  - e. Added TOTAL....100% to the label
- 2. Page 2
  - a. Add the text "or visit us on-line at <u>www.BayerAdvanced</u> .com to the Quick Facts section.
  - b. Added the phone and computer icons to the Quick Facts section.
- 3. Page 3, Changes in the "Directions for Use" section.
  - a. As stated in PR Notice 98-10, changes to the Directions for Use are permitted by Notification for "Addition of similar application method." The delivery system has been changed from a "pen" to a "syringe." The new method of delivery does not change the dose, concentration, or exposure. The changes to the label are as follows:
    - i. In the HOW TO APPLY row, replaced "Push and turn cap to remove" to read "Remove cap from tip"
    - ii. 2<sup>nd</sup> bullet in the HOW TO APPLY row was changed to read "Place tip of syringe against area to be treated, depress the plunger."
    - iii. 3<sup>rd</sup> bullet in the HOW TO APPLY row was deleted.
    - iv. In the FOR BEST RESULTS row, removed the 2<sup>nd</sup> bullet "For thorough control, use entire tube at one time."
- 4. Page 4, Updated Storage and Disposal Area
  - a. Added the word "PESTICIDE" to the storage and disposal table heading.
  - b. Added the word "Pesticide" to the Storage Conditions and Disposal rows.
  - c. Added the text "To the extent consistent with applicable law, the" in the Notice section.
  - d. Added PRODUCED FOR at the bottom of the page.

Enclosed are 3 copies of the product label (two clean copies and one copy with all changes highlighted in yellow).

Page 2 of 2

4/8

Imidacloprid 2.15 RB Insecticide EPA Reg. No. 72155-70 Notification March 11, 2013

This notification is consistent with the provision of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

NOTIFICATION MAR 2 6 2013

# Himhlimhted Copp

NOTIFICATION

MAR 2 6 2013

# [FRONT PANEL] Imidacloprid 2.15 RB Insecticide

### READY-TO-USE

- Effective performance
- The lethal roach killer
- · Kills roaches fast before they multiply
- · Provides long term control
- · Controls roaches at their source
- . Kills the source of the roach problem
- · Continuous action for [a]round the clock protection
- · Works every minute of every hour of every day
- · Works on roaches day and night
- Works continuously, [24 hours a day,] [7 days a week] [24/7]
- · Works day after day/ works day and night
- · Works on roaches while you sleep
- · Works on roaches while you are away
- · Kills/stops/destroys roaches before they become a problem
- Preventative maintenance against roaches
- · Treat your roaches to their last meal
- · Stays moist and attractive for months
- · Roach food and water source
- · Easy to use
- Overnight results
- · Very attractive to roaches, so they die fast
- · Kills roaches hiding in cracks, crevices, cabinets, and & other areas
- . Kills the roaches where they hide/breed/live
- · Ideal for kitchen use
- . Kills roaches whether they eat the bait or share it.
- · Kills all major types of roaches
- · Easy to apply
- Stays in place
- ACTIVE INGREDIENT:

#### Imidacloprid

Imidacloprid	 •••••••••••••	••••••	·····	•••••	 ·····	2.15%
OTHER INGREDIENT:	 				 	. 97.85%
TOTAL	•				 ·	100%

Net Weight: 20-60 grams

# **KEEP OUT OF REACH OF CHILDREN**

# CAUTION

See back panel for additional precautionary statements and First Aid

- · Stays where you put it
- · For hard to reach places such as cracks and crevices
- Easy to clean-up
- No odor / No mess
- No fumes or vapor
- Non-oily
- . Innovative, fast-acting or fast-action formula that quickly kills roaches
- Kills roaches guickly
- Starts killing roaches in hours
- [Delivers] fast killing results
- · Starts killing in hours and keeps on killing
- Quick kill formula
- · Fast action or acting formula
- Dual action attracts and kills
- Dual action formula- attracts and kills
- Double action attracts and kills
- · Double action formula- attracts and kills
- 2-in-1 formula attracts and kills
- · No unsightly brown gel/residue (color)
- · Even controls hidden cockroaches
- · Kills large and small roaches
- Kills all common roaches
- Patented formula or ingredient
- Contains the active ingredient in Merit<sup>®</sup>
- White Gei
- Up to 6 months protection (or until bait is fully consumed)

1

# Highlighted Copy

## [BACK PANEL]

Imidacloprid 2.15 RB Insecticide provides a better way to control household roaches. This easy-to-use formula quickly attracts hidden roaches without any odor or oily mess. Controlling roaches in and around your home has never been easier.

# READ THE LABEL FIRST!

Quick Facts			
•	aches so they die fast! ks, crevices, cabinets, and wall voids odor / no mess		
KILLS	Cockroaches, including German, American, Smokybrown, Oriental and other species		
WHERE TO USE	Areas cockroaches seek food, water, or shelter. Areas cockroaches travel. For example, Kitchens, Bathrooms, Laundry rooms, Basements, Garages, Outdoor areas.		
WHEN TO USE	When cockroaches are present		
☎ 🗕	For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724) or visit us on-line at www.BayerAdvanced.com		

#### ACTIVE INGREDIENT:

Imidacloprid	, ,•	•	
OTHER INGREDIENT:			<u>97.85%</u>
			100.00%
EPA Peg No 72155-70			EDA Est No. XXXX-AA-XX

## **PRECAUTIONARY STATEMENTS**

## Hazards to Humans and Domestic Animals

## CAUTION

- Causes moderate eye irritation.
- Avoid contact with eyes, skin or clothing

• Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

,	First Aid + neonicotinyl Insecticide
lf in eyes	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed	Call a poison control center or doctor immediately for treatment advice
	Do not induce vomiting unless told to do so by the poison control center or doctor $c_{c,c} = c_{c,c}^{c}$ Do not give anything by mouth to an unconscious person.

e 4.

# Highlighted Copy

ι τ.

.....

ις ( ( ι ( (

. . . . . . .

ι ι ι ι ι ι ε ι ι

3

600010

 $\left( \begin{array}{c} \\ \end{array} \right)$ 

# DIRECTIONS FOR USE

	w to use this product in a manner inconsistent with its labeling.
For best results, be sure to.	read and follow all label directions.
BEFORE YOU USE	Apply only to areas not easily accessible to children and pets.
	<ul> <li>Avoid applying gel to fabric or carpeting, as it may stain some materials.</li> </ul>
Read and follow these	<ul> <li>Do not apply in or on electrical equipment due to the possibility of shock.</li> </ul>
directions when using:	<ul> <li>Gel cleans up easily with damp paper towel while still wet, or scrap away with putty knife once dry. Discard the clean-up debris.</li> </ul>
WHERE TO USE	<ul> <li>Kitchens - Cupboards, Dishwashers*, Garbage Cans, Refrigerators*, Stoves*.</li> </ul>
	Bathrooms - Bathtubs*, Garbage Cans
	<ul> <li>Laundry Rooms - Drains, Laundry Tubs*, Washing Machines*</li> </ul>
	<ul> <li>Basements, Garages, Outdoor Areas - Drains, Garbage Cans, Laundry Tubs*, Manholes, Pipe Collars, Sewers, Washing Machines*, Water Pipes*</li> </ul>
	<ul> <li>General - Cabinets, Closets, Counters, Cracks, Crevices, Shelving, Sinks</li> </ul>
	* Do not apply bait inside these items. Locate behind or under item.
HOW MUCH TO APPLY	<ul> <li>Spot Treatment: 1 – 2 spots per square yard, each spot ¼" across.</li> </ul>
	<ul> <li>Crack and Crevice Treatment: Squeeze a small amount into crack or crevice.</li> </ul>
	Recommended spot size [graphic]
HOW TO APPLY	• Remove cap from tip
	<ul> <li>Place tip of syringe against area to be treated, depress the plunger</li> </ul>
	• When finished, replace cap
FOR BEST RESULTS	<ul> <li>Numerous, smaller bait placements will provide faster more effective control than fewer larger placements.</li> </ul>
	Gel should be applied to clean, dry surfaces.
	<ul> <li>If bait is completely eaten, reapply more to the same site since additional roaches will be attracted by the secretions and droppings left by the earlier cockroaches.</li> </ul>
	<ul> <li>Do not apply roach baits to areas recently sprayed with insecticides and do not spray insecticides over these baits. The spray insecticides may repel roaches from the baited area.</li> </ul>
HOW IMIDACLOPRID 2.15 RB INSECTICIDE WORKS	This bait was specifically formulated to be both a food and water source with extra long attractiveness. It contains a low level of insecticide which cockroaches cannot detect.

7/8

.......

.....

· · · · · ·

4

	PESTICIDE STORAGE AND DISPOSAL
Do not contaminate water,	food, or feed by storage or disposal.
Pesticide Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Pesticide Disposal:	If Empty: Non-refillable container. Do not refill or reuse this container. Place in trash or offer for recycling if available.
	If partly filled: Call your local solid waste agency or call 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.

## NOTICE

Research and testing has determined that the "Directions for Use" are appropriate for the proper use of Imidacloprid 2.15 RB under expected conditions. To the extend consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

#### PRODUCED FOR



A Business Unit of Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709

Imidacloprid 2.15 RB (Master) Approved 11/13/06, Notification 08/28/08, Pending Notification 02/26/2013