UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

July 22, 2014

Annette M. Bloomberg Bayer Advanced P.O. Box 12014 2 T.W. Alexander Drive Research Triangle Park, NC 27709

Subject: Label Amendment – Minor revisions to the directions for use; addition of new

alternate brand names; addition of new marketing claims

Product Name: Imidacloprid 2.15 RB Insecticide

EPA Registration Number: 72155-70

Application dated March 27, 2014; resubmission dated July 14, 2014

Decision Number: 489470

Dear Ms. Bloomberg:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label (www.BayerAdvanced.com), then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 72155-70 Decision No. 489470

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have any questions, please contact Julie Chao by phone at (703) 308-8735, or via email at chao.julie@epa.gov.

Sincerely,

Venus Eagle, Product Manager 01 Insecticide-Rodenticide Branch Registration Division (7505P)

Office of Pesticide Programs

[FRONT PANEL]

Imidacloprid 2.15 RB

Insecticide

ACCEPTED

Jul 22, 2014

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 72155-70

[ABN: Bayer Advanced Home Pest Roach Killer Gel]

[ABN: Bayer Advanced Home Pest Roach Killer Gel Bait]

[ABN: Bayer Advanced Roach Killer Gel]

[ABN: Bayer Advanced Roach Killer Gel Bait]

READY-TO-USE

- 1. Effective performance
- 2. The lethal roach killer
- 3. Provides long term control for up to 6 months*
- 4. Controls roaches at their source
- 5. Kills the source of the roach problem
- Continuous action for [a]round the clock protection for up to 6 months*
- 7. Works every minute of every hour of every day for up to 6 months*
- 8. Works on roaches day and night*
- 9. Works day after day for up to 6 months*
- 10. Works day and night for up to 6 months*
- 11. Works day after day [works day and night]
- 12. Works on roaches while you sleep
- 13. Works on roaches while you are away
- Kills/stops/destroys roaches before they become a problem
- 15. Preventative maintenance against roaches
- 16. Treat your roaches to their last meal
- 17. Stays moist and attractive for up to 6 months*
- 18. Roach food and water source
- 19. Easy to use
- Kills roaches hiding in cracks, crevices, cabinets, and & other areas.
- 21. Kills the roaches where they hide/breed/live
- 22. Ideal for kitchen use
- 23. Kills roaches whether they eat the bait or share it.
- 24. Kills all major types of roaches
- 25. Easy to apply
- 26. Stays in place
- 27. Stays where you put it
- *or until bait is consumed

- 28. For hard to reach places such as cracks and crevices
- 29. Easy to clean-up
- 30. No odor / No mess
- 31. No fumes or vapor
- 32. Non-oily
- 33. Dual action attracts and kills
- 34. Dual action formula- attracts and kills
- 35. Double action attracts and kills
- 36. Double action formula- attracts and kills
- 37. 2-in-1 formula attracts and kills
- 38. No unsightly brown gel/residue (color)
- 39. Even controls hidden cockroaches
- 40. Kills large and small roaches
- 41. Kills all common roaches
- 42. Patented formula or ingredient
- 43. Contains the active ingredient in Merit®
- 44. White Gel
- 45. Up to 6 months* protection
- 46. Use indoors & outdoors
- 47. [Contains] [X+] [75+] [bait] placements
- 48. Treats an average home
- [Contains] enough bait [placements] to treat an average home
- 50. [Precise] [Precision] bait placement
- 51. Measured dose
- 52. Only need a drop for bait placement

ACTIVE INGREDIENT:

Imidacloprid	2.15%
OTHER INGREDIENTS:	97.85%
TOTAL:	100%

1

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements and First Aid

[BACK PANEL]

Imidacloprid 2.15 RB Insecticide provides a better way to control household roaches. This easy-to-use formula quickly attracts hidden roaches without any odor or oily mess. Controlling roaches in and around your home has never been easier.

READ THE LABEL FIRST!

Quick Facts	
Very attractive to roache Kills roaches in cracks, c Easy to apply – no odor	crevices, cabinets, and wall voids
KILLS	Cockroaches, including German, American, Smokybrown, Oriental and other species
WHERE TO USE	Areas cockroaches seek food, water, or shelter. Areas cockroaches travel. For example, Kitchens, Bathrooms, Laundry rooms, Basements, Garages, and Outdoor areas.
WHEN TO USE	When cockroaches are present
	For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724) or visit us on-line at www.BayerAdvanced.com

ACTIVE INGREDIENT:

EPA Reg. No. 72155-70	EPA Est. No. XXXX-AA-XX
TOTAL:	100.00%
OTHER INGREDIENT:	<u>97.85%</u>
Imidacloprid	2.15%

	FIRST AID +
	neonicotinyl Insecticide
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed:	 Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 877-229-3763 for emergency medical treatment information. Active Ingredient: 2.15% Imidacloprid [CAS # 138261-41-3]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Causes moderate eye irritation.
- · Avoid contact with eyes, skin, or clothing
- Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

	DIRECTIONS FOR USE
It is a violation of Federal la Read and follow all label di	aw to use this product in a manner inconsistent with its labeling. irections.
BEFORE YOU USE	 Apply only to areas not easily accessible to children and pets. Avoid applying gel to fabric or carpeting, as it may stain some materials. Do not apply in or on electrical equipment due to the possibility of shock. Gel cleans up easily with damp paper towel while still wet.
WHERE TO USE	 Kitchens - Cupboards, Dishwashers*, Garbage Cans, Refrigerators*, Stoves*. Bathrooms - Bathtubs*, Garbage Cans Laundry Rooms - Drains, Laundry Tubs*, Washing Machines* Basements, Garages, Outdoor Areas - Drains, Garbage Cans, Laundry Tubs*, Manholes, Pipe Collars, Sewers, Washing Machines*, Water Pipes* General - Cabinets, Closets, Counters, Cracks, Crevices, Shelving, Sinks * Do not apply bait inside these items. Locate behind or under item.
HOW MUCH TO APPLY	 Spot Treatment: 1 – 2 spots per square yard, each spot ¼" across. Crack and Crevice Treatment: Squeeze a small amount into crack or crevice. Recommended spot size [graphic]
HOW TO APPLY	 Remove cap from tip Place tip (of Power Wand) (of Power Stick) against area to be treated To dispense, press button to deliver on bait placement NOTE: The first time will require several pumps to prime prior to dispensing When finished, replace cap
FOR BEST RESULTS	 Numerous, smaller bait placements will provide faster more effective control than fewer larger placements. Gel must be applied to clean, dry surfaces. If bait is completely eaten, reapply more to the same site since additional roaches will be attracted by the secretions and droppings left by the earlier cockroaches. Do not apply roach baits to areas recently sprayed with insecticides and do not spray insecticides over these baits. The spray insecticides may repel roaches from the baited area.
HOW IMIDACLOPRID 2.15 RB INSECTICIDE WORKS	This bait was specifically formulated to be both a food and water source with extra long attractiveness. It contains a low level of insecticide which cockroaches cannot detect.

STORAGE AND DISPOSAL		
Do not contaminate water, for	ood, or feed by storage or disposal.	
Pesticide Storage:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.	
Pesticide Disposal and Container	If Empty: Non-refillable container. Do not refill or reuse this container. Place in trash or offer for recycling if available.	
Handling:	If partly filled: Call your local solid waste agency or call 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.	

NOTICE

Research and testing has determined that the "Directions for Use" are appropriate for the proper use of Imidacloprid 2.15 RB Insecticide under expected conditions. To the extend consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Net Weight: [10 grams; 0.35 oz] [15 grams; 0.53 oz]

PRODUCED FOR



A Division of Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709

[UNIT LABEL FOR]

Bayer Advanced Home Pest Roach Killer Gel [Bait]

ACTIVE INGREDIENT:	
Imiadacloprid†	
OTHER INGREDIENTS:	97.85%
TOTAL	100%

†CAS No.138261-41-3

KEEP OUT OR REACH OF CHILDREN CAUTION

See card for additional direction for use

EPA Reg. No. 72155-70 EPA Est. No._____

Apply only to areas not easily accessible to children and pets.

FIRST AID			
neonicotinyl Insecticide			
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. 		
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 		
	Call poison control center or doctor for treatment advice.		
If swallowed:	Call a poison control center or doctor immediately for treatment advice.		
	Have a person sip a glass of water if able to swallow.		
	Do not induce vomiting unless told to do so by the poison control center or doctor.		
	Do not give anything by mouth to an unconscious person.		

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 877-229-3763 for emergency medical treatment information. Active Ingredient: 2.15% Imidacloprid [CAS#138261-41-3]

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION:

- Causes moderate eye irritation.
- Avoid contact with eyes, skin, or clothing.
- Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

NET CONTENTS: [10 g; 0.35 oz] [15 g; 0.53 oz]

Produced for:



Bayer Advanced A Division of Bayer CropScience LP P.O.Box 12014, 2T.W. Alexander Drive Research Triangle Park, North Carolina 27709

Imidacloprid 2.15 RB (PENDING) 05/16/2013, 03/18/2014, 03/21/2014, 03/26/2014, 06/16/2014, 06/23/2014, 07/08/2014

[IMAGES]

Scan for how to use











