



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

EPA Reg.

Number:

72155-73

Date of Issuance:

APR 20 2006

Term of Issuance: Conditional

Name of Pesticide Product:

Imidacloprid + Tau-Fluvalinate
+ Tebuconazole Concentrate
Insecticide, Miticide, and
Fungicide

Name and Address of Registrant (include ZIP Code):

Mr. Charles W. Boyd
Bayer Environmental Science
P. O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, NC 27709

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

1. Revise the EPA Registration Number to read, "EPA Reg. No. 72155-73"

Signature of Approving Official:

[Signature]
Dani Daniel
Insecticide-Rodenticide Branch
Registration Division (7505C)

Date:

APR 20 2006

2/16

2. Submit to the Agency guideline 830.3317 (storage stability) and 830.6320 (corrosion characteristics) studies within one year of the date of this notice. It is recommended that the observations should be made at 0, 3, 6, 9, and 12 months intervals.

3. Based on the toxicity profile, the following are the precautionary and first aid statements for this product.

4. Hazards to Humans and Domestic Animals: Harmful if absorbed through skin or if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water and handling before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

First Aid:

If on skin:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If swallowed:

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.

5. Remove the following claims:

“Cures pest, restores beauty, and protects;

Maintain and restores beauty”. These claims are considered false and misleading without proof to show that the above actually can be achieved with this product.

“New and improved”; this statement is considered false and misleading.

“100% Satisfaction Guaranteed”; there must be a qualifying statement attached.

6. Remove the following public health pests: Ants (qualify not for fire, carpenter, pharaoh, or harvester ants), fleas, flies, tick, spiders (qualify not for brown recluse or black widow), cockroaches and mosquitoes. If you wish to maintain the above pests, submit efficacy data to support the claims.

3/10

7. Submit two (2) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the label is enclosed for your records. If you have any questions regarding this notice, please contact me at (703) 305-5409.

Enclosure:

Imidacloprid + Tau-fluvalinate + Tebuconazole Concentrate

Insecticide, Miticide, and Fungicide

This label contains two separate label statements for, **Outdoor Residential Pump Sprayer/Hose-end Sprayer Concentrate** product use and **Outdoor Residential Ready-To-Spray** product use.

- For use on: Roses, Flowers, Houseplants, Ground Covers, Vines, Ornamentals, Shrubs, and Trees
- Just one application quickly kills insects
- Complete plant protection - Protects plants from roots to leaves/branches (top to bottom)
- Protects plants from the inside out
- Up to 30 day insect protection (guard, defense, shield)
- Protects against insects for up to 30 days
- Keeps killing insects for up to 30 days
- Continuous killing (power) for up to 30 days
- Rainproof Protection
- Protection that won't wash off
- Fast Acting ... Kills On Contact
- Kills insects on contact
- Long Lasting ... Keeps On Killing For up to 4 Weeks (30 days)
- Residual action, keeps killing for up to 4 weeks
- Protects 24/7, around the clock protection (guard, killing) for up to 4 weeks
- Contains Merit®
- Proprietary Merit® inside
- Systemic formula works through the leaves and stems to protect and cure
- A systemic protectant and curative
- A curative and preventative
- Cures and protects against (most common) insects, mites and diseases on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees
- Cures and prevents major insect, mite and disease problems on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees
- 3 products in One: Insect Protection, Spider Mite Protection, and Disease Protection
- One application, three benefits: Insect Protection, Spider Mite Protection, and Disease Protection
- All-in-One, three products: insect, disease, and spider mite protection
- Systemic Protectant Formula – gets (moves) inside the plant to protect and cure
- Prevents, stops, and cures listed pests on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees
- Controls (Kills, Eliminates) major pests that harm roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees
- Rescues (guards) plants from pests
- Cures (Kills, Eliminates) pests, restores beauty, and protects
- Cures and Prevents Black Spot, Powdery Mildew and Rust Disease(s)
- Kills (Eliminates, Annihilates) (Knocks Out) Insects and Mites on Contact
- Controls black spot, powdery mildew, (and) rust, (and more)
- Controls (Kills) aphids, caterpillars, (and) mites, (and more)
- New
- ~~New and Improved~~

ACCEPTED
with **COMMENTS**
In EPA Letter Dated:
APR 20 2006

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**
72135-73

5/16

- Revolutionary
- Premium (Superior) care – 3 in 1 formula – controls insect, mites, and diseases
- 4 in 1 formula – kills insects on contact, controls mites, controls diseases, and keeps on protecting for (up to 4) weeks (provides long lasting protection)
- Total (Complete, All-in-one) Protection Formula – Kills insects, mites and disease on contact, and keeps on protecting for (up to 4) weeks
- Exclusive (Proprietary) Formula – Three way control – controls insects, mites, and diseases
- Systemic formula, controls insects, mites and diseases
- Three benefits in one package
- One application with three benefits: controls insects, mites and diseases
- Systemic three way action (control)
- Fast, easy and efficient
- The Rose & Flower enhancer (enforcer, eliminator)
- Merit® inside
- ~~100% Satisfaction Guaranteed~~
- Maintains and restores beauty
- Three garden products in one
- From the creators of Merit®
- Proven three way control
- The Rose and Flower defender (guardian, protector)

ACTIVE INGREDIENTS:

Imidacloprid	0.47 %
Tau-fluvalinate	0.61 %
Tebuconazole	0.65 %

OTHER INGREDIENTS: 98.27 %

Net Contents: 32 fl. oz. (946 ml)

**STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN**

CAUTION

See back panel booklet for ingredients and precautionary statements

6/10

[FRONT PANEL]

Imidacloprid + Tau-fluvalinate + Tebuconazole Concentrate

Insecticide, Miticide, and Fungicide

(Pump Sprayer/Hose-end Sprayer label)

- Marketing claims as on page 1

ACTIVE INGREDIENTS:

Imidacloprid.....	0.47 %
Tau-fluvalinate.....	0.61 %
Tebuconazole.....	0.65 %
OTHER INGREDIENTS:	98.27 %

Net Contents: 32 fl. oz. (946 ml)


**STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN**

CAUTION

7/16

[BACK PANEL]

This product's exclusive 3-way systemic formula protects against insects, mites, and diseases in one easy step (Bayer Advanced's proprietary 4-in-1 formula kills insects on contact, controls mites, controls diseases, and keeps on protecting for (up to 4) weeks (provides long lasting protection)). This systemic concentrate formula provides long lasting insect, mite, and disease protection on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees. Growing beautiful plants has never been easier! Better Science, Better Results. For more information go to www.bayeradvanced.com

QUICK FACTS	
<ul style="list-style-type: none"> • Effective Against a Broad Range of Insects, Mites, and Diseases • Keeps on Killing Insects for Up to 30 Days • Easy, Accurate Measuring & Mixing • Apply with most common garden sprayers 	
INSECTS and MITES CONTROLLED	Aphids, caterpillars, Japanese beetles, leafminers, spider mites, whiteflies, and other listed pests.
DISEASES CONTROLLED	Anthracoese, black spot, leaf spot, petal blight, powdery mildew, rust, and scab.
COVERAGE	Makes (Creates, Delivers) up to 12 gallons of spray
WHERE TO USE	Roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees For use on non-edible plants only
WHEN TO USE	To prevent insect, mite, or disease infestations or control them when they first appear.
HOW MUCH TO USE	Dilute 2.67 oz (5¼ Tablespoons) concentrate in 1 gallon of water
	Questions or comments, call toll-free (877) 229-3724 1-877-Bayer-AG www.BayerAdvanced.com

ACTIVE INGREDIENTS:

Imidacloprid	0.47 %
Tau-fluvalinate	0.61 %
Tebuconazole	0.65 %

OTHER INGREDIENTS: 98.27 %

Imidacloprid is the chemical name for Merit®.

EPA Reg. No. 72155-xxx

EPA Est. No. XXXX-AA-1

FOR OUTDOOR RESIDENTIAL USE ONLY

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

- Harmful if absorbed through skin or inhaled.
- Avoid contact with skin, eyes, or clothing.
- Avoid breathing spray mist.
- Wash thoroughly with soap and water after handling.
- Remove contaminated clothing and wash clothing before reuse.

**First Aid****If On Skin or Clothing**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advise.

If Inhaled

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouthy-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information, you may call toll-free 1-877-229-3763.

- Active Ingredients: Imidacloprid [CAS #138261-41-3], Tau-fluvalinate [CAS #102851-06-9], Tebuconazole [CAS #107534-96-3]

Environmental Hazards

- This pesticide is highly toxic to aquatic invertebrates and fish. Do not apply directly to water.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater or rinsate.
- This pesticide is highly toxic to bees. Do not apply Imidacloprid + Tau-fluvalinate + Tebuconazole Concentrate Insecticide when bees are active.
- Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For best results, read and follow all label directions.

BEFORE YOU USE

Read and follow these directions when using:

- Apply the product to flowering plants during early morning or late evening, when bees are not present.
- Do not spray the product into fish pools, ponds, streams, or lakes.
- Remove animal feeding dishes prior to application.
- Do not use in small, enclosed areas where spray may be inhaled.
- For houseplants, move them outside, treat, let dry, and bring back indoors.
- Do not apply to fruits or vegetables used for food.
- Shake well before using.

WHEN TO USE

- When insects, mites, or disease first appear.
- To avoid serious damage, eliminate pests and diseases early in the season before they multiply.

MIXING & MEASURING

SEE SPRAYER TYPES

HOW TO SPRAY	<ul style="list-style-type: none"> • Adjust nozzle on your sprayer to desired spray pattern. • Hold sprayer about 12 inches from foliage. • Spray leaves, stems and tender new shoots. <p>(ART: of steps above)</p> <ul style="list-style-type: none"> • Apply until both sides of the leaves are evenly coated with spray, but not dripping. <p>(ART: spraying undersides of leaves)</p>
HOW OFTEN	<p>Kills insects on contact and keeps on killing for up to 30 days.</p> <p>For diseases and severe infestations, repeat every 7 to 14 days as necessary.</p>
HOW IT WORKS	<p>This product provides 3 way action: kills existing pests, forms protective barrier on outside of plant and is absorbed into the plant regardless of weather conditions. (This product provides 4 way action: kills insects on contact, controls mites, controls diseases, and keeps on protecting for (up to 4) weeks (provides long lasting protection)).</p>


INSECTS AND MITES CONTROLLED	(ART: Aphid, Japanese Beetle, Leafminer, Lace bugs)			
	Adelgids Ants Aphids Armyworms Bagworms Beetles Boxelder bugs Budworms Cankerworms Caterpillars Chinch bugs Clover mites Cockroaches Crickets Cucumber beetles Cutworms	Earwigs Elm leaf beetles Fire Ants Firebrats Flea beetles Flies Flies Fungus gnats Grasshoppers Gypsy moth larvae Japanese beetles (adult) Lace bugs Leaf-feeding beetles Leaf-feeding caterpillars Leafhoppers (including Glassy-Winged Sharpshooter)	Leafminers (including Birch Leafminers and Holly Leafminers) Loopers Mealybugs Midges Mites Mosquitoes Pillbugs Plant bugs Psyllids Rose Midges Rose Slugs Sawflies Scale insects (crawler stages)	Silverfish Sowbugs Spider Mites Spiders Spittlebugs Stink Bugs Thrips Ticks Two-Spotted Spider Mites Viburnum leaf beetle Webworms Weevils (including adult root weevils) Whiteflies

10/16

DISEASES CONTROLLED	CONTROLS	PLANTS
	Black Spot Powdery Mildew Rust	Roses
	Leaf Spot Powdery Mildew Rust	Flowers
	Anthracnose Leaf Spot Powdery Mildew Rust Scab	Crabapples (Ornamental), Dogwoods and Other Small Landscape [Ornamental] Trees
	Anthracnose Black Spot Leaf Spot Petal Blight Powdery Mildew Rust	Azaleas, Camellias, Rhododendrons, and Other Landscape [Ornamental] Shrubs, Ground Covers, and Vines
	Leaf Spot Powdery Mildew	Houseplants


To treat existing disease: apply at least 3 times, every 7-14 days apart beginning at the first sign of disease.
 To prevent diseases: apply at least 3 times, every 7-14 days apart during the growing season, starting when new leaves first appear.

FOR BEST RESULTS
 Do not wet the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

 Children and pets may re-enter after spray has dried.

SPRAYER TYPES	
(ART: ICON OF PUMP TYPE)	<p>For Pump Style Tank Sprayer:</p> <p>To make one gallon of spray:</p> <ol style="list-style-type: none"> 1. Pour 2.67 fl. oz. (5¼ Tablespoons) of the liquid concentrate. 2. Dilute in 1 gallon of water. 3. Close sprayer and shake well before applying.
(ART: ICON DIAL TYPE)	<p>For Dial-Style Hose-End Sprayers:</p> <p>Dilution rate: 2.67 fl. oz. per gallon (2 tablespoons = 1 fl. oz.)</p> <ol style="list-style-type: none"> 1. Fill sprayer jar with enough concentrate to treat the desired plants. 2. Close sprayer and set dial. 3. Attach sprayer to hose and apply. <p>OR</p> <p>Fill sprayer jar with enough concentrate to cover plants to be treated and follow sprayer label directions for applying.</p>
(ART: ICON OF WATER TYPE)	<p>For Concentrate-Plus-Water Hose-End Sprayers:</p> <p>Dilution rate: 2.67 fl. oz. per gallon (2 tablespoons = 1 fl. oz.)</p> <ol style="list-style-type: none"> 1. Pour concentrate into sprayer jar to the required fluid ounce level. 2. Add the appropriate amount of water to the gallons level. 3. Replace sprayer top and shake well before applying. <p>OR</p> <p>Pour concentrate into sprayer jar to the required fluid ounce level and follow sprayer label directions for applying.</p>

11/16

Important – Directions for Storage and Disposal	
Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Disposal 	If empty: <ul style="list-style-type: none">• Do not reuse container.• Place empty container in trash or offer for recycling if available. If partly filled: <ul style="list-style-type: none">• Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions.• Never place unused product down any indoor or outdoor drain.

NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Bayer Advanced A Business Unit of Bayer CropScience, L.P.
2 T.W. Alexander Drive
Research Triangle Park, NC 27709

12/16

[FRONT PANEL]

Imidacloprid + Tau-fluvalinate + Tebuconazole Concentrate

Insecticide, Miticide, and Fungicide

(Ready-to-Spray label)

- Marketing claims as on page 1

Additional claims for Ready-to-Spray only:

- Pre-mixed and ready-to-spray (ready-to-go)
- Ready to spray ... No mixing, and no measuring

ACTIVE INGREDIENTS:

Imidacloprid	0.47 %
Tau-fluvalinate	0.61 %
Tebuconazole	0.65 %

OTHER INGREDIENTS: 98.27 %

Net Contents: 32 fl. oz. (946 ml)

STOP - Read This Entire Label Before Use

KEEP OUT OF REACH OF CHILDREN

FOR OUTDOOR RESIDENTIAL USE ONLY


CAUTION

See back panel booklet for ingredients and precautionary statements

13/16

[BACK PANEL]

This product's exclusive 3-way systemic formula protects against insects, mites, and diseases in one easy step (proprietary 4-in-1 formula kills insects on contact, controls mites, controls diseases, and keeps on protecting for (up to 4) weeks (provides long lasting protection)). This ready-to-spray formula provides long lasting insect, mite, and disease protection on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees. Growing beautiful plants has never been easier! Better Science, Better Results. For more information go to www.bayeradvanced.com

QUICK FACTS	
<ul style="list-style-type: none"> • Effective Against a Broad Range of Insects, Mites, and Diseases • Keeps on Killing Insects for Up to 30 Days • 30 days of Insect Control • Ready-to-Spray formula ... no mixing, no measuring 	
INSECTS and MITES CONTROLLED	Aphids, caterpillars, Japanese beetles, leafminers, spider mites, whiteflies, and other listed pests.
DISEASES CONTROLLED	Anthracnose, black spot, leaf spot, petal blight, powdery mildew, rust, and scab.
COVERAGE	Treats (Protects) up to 192 roses
WHERE TO USE	Roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees For use on non-edible plants only
WHEN TO USE	To prevent insect, mite, or disease infestations or control them when they first appear.
	Questions or comments, call toll-free (877) 229-3724 1-877-Bayer-AG www.BayerAdvanced.com

ACTIVE INGREDIENTS:

Imidacloprid 0.47 %
 Tau-fluvalinate 0.61 %
 Tebuconazole 0.65 %

OTHER INGREDIENTS: 98.27 %

Imidacloprid is the chemical name for Merit®.

EPA Reg. No. 72155-xxx

EPA Est. No. XXXX-AA-1

FOR OUTDOOR RESIDENTIAL USE ONLY

14/16

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION

- Harmful if absorbed through skin or inhaled.
- Avoid contact with skin, eyes, or clothing.
- Avoid breathing spray mist.
- Wash thoroughly with soap and water after handling.
- Remove contaminated clothing and wash clothing before reuse.

+

First Aid

If On Skin or Clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advise.

If Inhaled

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouthy-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information, you may call toll-free 1-877-229-3763.

- Active Ingredients: Imidacloprid [CAS #138261-41-3], Tau-fluvalinate [CAS #102851-06-9], Tebuconazole [CAS #107534-96-3]

Environmental Hazards

- This pesticide is highly toxic to aquatic invertebrates and fish. Do not apply directly to water.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater or rinsate.
- This pesticide is highly toxic to bees. Do not apply Imidacloprid + Tau-fluvalinate + Tebuconazole Concentrate Insecticide when bees are active.
- Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For best results, read and follow all label directions.

BEFORE YOU USE

Read and follow these directions when using:

- Apply the product to flowering plants during early morning or late evening, when bees are not present.
- Do not spray the product into fish pools, ponds, streams, or lakes.
- Remove animal feeding dishes prior to application.
- Do not use in small, enclosed areas where spray may be inhaled.
- For houseplants, move them outside, treat, let dry, and bring back indoors.
- Do not apply to fruits or vegetables used for food.
- Shake well before using.

WHEN TO USE

- When insects, mites, or disease first appear.
- To avoid serious damage, eliminate pests and diseases early in the season before they multiply.

HOW TO USE

Shake Well Before Use

This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray.

<p>HOW TO ATTACH AND SPRAY</p>	<ol style="list-style-type: none"> 1. Connect your garden hose to the bottle. Be sure the blue water control valve on top of the spray nozzle is in the OFF position. 2. Turn on water at faucet. Twist the small star-shaped, blue product-control button to align the flat portion with the lock tab. Push the button in to open. 3. To begin spraying, point nozzle toward the area to be treated and turn the blue water control valve to the ON position. Tab will be horizontal. 4. To stop spraying, turn the blue water control valve on top of the spray nozzle to OFF. To close, push in the small round button opposite the star-shaped product-control button. Turn off faucet. 5. Relieve water pressure by turning blue water control valve to the ON position until water slows to a drip. Turn blue water control valve back to OFF. Disconnect garden hose from bottle. 6. The unused portion can be saved and used at a later date. <p>Tips for Applying</p> <ol style="list-style-type: none"> 1. Extend hose to the farthest plants to be treated and work back toward the faucet to avoid contacting wet, treated plants. 2. Use an even sweeping motion, ensuring thorough coverage of both the top and bottom leaf surface.
<p>HOW OFTEN</p>	<p>Kills insects on contact and keeps on killing for up to 30 days. For diseases and severe infestations, repeat every 7 to 14 days as necessary.</p>
<p>HOW IT WORKS</p>	<p>This product provides 3 way action: kills existing pests, forms protective barrier on outside of plant and is absorbed into the plant regardless of weather conditions. (This product provides 4 way action: kills insects on contact, controls mites, controls diseases, and keeps on protecting for (up to 4) weeks (provides long lasting protection)).</p>


<p>INSECTS AND MITES CONTROLLED</p>	<p>(ART: Aphid, Japanese Beetle, Leafminer, Lace bugs)</p>			
<p>Adelgids Ants Aphids Armyworms Bagworms Beetles Boxelder bugs Budworms Cankerworms Caterpillars Chinch bugs Clover mites Cockroaches Crickets Cucumber beetles Cutworms</p>	<p>Earwigs Elm leaf beetles Fire ants Firebrats Flea beetles Fleas Flies Fungus gnats Grasshoppers Gypsy moth larvae Japanese beetles (adult) Lace bugs Leaf-feeding beetles Leaf-feeding caterpillars Leafhoppers (including Glassy-Winged Sharpshooter)</p>	<p>Leafminers (including Birch Leafminers and Holly Leafminers) Loopers Mealybugs Midges Mites Mosquitoes Pillbugs Plant bugs Psyllids Rose Midges Rose Slugs Sawflies Scale insects (crawler stages)</p>	<p>Silverfish Sowbugs Spider Mites Spiders Spittlebugs Stink Bugs Thrips Ticks Two-Spotted Spider Mites Viburnum leaf beetle Webworms Weevils (including adult root weevils) Whiteflies</p>	


10/10

DISEASES CONTROLLED	CONTROLS	PLANTS
	Black Spot Powdery Mildew Rust	Roses
	Leaf Spot Powdery Mildew Rust	Flowers
	Anthrachnose Leaf Spot Powdery Mildew Rust Scab	Crabapples (Ornamental), Dogwoods and Other Small Landscape [Ornamental] Trees
	Anthrachnose Black Spot Leaf Spot Petal Blight Powdery Mildew Rust	Azaleas, Camellias, Rhododendrons, and Other Landscape [Ornamental] Shrubs, Ground Covers, and Vines
	Leaf Spot Powdery Mildew	Houseplants

To treat existing disease: apply at least 3 times, every 7-14 days apart beginning at the first sign of disease.
 To prevent diseases: apply at least 3 times, every 7-14 days apart during the growing season, starting when new leaves first appear.

FOR BEST RESULTS
 Do not wet the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

	Children and pets may re-enter after spray has dried.
--	---

Important – Directions for Storage and Disposal	
Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Disposal 	<p>If empty:</p> <ul style="list-style-type: none"> Do not reuse container. Place empty container in trash or offer for recycling if available. <p>If partly filled:</p> <ul style="list-style-type: none"> Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Bayer Advanced
 A Business Unit of Bayer CropScience, L.P.
 2 T.W. Alexander Drive
 Research Triangle Park, NC 27709

Imidacloprid + Tau-fluvalinate +Tebuconazole Concentrate (PENDING) Submitted 10/25/05