


72155-73

9/2/2009

10/15

 <p align="center">U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p>	<p>EPA Registration No.</p> <p align="center">72155-73</p>	<p>Date of Issuance:</p> <p align="center">SEP - 2 2009</p>
<p align="center">NOTICE OF PESTICIDE: <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Reregistration (under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</p>	<p>Term of Issuance:</p> <p align="center">Unconditional</p>	
	<p>Name of Pesticide Product: Imidacloprid + Tau-fluvalinate + Tebuconazole Concentrate Insecticide, Miticide, and Fungicide</p>	
<p>Name and Address of Registrant (include ZIP Code): Clark W. Bard, Registrations Manager Bayer Environmental Science, A Business Group of Bayer CropScience P.O. Box 12014, 2 T. W. Alexander Drive Research Triangle Park, NC 27709</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.</p> <p>Based on your response to the Reregistration Eligibility Document(s), EPA has reregistered the product listed above provided that the following changes are made to the label:</p> <p align="center">(See comments on pages 2-3)</p> <p>A copy of your label stamped "Accepted with Comments" is enclosed for your records.</p>		
<p>Signature of Approving Official:</p> <p>Refer to Page 3</p> <p>Richard J. Gebken, Product Manager (10) Registration Division, Insecticide Branch</p>	<p>Date:</p> <p align="center">SEP - 2 2009</p>	

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below (Comments apply to both the Outdoor Residential Pump Sprayer/Hose-end Sprayer Concentrate product sub-label and the Outdoor Residential Ready-To-Spray product sub-label, and changes must be applied to both).

- 1. Delete all marketing claims that refer to killing with overly inclusive modifiers such as “most”, “most common”, “major”, or “all” insect pests, as this falsely implies efficacy against pests beyond those listed on the label, such as pests of public health importance. Revise all such claims to say “kills listed insects” or kills insects “as listed.”

Also, the “kills mites” claim must be revised to exclude chiggers, which are a pest of public health concern, unless efficacy data is submitted to support a chigger claim.

- 2. The acute toxicity review completed during reregistration indicates that you must re-order the FIRST AID statements. Revise the statement as follows:

“FIRST AID:

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-248-7763 for emergency medical treatment information.”

- 3. Revise the **HAZARDS TO HUMANS AND DOMESTIC ANIMALS** statement as follows:

“CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet

- 4. Add a **USER SAFETY RECOMMENDATIONS** statement under the **PRECAUTIONARY STATEMENTS** as follows:

“USER SAFETY RECOMMENDATIONS:

User should wear long sleeved shirt, long pants, shoes, socks, and chemical resistant gloves.

Remove clothes and gloves after handling this product. Wash the outside of gloves before removing.

As soon as possible, wash thoroughly and change into clean clothing.

Wash contaminated clothing before reuse.

30/15

5. Revise the **ENVIRONMENTAL HAZARDS** statement as follows:

“This pesticide is toxic to fish and aquatic organisms. Do not apply directly to water or to areas where surface water is present, or to inter-tidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites.

This pesticide is toxic to bees. Do not apply this product while bees are active or allow product to drift to adjacent flowers or weeds where bees are active.

Do not contaminate water when cleaning spray equipment or disposing of equipment washwaters or rinsate.

6. The **STORAGE AND DISPOSAL** statement must also be revised to read as follows (you may retain the box format for displaying the statements, and retain the optional ‘locked storage cabinet’ wording in the storage statement):

“**Storage and Disposal:** Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool dry place inaccessible to children and pets. Always store pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents.


Container Disposal: Non-refillable container. Do not reuse or refill this container. If Empty: Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.”

7. Revise the second sentence in the **WARRANTY STATEMENT (NOTICE)** as follows:

“To the extent consistent with applicable law, the buyer assumes responsibility for lack of performance or safety if not used according to the directions.”

Two copies of the finished labeling must be submitted prior to releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. If you have any questions, you may contact Clayton T. Myers, at (703) 347-8874.

Sincerely,



Richard Gebken
Product Manager 10
Insecticide Branch
Registration Division (7505P)

Enclosure

[FRONT PANEL]

Imidacloprid + Tau-fluvalinate + Tebuconazole

Concentrate Insecticide, Miticide, and Fungicide

This label contains two separate label statements for, **Outdoor Residential Pump Sprayer/Hose-end Sprayer Concentrate** product use and **Outdoor Residential Ready-To-Spray** product use.

- For use on: Roses, Flowers, Houseplants, Ground Covers, Vines, Ornamentals, Shrubs, and Trees
- Just one application quickly kills insects
- Complete plant protection - Protects plants from roots to leaves/branches (top to bottom)
- Protects plants from the inside out
- Up to 30 day insect protection (guard, defense, shield)
- Protects against insects for up to 30 days
- Keeps killing insects for up to 30 days
- Continuous killing (power) for up to 30 days
- Rainproof Protection
- Protection that won't wash off
- Fast Acting ... Kills On Contact
- Kills insects on contact
- Long Lasting ... Keeps On Killing For up to 4 Weeks (30 days)
- Residual action, keeps killing for up to 4 weeks
- Protects 24/7, around the clock protection (guard, killing) for up to 4 weeks
- Contains Merit®
- Proprietary Merit® inside
- Systemic formula works through the leaves and stems to protect and cure
- A systemic protectant and curative
- A curative and preventative
- Cures and protects against (most common) insects, mites and diseases on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees
- Cures and prevents major insect, mite and disease problems on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees.
- 3 products in One: Insect Protection, Spider Mite Protection, and Disease Protection
- One application, three benefits: Insect Protection, Spider Mite Protection, and Disease Protection
- All-in-One, three products: insect, disease, and spider mite protection
- Systemic Protectant Formula – gets (moves) inside the plant to protect and cure
- Prevents, stops, and cures listed pests on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees
- Controls (Kills, Eliminates) major pests that harm roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees
- Rescues (guards) plants from pests
- Kills, Eliminates pests
- Cures and Prevents Black Spot, Powdery Mildew and Rust Disease(s)
- Kills (Eliminates, Annihilates) (Knocks Out) Insects and Mites on Contact
- Controls black spot, powdery mildew, (and) rust, (and more)
- Controls (Kills) aphids, caterpillars, (and) mites, (and more)
- New
- Revolutionary
- Premium (Superior) care – 3 in 1 formula – controls insect, mites, and diseases
- 4 in 1 formula – kills insects on contact, controls mites, controls diseases, and keeps on protecting for (up to 4) weeks (provides long lasting protection)
- Total (Complete, All-in-one) Protection Formula – Kills insects, mites and disease on contact, and keeps on protecting for (up to 4) weeks
- Exclusive (Proprietary) Formula – Three way control – controls insects, mites, and diseases
- Systemic formula, controls insects, mites and diseases
- Three benefits in one package
- One application with three benefits: controls insects, mites and diseases
- Systemic three way action (control)
- Fast, easy and efficient
- The Rose & Flower enhancer (enforcer, eliminator)
- Merit® inside
- Maintains and restores beauty
- Three garden products in one
- From the creators of Merit®
- Proven three way control
- The Rose and Flower defender (guardian, protector)
- 100% Satisfaction Guaranteed* (or your money back)
- Kills aphids, spider mites, Japanese beetles & more

ACTIVE INGREDIENTS:

Imidacloprid.....	0.47 %
Tau-fluvalinate.....	0.61 %
Tebuconazole.....	0.65 %
OTHER INGREDIENTS.....	98.27 %

Net Contents:

ACCEPTED
with COMMENTS
In EPA Letter Dated
SEP - 2 2009
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
72155-73

STOP - Read This Entire Label Before Use

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel booklet for additional precautionary statements

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, or Queens counties of New York

50A15

[FRONT PANEL]

Imidacloprid + Tau-fluvalinate + Tebuconazole

Concentrate Insecticide, Miticide, and Fungicide

(Pump Sprayer/Hose-end Sprayer label)

- Marketing claims as on page 1

ACTIVE INGREDIENTS:

Imidacloprid	0.47 %
Tau-fluvalinate	0.61 %
Tebuconazole	0.65 %

OTHER INGREDIENTS: 98.27 %

Net Contents: 32 fl. oz. (946 ml)

STOP - Read This Entire Label Before Use

KEEP OUT OF REACH OF CHILDREN

For Outdoor Residential Use Only

CAUTION


See back panel booklet for additional precautionary statements

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, or Queens counties of New York

[BACK PANEL]

[This product's exclusive triple protection formula provides long lasting control against insects, diseases and mites in one easy step.]

This product's exclusive 3-way systemic formula protects against insects, mites, and diseases in one easy step (Bayer Advanced's proprietary 4-in-1 formula kills insects on contact, controls mites, controls diseases, and keeps on protecting for (up to 4) weeks (provides long lasting protection)). This systemic concentrate formula provides long lasting insect, mite, and disease protection on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees. Growing beautiful plants has never been easier! Better Science, Better Results. For more information go to www.bayeradvanced.com

QUICK FACTS	
<ul style="list-style-type: none"> • Effective Against a Broad Range of Insects, Mites, and Diseases • Keeps on Killing Insects for Up to 30 Days • Easy, Accurate Measuring & Mixing 	<ul style="list-style-type: none"> • Apply with most common garden sprayers • Kills insects on contact • Highly effective against mites
INSECTS and MITES CONTROLLED	Aphids, caterpillars, Japanese beetles, leafminers, spider mites, whiteflies, and other listed pests.
DISEASES CONTROLLED	Anthracnose, black spot, leaf spot, petal blight, powdery mildew, rust, and scab.
COVERAGE	Makes (Creates, Delivers) up to 12 gallons of spray
WHERE TO USE	Roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees For use on non-edible plants only
WHEN TO USE	To prevent insect, mite, or disease infestations or control them when they first appear.
HOW MUCH TO USE	Dilute 2.67 oz (5¼ Tablespoons) concentrate in 1 gallon of water
	Questions or comments, call toll-free (877) 229-3724 1-877-Bayer-AG www.BayerAdvanced.com

ACTIVE INGREDIENTS:

- Imidacloprid 0.47 %
- Tau-fluvalinate 0.61 %
- Tebuconazole 0.65 %

OTHER INGREDIENTS: 98.27 %

Imidacloprid is the chemical name for Merit® Insecticide.

EPA Reg. No. 72155-73

EPA Est. No. XXXX-AA-1

FOR OUTDOOR RESIDENTIAL USE ONLY

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION

- Harmful if absorbed through skin or if swallowed.
- Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.
- Remove and wash contaminated clothing before reuse.



First Aid

If On Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information, you may call toll-free 1-877-229-3763.

- Active Ingredients: Imidacloprid [CAS #138261-41-3], Tau-fluvalinate [CAS #102851-06-9], Tebuconazole [CAS #107534-96-3]

Environmental Hazards

- This pesticide is highly toxic to aquatic invertebrates and fish. Do not apply directly to water.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater or rinsate.
- This pesticide is highly toxic to bees. Do not apply Imidacloprid + Tau-fluvalinate + Tebuconazole Concentrate Insecticide when bees are active.
- Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For best results, read and follow all label directions.

<p>BEFORE YOU USE</p> <p>Read and follow these directions when using:</p>	<ul style="list-style-type: none"> • Apply the product to flowering plants during early morning or late evening, when bees are not present. • Do not spray the product into fish pools, ponds, streams, or lakes. • Remove animal feeding dishes prior to application. • Do not use in small, enclosed areas where spray may be inhaled. • For houseplants, move them outside, treat, let dry, and bring back indoors. • Do not apply to fruits or vegetables used for food. • Shake well before using.
<p>WHEN TO USE</p>	<ul style="list-style-type: none"> • When insects, mites, or disease first appear. • To avoid serious damage, eliminate pests and diseases early in the season before they multiply.
<p>MIXING & MEASURING</p>	<p>SEE SPRAYER TYPES</p>
<p>HOW TO SPRAY</p>	<ul style="list-style-type: none"> • Adjust nozzle on your sprayer to desired spray pattern. • Hold sprayer about 12 inches from foliage. • Spray leaves, stems and tender new shoots.


	(ART: of steps above) <ul style="list-style-type: none"> Apply until both sides of the leaves are evenly coated with spray, but not dripping. (ART: spraying undersides of leaves)
HOW OFTEN	Kills insects on contact and keeps on killing for up to 30 days. For diseases and severe infestations, repeat every 7 to 14 days as necessary.
HOW IT WORKS	This product provides 3 way action: kills existing pests, forms protective barrier on outside of plant and is absorbed into the plant regardless of weather conditions. (This product provides 4 way action: kills insects on contact, controls mites, controls diseases, and keeps on protecting for (up to 4) weeks (provides long lasting protection)).

INSECTS AND MITES CONTROLLED	(ART: Aphid, Japanese Beetle, Leafminer, Lace bugs)			
	Adelgids Aphids Armyworms Bagworms Beetles Boxelder bugs Budworms Cankerworms Caterpillars Chinch bugs Clover mites Crickets Cucumber beetles Cutworms	Earwigs Elm leaf beetles Firebrats Flea beetles Fungus gnats Grasshoppers Gypsy moth larvae Japanese beetles (adult) Lace bugs Leaf-feeding beetles Leaf-feeding caterpillars Leafhoppers (including Glassy-Winged Sharpshooter)	Leafminers (including Birch Leafminers and Holly Leafminers) Loopers Mealybugs Midges Mites Pillbugs Plant bugs Psyllids Rose Midges Rose Slugs Sawflies Scale insects (crawler stages)	Silverfish Sowbugs Spider Mites Spittlebugs Stink Bugs Thrips Two-Spotted Spider Mites Viburnum leaf beetle Webworms Weevils (including adult root weevils) Whiteflies

DISEASES CONTROLLED	CONTROLS	PLANTS
	Black Spot Powdery Mildew Rust	Roses
	Leaf Spot Powdery Mildew Rust	Flowers
	Anthrachnose Leaf Spot Powdery Mildew Rust Scab	Crabapples (Ornamental), Dogwoods and Other Small Landscape [Ornamental] Trees
	Anthrachnose Black Spot Leaf Spot Petal Blight Powdery Mildew Rust	Azaleas, Camellias, Rhododendrons, and Other Landscape [Ornamental] Shrubs, Ground Covers, and Vines
	Leaf Spot Powdery Mildew	Houseplants

To treat existing disease: apply at least 3 times, every 7-14 days apart beginning at the first sign of disease.
 To prevent diseases: apply at least 3 times, every 7-14 days apart during the growing season, starting when new leaves first appear.


FOR BEST RESULTS
 Do not wet the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

	Children and pets may re-enter after spray has dried.
---	---

SPRAYER TYPES

(ART: ICON OF PUMP TYPE)	<p><u>For Pump Style Tank Sprayer:</u> To make one gallon of spray:</p> <ol style="list-style-type: none"> 1. Pour 2.67 fl. oz. (5¼ Tablespoons) of the liquid concentrate. 2. Dilute in 1 gallon of water. 3. Close sprayer and shake well before applying.
(ART: ICON DIAL TYPE)	<p><u>For Dial-Style Hose-End Sprayers:</u> Dilution rate: 2.67 fl. oz. per gallon (2 tablespoons = 1 fl. oz.)</p> <ol style="list-style-type: none"> 1. Fill sprayer jar with enough concentrate to treat the desired plants. 2. Close sprayer and set dial. 3. Attach sprayer to hose and apply. <p>OR</p> <p>Fill sprayer jar with enough concentrate to cover plants to be treated and follow sprayer label directions for applying.</p>
(ART: ICON OF WATER TYPE)	<p><u>For Concentrate-Plus-Water Hose-End Sprayers:</u> Dilution rate: 2.67 fl. oz. per gallon (2 tablespoons = 1 fl. oz.)</p> <ol style="list-style-type: none"> 1. Pour concentrate into sprayer jar to the required fluid ounce level. 2. Add the appropriate amount of water to the gallons level. 3. Replace sprayer top and shake well before applying. <p>OR</p> <p>Pour concentrate into sprayer jar to the required fluid ounce level and follow sprayer label directions for applying.</p>

Important – Directions for Storage and Disposal

Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Disposal 	<p>If empty:</p> <ul style="list-style-type: none"> • Do not reuse container. • Place empty container in trash or offer for recycling if available. <p>If partly filled:</p> <ul style="list-style-type: none"> • Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. • Never place unused product down any indoor or outdoor drain.

100415

NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

*Money Back Guaranteed: If you are not satisfied with this product, we will gladly refund your original purchase price.



www.bayeradvanced.com

A Business Unit of Bayer CropScience, L.P.
2 T.W. Alexander Drive
Research Triangle Park, NC 27709

110A15

[FRONT PANEL]

Imidacloprid + Tau-fluvalinate + Tebuconazole

Concentrate Insecticide, Miticide, and Fungicide

(Ready-to-Spray label)

- Marketing claims as on page 1

Additional claims for Ready-to-Spray only:

- Pre-mixed and ready-to-spray (ready-to-go)
- Ready to spray ... No mixing, and no measuring

ACTIVE INGREDIENTS:

Imidacloprid	0.47 %
Tau-fluvalinate	0.61 %
Tebuconazole	0.65 %
OTHER INGREDIENTS:	98.27 %

Net Contents: 32 fl. oz. (946 ml)

STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN
FOR OUTDOOR RESIDENTIAL USE ONLY

CAUTION


See back panel booklet for additional precautionary statements

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, or Queens counties of New York

[BACK PANEL]

[This product's exclusive triple protection formula provides long lasting control against insects, diseases and mites in one easy step.]

This product's exclusive 3-way systemic formula protects against insects, mites, and diseases in one easy step (proprietary 4-in-1 formula kills insects on contact, controls mites, controls diseases, and keeps on protecting for (up to 4) weeks (provides long lasting protection)). This ready-to-spray formula provides long lasting insect, mite, and disease protection on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees. Growing beautiful plants has never been easier! Better Science, Better Results. For more information go to www.bayeradvanced.com

QUICK FACTS	
<ul style="list-style-type: none"> • Effective Against a Broad Range of Insects, Mites, and Diseases • Keeps on Killing Insects for Up to 30 Days • 30 days of Insect Control 	<ul style="list-style-type: none"> • Ready-to-Spray formula ... no mixing, no measuring • Kills insects on contact • Highly effective against mites
INSECTS and MITES CONTROLLED	Aphids, caterpillars, Japanese beetles, leafminers, spider mites, whiteflies, and other listed pests.
DISEASES CONTROLLED	Anthracnose, black spot, leaf spot, petal blight, powdery mildew, rust, and scab.
COVERAGE	Treats (Protects) up to 192 roses
WHERE TO USE	Roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees For use on non-edible plants only
WHEN TO USE	To prevent insect, mite, or disease infestations or control them when they first appear.
	Questions or comments, call toll-free (877) 229-3724 1-877-Bayer-AG www.BayerAdvanced.com

ACTIVE INGREDIENTS:

Imidacloprid	0.47 %
Tau-fluvalinate	0.61 %
Tebuconazole	0.65 %

OTHER INGREDIENTS: 98.27 %

Imidacloprid is the chemical name for Merit® Insecticide.

EPA Reg. No. 72155-73

EPA Est. No. XXXX-AA-1

FOR OUTDOOR RESIDENTIAL USE ONLY

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
<p>CAUTION</p> <ul style="list-style-type: none"> • Harmful if absorbed through skin or if swallowed. • Avoid contact with skin, eyes, or clothing. • Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. • Remove and wash contaminated clothing before reuse.

+ First Aid	
If On Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.
<p>NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information, you may call toll-free 1-877-229-3763.</p> <ul style="list-style-type: none"> • Active Ingredients: Imidacloprid [CAS #138261-41-3], Tau-fluvalinate [CAS #102851-06-9], Tebuconazole [CAS #107534-96-3] 	

Environmental Hazards
<ul style="list-style-type: none"> • This pesticide is highly toxic to aquatic invertebrates and fish. Do not apply directly to water. • Do not contaminate water when cleaning equipment or disposing of equipment washwater or rinsate. • This pesticide is highly toxic to bees. Do not apply this product when bees are active. • Apply this product only as specified on this label.


DIRECTIONS FOR USE	
<p>It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.</p>	
<p>BEFORE YOU USE</p> <p>Read and follow these directions when using:</p>	<ul style="list-style-type: none"> • Apply the product to flowering plants during early morning or late evening, when bees are not present. • Do not spray the product into fish pools, ponds, streams, or lakes. • Remove animal feeding dishes prior to application. • Do not use in small, enclosed areas where spray may be inhaled. • For houseplants, move them outside, treat, let dry, and bring back indoors. • Do not apply to fruits or vegetables used for food. • Shake well before using.
<p>WHEN TO USE</p>	<ul style="list-style-type: none"> • When insects, mites, or disease first appear. • To avoid serious damage, eliminate pests and diseases early in the season before they multiply.
<p>HOW TO USE</p> <p>Shake Well Before Use</p>	<p>This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray.</p>
<p>HOW TO ATTACH AND SPRAY</p>	<ol style="list-style-type: none"> 1. Connect your garden hose to the bottle. Be sure the blue water control valve on top of the spray nozzle is in the OFF position. 2. To begin spraying, turn on water at faucet. Point nozzle towards the area to be treated and Press lock tab while using other hand to turn sprayer valve to on position. Control valve will be horizontal. 3. To stop spraying, turn the water control valve on top of the spray nozzle to OFF. Turn off faucet. 4. Relieve water pressure by turning water control valve to the water position until water slows to a drip. Turn water control valve back to OFF. Disconnect garden hose from bottle. 5. The unused portion can be saved and used at a later date. <p>Tips for Applying</p> <ol style="list-style-type: none"> 1. Extend hose to the farthest plants to be treated and work back toward the faucet to avoid contacting wet, treated plants. 2. Use an even sweeping motion, ensuring thorough coverage of both the top and bottom leaf surfaces.

HOW OFTEN	Kills insects on contact and keeps on killing for up to 30 days. For diseases and severe infestations, repeat every 7 to 14 days as necessary.			
HOW IT WORKS	This product provides 3 way action: kills existing pests, forms protective barrier on outside of plant and is absorbed into the plant regardless of weather conditions. (This product provides 4 way action: kills insects on contact, controls mites, controls diseases, and keeps on protecting for (up to 4) weeks (provides long lasting protection)).			
INSECTS AND MITES CONTROLLED	(ART: Aphid, Japanese Beetle, Leafminer, Lace bugs)			
	Adelgids Aphids Armyworms Bagworms Beetles Boxelder bugs Budworms Cankerworms Caterpillars Chinch bugs Clover mites Crickets Cucumber beetles Cutworms	Earwigs Elm leaf beetles Firebrats Flea beetles Fungus gnats Grasshoppers Gypsy moth larvae Japanese beetles (adult) Lace bugs Leaf-feeding beetles Leaf-feeding caterpillars Leafhoppers (including Glassy-Winged Sharpshooter)	Leafminers (including Birch Leafminers and Holly Leafminers) Loopers Mealybugs Midges Mites Pillbugs Plant bugs Psyllids Rose Midges Rose Slugs Sawflies Scale insects (crawler stages)	Silverfish Sowbugs Spider Mites Spittlebugs Stink Bugs Thrips Two-Spotted Spider Mites Viburnum leaf beetle Webworms Weevils (including adult root weevils) Whiteflies


DISEASES CONTROLLED	CONTROLS	PLANTS
	Black Spot Powdery Mildew Rust	Roses
	Leaf Spot Powdery Mildew Rust	Flowers
	Anthrachnose Leaf Spot Powdery Mildew Rust Scab	Crabapples (Ornamental), Dogwoods and Other Small Landscape [Ornamental] Trees
	Anthrachnose Black Spot Leaf Spot Petal Blight Powdery Mildew Rust	Azaleas, Camellias, Rhododendrons, and Other Landscape [Ornamental] Shrubs, Ground Covers, and Vines
	Leaf Spot Powdery Mildew	Houseplants
To treat existing disease: apply at least 3 times, every 7-14 days, beginning at the first sign of disease. To prevent diseases: apply at least 3 times, every 7-14 days, during the growing season, starting when new leaves first appear.		

FOR BEST RESULTS

Do not wet the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

	Children and pets may re-enter after spray has dried.
---	---

Important – Directions for Storage and Disposal

Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Disposal 	<p>If empty:</p> <ul style="list-style-type: none"> • Do not reuse container. • Place empty container in trash or offer for recycling if available. <p>If partly filled:</p> <ul style="list-style-type: none"> • Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. • Never place unused product down any indoor or outdoor drain.

NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

*Money Back Guaranteed: If you are not satisfied with this product, we will gladly refund your original purchase price.



www.bayeradvanced.com

A Business Unit of Bayer CropScience, L.P.
2 T.W. Alexander Drive
Research Triangle Park, NC 27709

Imidacloprid + Tau-fluvalinate +Tebuconazole Concentrate (MASTER) Approved 04/20/06, Notificaton 08/11/06, Notification 04/13/07