



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 Ariel Rios Building
 1200 Pennsylvania Ave., NW
 Washington, D.C. 20460

EPA Reg. Number: 72155-81	Date of Issuance: FEB 1 FEB 1 2008
-------------------------------------	--

Term of Issuance: **Conditional**

Name of Pesticide Product:
Propiconazole 0.51% Granular Fungicide

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Bayer Advanced
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, NC 27709

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
2. You must submit revise the product label as follows:
 - (a) Revise the product registration number to read "EPA Registration No. 72155-81.
 - (b) On page 1 in the active ingredient statement, revise the statement by moving the word "Total" so that it lines up with the other headers "Active Ingredient" and "Other Ingredients". Additionally, move the CAS no. reference from the bottom of the page so that it appears immediately under the Active Ingredients Statement section.
 - (c) On page 4 in the Precautionary Statements, change "frequent" to "frequently".
3. You must submit one copy of a final printed label before the product is released for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A copy of the stamped accepted label is enclosed for your records.

Signature of Approving Official:

 Mary L. Waller, Product Manager 21
 Fungicide Branch, Registration Division (7505P)

Date:
 FEB 1 2008

72155-IR
285

(Front Panel)

Propiconazole 0.51% Granular Fungicide

- Curative and preventative lawn disease control
- Stops and prevents listed diseases
- Controls many common lawn diseases
- Protects up to 1 month
- Systemic fungicide is absorbed by grass and will not wash off (weatherproof protection)
- Cures & prevents common lawn diseases including brown patch, dollar spot, Anthracnose, summer patch, red thread, and rusts
- One application protects up to 1 month
- Cures and prevents common lawn diseases
- Use on any lawn anytime
- Treats up to 5,000 square feet
- 100% Satisfaction Guaranteed* (* Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.)

ACTIVE INGREDIENT:

Propiconazole† 0.51 %

OTHER INGREDIENTS: 99.49 %

Total 100.00%

Net Wt: 10 lbs

**STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN**

CAUTION

See Back Panel for Additional Precautionary Statements

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

2/1/2008

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**

72155-81

Text in [] is optional


† CAS # 60207-90-1

(BACK PANEL)

This product cures and prevents turf damaging diseases, and keeps them from invading your lawn. This rainproof formula provides up to 1-month protection against most common lawn diseases including Brown Patch, Dollar Spot, Summer patch, Rusts and Anthracnose. Keeping your lawn free of listed diseases has never been easier.

READY-TO-SPREAD GRANULES

READ THE LABEL FIRST!

QUICK FACTS	
<ul style="list-style-type: none"> Cures and Prevents Common Lawn Diseases Easy-to-Use Granules 	<ul style="list-style-type: none"> Systemic fungicide is absorbed by grass and will not wash off
CONTROLS	Anthracnose, Brown Patch, Dollar Spot, Fusarium Patch, Powdery Mildew, Red Thread, Rusts, Stripe Smut, Summer Patch, and Snow Mold
WHERE TO USE	On lawns
WHEN TO USE	<ul style="list-style-type: none"> To treat an existing disease: Apply at first sign of disease To prevent diseases: Make first application before conditions are favorable for disease.
COVERAGE	<ul style="list-style-type: none"> Up to 5,000 square feet (See spreader settings)
	For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724), or visit us on-line at www.BayerAdvanced.com

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:

Propiconazole..... 0.51 %

OTHER INGREDIENTS:..... 99.49 %

TOTAL..... 100.0 %

EPA Reg. No. 72155-XX

EPA Est. No. ____

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.

BEFORE YOU USE

Read and follow these directions when using:

- Do not apply near fish pools, ponds, streams or lakes.
- If lawn is very dry, water and let dry before applying.

HOW TO USE

HOW TO APPLY

- Apply product with rotary/drop spreader at rate given below.
- Water lawn after application.

Controls	How much to apply:	When to apply:
Dollar Spot Anthracnose Brown Patch Powdery Mildew Rusts Red Thread Gray Leaf Spot Melting Out Leaf Spot	<p>Curative Rate: 3.5 lbs/1000 sq. ft. (See Spreader Settings Table)</p> <p>Preventative Rate: 2 lbs/1000 sq. ft.</p>	<p>Curative: Apply at 14-day intervals until control is achieved, then reduce to preventative rate and timing.</p> <p>Preventative: Apply at 21-30 day intervals until cooler, drier weather arrives.</p>
Stripe smut		Apply once in spring when grass begins to grow.

Controls	How much to apply:	When to apply:
Summer Patch	Preventative Rate: 3.5 lbs/ 1000 sq. ft.	Apply at 30 day intervals beginning in spring (mid-May) or 1 month before this disease usually appears in your area.
Take All Patch		Apply in fall or spring to reduce severity of disease.
Fusarium Patch		Apply when conditions are favorable for disease development.
Pink or Gray Snowmold		Apply in late fall before snow cover. Do not apply on top of snow.

FOR BEST RESULTS	<p>Best results are obtained when this product is used as a disease <i>preventative</i> in a complete lawn care program.</p> <p>Most lawn diseases thrive in hot, humid temperatures and under or over fertilized lawns. Thatch build-up also contributes to the problem. Water your lawn in the early morning, never in the late evening. It is best to have a soil test conducted to determine nutrient deficiencies before fertilizing.</p> <p>De-thatch whenever more than 1/2-inch of thatch exists. Mow often at a height recommended for your grass type and the season.</p> <p>For more information on what you can do to control lawn diseases, contact your local County Extension Service (usually found in the white pages of the phone book under the name of your county).</p>
HOW THIS PRODUCT WORKS	Watering after application carries the fungicide into the root zone. It enters the grass through its roots and blades. Rain or water cannot wash off this internal protection!


SPREADER SETTINGS:


If your spreader is not listed, please call our toll-free Consumer Service hotline 1-877-BayerAG (1-877-229-3724) for help. Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions.

Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

Tip: 1000 sq. ft. = 20 x 50 ft

Spreader settings to be provided.

	Children and pets may re-enter the treated area after it has been watered and allowed to dry.
---	---

Storage and Disposal	
Storage:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Disposal:	<p></p> <p>If Empty:</p> <ul style="list-style-type: none"> Do not reuse empty bag. Place empty bag in trash or offer for recycling if available. <p>If Partly Filled:</p> <ul style="list-style-type: none"> Call your local solid waste agency or toll-free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION

- Harmful if swallowed, inhaled, or absorbed through the skin.
- Causes moderate eye irritation.
- Prolonged or frequent repeated skin contact may cause allergic reaction in some individuals
- Avoid breathing dust.
- Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and warm water after handling.

FIRST AID

If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told by a poison control center or doctor.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If On Skin:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If In Eyes:	<ul style="list-style-type: none"> • Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active ingredient: Propiconazole 0.51% (CAS # 60207-90-1).

ENVIRONMENTAL HAZARDS

- This pesticide is toxic to fish
- Do not apply directly to lakes, streams, rivers or ponds.
- Sweep granules from hard surfaces into treated areas.
- If rinsing spreader with water, return rinse water into treated areas.

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions on this label.

* **Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.



www.bayeradvanced.com

A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709

Propiconazole 0.51% Granular (PENDING) Submitted 06/25/07, Resubmitted 09/12/07