

72155-81

1/20/2011

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Annette M. Bloombert
Regulatory Product Manager
Bayer Advanced
P.O. Box 12014
Research Triangle Park, NC 27709

JAN 20 2011

Subject: Minor label notification
Submission date: January 5, 2011
Product Name: Propiconazole 0.51% Granular Fungicide
EPA Reg. No.: 72155-81
EPA Decision Number: 444308

Dear Ms Bloombert:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated April 28, 2008. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

As an alternative, you may refer consumers to the company's phone number or e:mail address.

If you have any questions, please contact Robert Westin by phone at (703) 305-5721 or via email at westin.robert@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Shaja Joyner".

Shaja Joyner
Product Manager (20)
Fungicide Branch
Registration Division (7504P)

008844 714 2/6



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

NOTIFICATION
 JAN 20 2011

Application for Pesticide - Section I

1. Company/Product Number 72155-81	2. EPA Product Manager Mary Walter <i>Shaja Joyner</i>	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Propiconazole 0.51% Granular Fungicide	PM# 21 20	
5. Name and Address of Applicant (Include ZIP Code) Bayer Advanced P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, NC 27709 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of minor label modification (adding back the company website reference and "Produced for:" text). This notification is consistent with the guidance in PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph Paper glued Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Annette M. Bloomberg	Title Regulatory Product Manager	Telephone No. (Include Area Code) (919) 549-2608
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Annette M. Bloomberg</i>	3. Title Regulatory Product Manager	
4. Typed Name Annette M. Bloomberg	5. Date January 5, 2011	

JAN 20 2011

(Front Panel)

Propiconazole 0.51% Granular Fungicide

- Curative and preventative lawn disease control
- Stops and prevents listed diseases
- Controls many common lawn diseases
- Protects up to 1 month
- Systemic fungicide is absorbed by grass and will not wash off (weatherproof protection)
- Cures & prevents common lawn diseases including brown patch, dollar spot, Anthracnose, summer patch, red thread, and rusts
- One application protects up to 1 month
- Cures and prevents common lawn diseases
- Use on any lawn anytime
- Treats up to 5,000 square feet
- 100% Satisfaction Guaranteed* (* Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.)

ACTIVE INGREDIENT:

Propiconazole†..... 0.51 %

OTHER INGREDIENTS: 99.49 %

TOTAL 100.00%

† CAS # 60207-90-1


Net Wt: 10 lbs

**STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN**

CAUTION

See Back Panel for Additional Precautionary Statements

Text in [] is optional




(BACK PANEL)

This product cures and prevents turf damaging diseases, and keeps them from invading your lawn. This rainproof formula provides up to 1-month protection against most common lawn diseases including Brown Patch, Dollar Spot, Summer patch, Rusts and Anthracnose. Keeping your lawn free of listed diseases has never been easier.

READY-TO-SPREAD GRANULES

READ THE LABEL FIRST!

QUICK FACTS	
<ul style="list-style-type: none"> Cures and Prevents Common Lawn Diseases Easy-to-Use Granules 	<ul style="list-style-type: none"> Systemic fungicide is absorbed by grass and will not wash off
CONTROLS	Anthracnose, Brown Patch, Dollar Spot, Fusarium Patch, Powdery Mildew, Red Thread, Rusts, Stripe Smut, Summer Patch, and Snow Mold
WHERE TO USE	On lawns
WHEN TO USE	<ul style="list-style-type: none"> To treat an existing disease: Apply at first sign of disease To prevent diseases: Make first application before conditions are favorable for disease.
COVERAGE	Up to 5,000 square feet (See spreader settings)
	For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724) or visit our website at www.BayerAdvanced.com

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:

Propiconazole..... 0.51 %

OTHER INGREDIENTS:..... 99.49 %

TOTAL..... 100.0 %

EPA Reg. No. 72155-81

EPA Est. No. ____

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.

BEFORE YOU USE	<ul style="list-style-type: none"> Do not apply near fish pools, ponds, streams or lakes. If lawn is very dry, water and let dry before applying.
-----------------------	---

HOW TO USE	
HOW TO APPLY	<ul style="list-style-type: none"> Apply product with rotary/drop spreader at rate given below. Water lawn after application.

Controls	How much to apply:	When to apply:
Dollar Spot Anthracnose Brown Patch Powdery Mildew Rusts Red Thread Gray Leaf Spot Melting Out Leaf Spot	Curative Rate: 3.5 lbs/1000 sq. ft. (See Spreader Settings Table)	Curative: Apply at 14-day intervals until control is achieved, then reduce to preventative rate and timing.
Stripe smut	Preventative Rate: 2 lbs/1000 sq. ft.	Preventative: Apply at 21-30 day intervals until cooler, drier weather arrives. Apply once in spring when grass begins to grow.

Controls	How much to apply:	When to apply:
Summer Patch	Preventative Rate: 3.5 lbs/ 1000 sq. ft.	Apply at 30 day intervals beginning in spring (mid-May) or 1 month before this disease usually appears in your area.
Take All Patch		Apply in fall or spring to reduce severity of disease.
Fusarium Patch		Apply when conditions are favorable for disease development.
Pink or Gray Snowmold		Apply in late fall before snow cover. Do not apply on top of snow.

FOR BEST RESULTS	<p>Best results are obtained when this product is used as a disease <i>preventative</i> in a complete lawn care program.</p> <p>Most lawn diseases thrive in hot, humid temperatures and under or over fertilized lawns. Thatch build-up also contributes to the problem. Water your lawn in the early morning, never in the late evening. It is best to have a soil test conducted to determine nutrient deficiencies before fertilizing.</p> <p>De-thatch whenever more than 1/2-inch of thatch exists. Mow often at a height recommended for your grass type and the season.</p> <p>For more information on what you can do to control lawn diseases, contact your local County Extension Service (usually found in the white pages of the phone book under the name of your county).</p>
HOW THIS PRODUCT WORKS	Watering after application carries the fungicide into the root zone. It enters the grass through its roots and blades. Rain or water cannot wash off this internal protection!


SPREADER SETTINGS:


If your spreader is not listed, please call our toll-free Consumer Service hotline 1-877-BayerAG (1-877-229-3724) for help. Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions.

Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

Tip: 1000 sq. ft. = 20 x 50 ft

Spreader settings to be provided.

	Children and pets may re-enter the treated area after it has been watered and allowed to dry.
---	---

Storage and Disposal	
Storage:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Disposal:	<div style="display: flex; align-items: center;">  <div> <p>If Empty:</p> <ul style="list-style-type: none"> • Non-refillable container. Do not refill or reuse empty bag. • Place empty bag in trash or offer for recycling if available. <p>If Partly Filled:</p> <ul style="list-style-type: none"> • Call your local solid waste agency or toll-free 1-877-229-3724 for disposal instructions. • Never place unused product down any indoor or outdoor drain. </div> </div>

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Harmful if swallowed, inhaled, or absorbed through the skin.
- Causes moderate eye irritation.
- Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals

- Avoid breathing dust.
- Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and warm water after handling.

FIRST AID

If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told by a poison control center or doctor.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If On Skin:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If In Eyes:	<ul style="list-style-type: none"> • Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
<p>NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active ingredient: Propiconazole 0.51% (CAS # 60207-90-1).</p>	

ENVIRONMENTAL HAZARDS

- This pesticide is toxic to fish
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.
- If rinsing spreader with water, return rinse water into treated areas.

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions on this label.

* **Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

PRODUCED FOR



A Business Unit of Bayer CropScience LP
 P.O. Box 12014, 2 T.W. Alexander Drive
 Research Triangle Park, North Carolina 27709

Propiconazole 0.51% Granular (MASTER) Approved 02/01/08, Notification 11/18/08, Notification 01/04/11

