



72155-81

9/30/2014

1/7

	<p align="center">U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7504P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p>	<p>EPA Reg. Number: 72155-81</p>	<p>Date of Issuance: SEP 30 2014</p>
<p align="center">NOTICE OF PESTICIDE: <u>XX</u> Registration <u>XX</u> Reregistration (under FIFRA, as amended)</p>		<p>Terms of Issuance: Unconditional</p> <p>Name of Pesticide Product: Propiconazole 0.51% Granular Fungicide</p>	
<p>Registrant: Bayer Advanced P.O. Box 12014 2 T.W. Alexandria Drive Research Triangle Park, NC 27709</p>	<p>Mailed to Agent/Attention of: Annette Bloomberg</p>		
<p><small>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</small></p>			
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>EPA received a label amendment request submitted on 5/15/2012 and a resubmission dated 9/29/14. EPA grants this request under the authority of section 3(c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. With this accepted labeling, all requirements set forth in the Reregistration Eligibility Decision for Propiconazole have been satisfied. Therefore, EPA reregisters the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.</p> <p>Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading.</p> <p align="right">Continued:</p>			
<p>Signature of Approving Official:</p>  <p>Shaja B. Joyner, Product Manager 20 Fungicides Branch-Registration Division (7505P)</p>		<p>Date: 9/30/2014</p>	

Re-registration Notice
EPA Reg. Number: 72155-81

2/7

In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Submit one (1) copy of final printed labeling. Amended labeling will supersede all previously accepted labels. A copy of your label stamped "Accepted" is enclosed for your records. Products shipped after 12 months from the date of this Notice or the next printing of your label, whichever occurs first, must bear the new revised label.

If you have any questions or comments regarding this letter, please contact Shaunta Hill at (703) 347-8961 or via e-mail at hill.shaunta@epa.gov.

18

Shaja B. Joyner
Product Manager 20
Fungicides Branch
Registration Division (7505P)

Enclosure:
Label stamped "Accepted"
Acute Toxicity Review dated 3/15/13
Product Chemistry Review dated 6/21/13

Propiconazole 0.51% Granular Fungicide

- Curative and preventative lawn disease control
- Stops and prevents listed diseases
- Controls many common lawn diseases
- Protects up to 1 month
- Systemic fungicide is absorbed by grass and will not wash off (weatherproof protection)
- Cures & prevents common lawn diseases including brown patch, dollar spot, Anthracnose, summer patch, red thread, and rusts
- One application protects up to 1 month
- Cures and prevents common lawn diseases
- Use on any lawn anytime
- Treats up to 5,000 square feet
- 100% Satisfaction Guaranteed* (* Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.)
- Treats up to 5,000 square feet [10 lb bag]
- Treat up to 6,000 square feet [12 lb bag]

ACTIVE INGREDIENT:

Propiconazole† 0.51 %

OTHER INGREDIENTS: 99.49 %

TOTAL: 100.00%

† CAS # 60207-90-1

EPA Est. No. ____

EPA Reg. No. 72155-81


Net Wt: [10 lbs], [12 lbs]

**STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN**

CAUTION

See Back Panel for Additional Precautionary Statements

Text in [] is optional




4/7

This product cures and prevents turf damaging diseases, and keeps them from invading your lawn. This rainproof formula provides up to 1-month protection against most common lawn diseases including Brown Patch, Dollar Spot, Summer patch, Rusts and Anthracnose. Keeping your lawn free of listed diseases has never been easier.

READY-TO-SPREAD GRANULES

READ THE LABEL FIRST!

QUICK FACTS	
<ul style="list-style-type: none"> Cures and Prevents Common Lawn Diseases Easy-to-Use Granules Systemic fungicide is absorbed by grass and will not wash off 	
CONTROLS	Anthracnose, Brown Patch, Dollar Spot, Fusarium Patch, Powdery Mildew, Red Thread, Rusts, Stripe Smut, Summer Patch, and Snow Mold
WHERE TO USE	On lawns
WHEN TO USE	<ul style="list-style-type: none"> To treat an existing disease: Apply at first sign of disease To prevent diseases: Make first application before conditions are favorable for disease.
COVERAGE	Up to 5,000 square feet (See spreader settings)
	For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724) or visit our website at www.BayerAdvanced.com

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:

Propiconazole..... 0.51 %

OTHER INGREDIENTS: 99.49 %

TOTAL 100.0 %

EPA Reg. No. 72155-81

EPA Est. No. ____

+ FIRST AID	
If In eyes:	<ul style="list-style-type: none"> • Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told by a poison control center or doctor.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
<p>NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active ingredient: Propiconazole 0.51% (CAS # 60207-90-1).</p>	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION


Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

- This pesticide is toxic to fish and shrimp. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.
- If rinsing spreader with water, return rinse water into treated areas.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.

BEFORE YOU USE	<ul style="list-style-type: none"> If lawn is very dry, water and let dry before applying.
USE PRECAUTIONS AND RESTRICTIONS	<ul style="list-style-type: none"> Do not apply near fish pools, ponds, streams, or lakes. Do not allow adults, children, or pets to enter the treated area until the granules have been watered in and allowed to dry. <div style="text-align: center;">  </div> <p>Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.</p>
HOW TO USE	
HOW TO APPLY	<ul style="list-style-type: none"> Apply product with rotary/drop spreader at rate given below. Water lawn after application.

Controls	How much to apply:	When to apply:
Dollar Spot Anthracnose Brown Patch Powdery Mildew Rusts Red Thread Gray Leaf Spot Melting Out Leaf Spot	Curative Rate: 3.5 lbs/1000 sq. ft. (See Spreader Settings Table)	Curative: Apply at 14-day intervals until control is achieved, then reduce to preventative rate and timing. Preventative: Apply at 21-30 day intervals until cooler, drier weather arrives.
Stripe smut	Preventative Rate: 2 lbs/1000 sq. ft.	Apply once in spring when grass begins to grow.

Controls	How much to apply:	When to apply:
Summer Patch	Preventative Rate: 3.5 lbs/ 1000 sq. ft.	Apply at 30 day intervals beginning in spring (mid-May) or 1 month before this disease usually appears in your area.
Take All Patch		Apply in fall or spring to reduce severity of disease.
Fusarium Patch		Apply when conditions are favorable for disease development.
Pink or Gray Snowmold		Apply in late fall before snow cover. Do not apply on top of snow.
Do not exceed more than 5 applications per year		

FOR BEST RESULTS	<p>Best results are obtained when this product is used as a disease <i>preventative</i> in a complete lawn care program.</p> <p>Most lawn diseases thrive in hot, humid temperatures and under or over fertilized lawns. Thatch build-up also contributes to the problem. Water your lawn in the early morning, never in the late evening. It is best to have a soil test conducted to determine nutrient deficiencies before fertilizing.</p> <p>De-thatch whenever more than 1/2-inch of thatch exists. Mow often at a height recommended for your grass type and the season.</p> <p>For more information on what you can do to control lawn diseases, contact your local County Extension Service (usually found in the white pages of the phone book under the name of your county).</p>
HOW THIS PRODUCT WORKS	Watering after application carries the fungicide into the root zone. It enters the grass through its roots and blades. Rain or water cannot wash off this internal protection!

7/7

SPREADER SETTINGS:


If your spreader is not listed, please call our toll-free Consumer Service hotline 1-877-BayerAG (1-877-229-3724) for help. Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions. Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly. Tip: 1000 sq. ft. = 20 x 50 ft

Spreader settings to be provided.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

Pesticide Disposal:  **Nonrefillable Container.** Do not reuse or refill this container.
If Empty:
• Place empty bag in trash or offer for recycling if available.
If Partly Filled:
• If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions.
• Never place unused product down any indoor or outdoor drain.

Important: Use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state or local guidelines.

NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions on this label.

* **Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

PRODUCED FOR



A Division of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709

Propiconazole 0.51% Granular (PENDING) 05/14/12, 06/24/2014, 09/22/14