



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Charles W. Boyd
Registrations Manager
Bayer Advanced
2 T. W. Alexander Drive
Research Triangle Park, NC 27709

JAN 12 2009

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4 and 2008-1

Dear Mr. Boyd:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 and 2008-1 dated December 16, 2008 for:

EPA Registration 72155-82 Insecticide TD Concentrate

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 2007-4 and 2008-1 and finds that the label changes requested falls within the scope of PR Notice 2007-4 and 2008-1. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

2/8

OK

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
--	---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 72155-82	2. EPA Product Manager Venus Eagle	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Insecticide TD Concentrate	PM# 1	
5. Name and Address of Applicant (Include ZIP Code) Bayer Advanced 2 T.W. Alexander Drive Research Triangle Park, NC 27709 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: <div style="text-align: center; font-weight: bold; font-size: 1.2em;">NOTIFICATION</div> EPA Reg. No. _____ Product Name <u>JAN 1 2 2009</u>

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

See Attached

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container		
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 32 or 40 Fl. oz., or 1, 1.25 Gal.		5. Location of Label Directions <input type="checkbox"/> _____	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input checked="" type="checkbox"/> Other Integ _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Charles W. Boyd	Title Registrations Manager	Telephone No. (Include Area Code) (919) 549-2422
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registrations Manager	
4. Typed Name Charles W. Boyd	5. Date December 16, 2008	

3/8

Section II - Explanation

Bayer Advanced is submitting a **Notification** to add the text prescribed by PR Notice 2007-4 and 2008-1 to the label for the above-mentioned product:

In the disposal section, we have added the statement "Non-refillable container." Also we have added "refill or" to the statement Do not refill or reuse empty container.

We have also added the following statement "To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours, will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treatment area will help avoid run off to water bodies or drainage systems.

Enclosed is one copy of the label with the changes highlighted.

Notification of label changes per PR Notice 2007-4, and PR Notice 2008-1. This notification is consistent with the guidance of PR Notice 2007-4, 2008-1 and EPA regulations at 40 CFR § 156.10, 156.80, 156.140, 156.144, 156.146, 156.156, and 152.46. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 2007-4, 2008-1 and 40 CFR § 156.10, 156.80, 156.140, 156.144, 156.146, 156.156, and 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

4/8

(Front Panel)

Insecticide TD Concentrate (ABN) Bayer Advanced 12 month Tree & Shrub Protect & Feed Concentrate II

Fertilizer Claims:

- Feeds for up to 3 months
- Keeps on feeding for up to 3 months
- Continuous feeding for up to 3 months
- Feeds and renews for up to 3 months
- Improves plant growth
- Improves plant health
- Revitalize trees and shrubs
- Spurs tree and shrub recovery
- Stimulates Tree & Shrub recovery
- Advances plant health
- Increases plant health
- Increases plant growth
- Promotes stronger roots systems
- Exclusive (green color) liquid fertilizer formula
- Provides slow release feeding (fertilizer)

General & Combination Claims:

- New
- New and Improved Formula
- (Dual Action) (2 in 1) Formula: Long lasting and Fast acting
- Exclusive Dual Action - Protect & Feeds
- Easy Measuring Cup (Measure-up Cup®)
- Protects against insects (including caterpillars) PLUS improves vitality of trees and shrubs
- No Spray technology
- Protects against insects plus restores vitality of trees and shrubs
- No spraying! Just mix and pour at base of tree or shrub
- A new way to protect (and feed) trees and shrubs
- 100% Satisfaction Guaranteed (or your money back)*

Pesticidal Claims:

- New formula also kills caterpillars (such as bagworms, gypsy moths, fall webworms, etc.)

- Insects stop eating when they feed on the plant
- Protects trees, shrubs, and containerized plants from damaging insects with one easy treatment
- Helps keep trees and shrubs strong. Protects new growth
- Kills insects that damage trees and shrubs
- Controls insects that damage trees and shrubs
- Season long protection
- Year-long insect protection for trees and shrubs
- Systemic insecticide is absorbed through the roots, carried up into the plant and won't wash off
- Prevents insects from damaging trees and shrubs
- For use on all ornamental trees and shrubs and containerized plants
- Kills insects & prevents new infestations
- Provides 12-Month Insect Protection
- Rainproof Protection
- Apply around plant and walk away
- No spraying, just mix and pour at tree base (trunk)
- No messy spraying
- Do it Yourself Tree Protection
- Delivers 12 month insect protection
- Delivers year long insect protection
- 12-MONTH PROTECTION with one application
- Protects the entire tree or shrub – especially new growth
- Systemic rainproof protection won't wash off
- Kills Emerald Ash Borers
- Kills devastating pests like: Adelgids, Borers, Caterpillars, Emerald Ash Borers, Leafminers, Japanese Beetles (adult) and many others
- Contains MERIT®
- Now Kills Caterpillars (such as bagworms, gypsy moths, fall webworms)
- Caterpillar Killer Formula

ACTIVE INGREDIENT:

Imidacloprid	0.74%
Clothianidin	0.37%

OTHER INGREDIENTS: 98.89%

Net Contents: 32 oz., 40 oz., 1 Gallon, and 1.25 Gallon

**STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN**

CAUTION

See Back Panel [Booklet] for Additional Precautionary Statements Text in () is optional.

NOTIFICATION

JAN 12 2009

(BACK PANEL)

This product provides fast acting and 12-month long lasting systemic protection against damaging insects including Adelgids, Aphids, Borers (including Emerald ash borer), Caterpillars, Japanese beetles, Leafminers, Scale, and Whiteflies plus feeds in a single application. Having beautiful trees and shrubs has never been easier.

READ THE LABEL FIRST!

QUICK FACTS

- Provides 12-month Long Insect Protection
- Rain or Moisture can not wash off this internal protection
- Rainproof Protection
- Dual action, kills insects and feeds your tree
- Two Products in one, an insect killer and a fertilizer
- Two-in-One formula kills insects while feeding your tree
- Unique Double Action Formula (2-in-1)
- Provides slow release feeding
- No Spraying! Just mix...and pour

KILLS	Adelgids, aphids, borers (including emerald ash borer), caterpillars, Japanese beetles, leafminers, scale, whiteflies and other listed pests
WHERE TO USE	Outdoor trees and shrubs and containerized plants. This product is only for non-bearing fruit and nut trees. Non-bearing fruits and nuts are plants that do not bear edible fruits and nuts for at least 12 months after application of pesticides.
HOW TO USE	<ol style="list-style-type: none"> 1. Measure distance around tree trunk or height of shrub or determine container size 2. Measure and pour required amount of product into bucket of water 3. Pour solution around tree or shrub base or in container
HOW MUCH TO USE	<p>Trees: 1 oz for every inch of distance around trunk; treats 4 trees that measure 0 inches around trunk (32 fl oz size)</p> <p>Shrubs: 3 oz for every foot of height; treats 5 shrubs that are 2 foot tall (32 fl oz size)</p> <p>Containerized Plants: 1 2/3 Tablespoons for each five gallon container; treats up to 42 five gallon containers (32 fl oz size)</p>
	For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724)

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:

Imidacloprid 0.74 %
 Clothianidin 0.37 %

OTHER INGREDIENTS: 98.89 %
 100.00%

EPA Reg. No. 72155-82

EPA Est. No. XXXX-AA-XX


FERTILIZER ANALYSIS X-X-X


DIRECTIONS FOR USE	
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.	
BEFORE YOU USE Read and follow directions when using.	<ul style="list-style-type: none"> • Do not apply near lakes, streams, rivers, or ponds. • Do not apply to soils which are waterlogged or saturated. • Bucket or measuring utensils should not be used for any food or drinking water purposes after use with this product.

HOW TO USE	Determine the amount to use by measuring the distance around the tree trunk or height of the shrub. Pour the required amount of this product into a bucket of water and empty the bucket around the base of the tree/shrub. For containerized plants, determine container size and pour required amount of this product into enough water to wet the potting soil thoroughly but not causing loss of water from bottom of container.		
FOR USE ON	Outdoor trees, shrubs and containerized plants not intended to be used as edible food. This product is only for non-bearing fruit and nut trees. Non-bearing fruits and nuts are plants that do not bear edible fruits and nuts for at least 12 months after application of pesticides.		
CONTROLS	<p>Adelgids</p> <p>Aphids</p> <p>Armored Scales (suppression)</p> <p>Borers</p> <p> Roundheaded (including Eucalyptus Longhorned Borers and Asian Longhorned Beetle)</p> <p> Flatheaded (including Bronze Birch, Alder, and Emerald Ash Borers)</p> <p> Pine Bark Beetles (including Ips beetles) (suppression)</p> <p>Caterpillars (including bagworms, gypsy moths, and fall webworms)</p>	<p>Fungus Gnat Larvae</p> <p>Japanese Beetles, Adult</p> <p>Lace bugs</p> <p>Leaf Beetles (including Elm Leaf, Viburnum Leaf, and Lily Leaf Beetles)</p> <p>Leafhoppers (including Glassy-winged Sharpshooter)</p> <p>Leafminers (including Birch and Boxwood Leafminers)</p> <p>Mealybugs</p> <p>Pine Tip Moth Larvae</p>	<p>Psyllids</p> <p>Royal Palm Bugs</p> <p>Root Weevil Larvae (including black vine weevils)</p> <p>Sawfly Larvae</p> <p>Soft Scales (including lobate lac scales)</p> <p>Thrips</p> <p>Whiteflies</p> <p>White Grub larvae (such as Japanese Beetles, Chafer, European Chafer, Oriental Beetle, Asiatic Garden Beetle)</p>
HOW MUCH TO APPLY (SHOW 3 STEP IMAGE ON HOW TO APPLY)	Trees	<p>Measure the distance in inches around the tree trunk at approximately 4.5 feet from ground level. This measurement is the amount of ounces of product to add to 1 gallon of water.</p> <p>Example: A tree measuring 8 inches around, pour 8 ounces of product into 1 gallon of water.</p> <p>If the tree measures greater than 50 inches around, pour the required product into 2 gallons of water.</p> <p>A flexible tape measure is the recommended method [tool] for measuring the distance around a tree.</p>	
	Tree With 2 or More Trunks	<p>Measure the distance in inches around the largest and smallest tree trunks at approximately 4.5 feet from ground level and add together. This measurement is the number of ounces of product to add to 1 gallon of water.</p> <p>Example: A tree has 4 trunks. They measure 20, 10, 5 and 5 [inches]. A total of [20 + 5 =] 25 ounces product should be poured into a gallon of water.</p>	
	Shrubs	<p>Measure the height of the shrub to the nearest foot. Multiply the number of feet by 3 – this is the number of ounces of product to add to 1 gallon of water.</p>	
	Containerized Plants	<p>Container Size</p> <p>1 gallon</p> <p>2 gallon</p> <p>3 gallon</p> <p>5 gallon</p> <p>10 gallon</p> <p>15 gallon</p> <p>20 gallon</p>	<p>Amount Product Needed</p> <p>1 teaspoon</p> <p>2 teaspoons</p> <p>1 Tablespoon</p> <p>1 2/3 Tablespoons</p> <p>3 1/3 Tablespoons</p> <p>5 Tablespoons</p> <p>6 2/3 Tablespoons</p> <p>Pour the required product into sufficient water to wet the potting soil thoroughly. To help assure that roots absorb the insecticide, do not water too heavily for the first 10 days.</p> <p>Note: 3 teaspoons = 1 Tablespoon 2 Tablespoons = 1 fl. oz.</p>
Do not make more than one application per year. Regardless of formulation or type of application, DO NOT apply more than a total of 0.4 lbs clothianidin per acre.			

DIRECTIONS FOR USE continued	
HOW TO APPLY	<p>Trees and Shrubs:</p> <ul style="list-style-type: none"> • For trees with distance around trunk less than 30 inches, apply the solution evenly in a circle 2 feet from the tree trunk. Trees with distance around trunk greater than 30 inches, apply the solution evenly in a circle 3-4 feet from the tree trunk. • For shrubs less than 3 feet tall, apply the solution evenly in a circle 1 foot from the base of the shrub. Shrubs greater than 3 feet tall, evenly apply the solution in a circle 2 feet from the base of the shrub. <p>Containerized Plants:</p> <ul style="list-style-type: none"> • Apply the solution evenly on top of potting soil and water thoroughly. • For the first 10 days, avoid flushing through the container to the point where it flows out the bottom. • For indoor containerized plants, bring outdoors, make treatment, and return indoors when no excess water is present.
FOR BEST RESULTS	<p>Pull back mulch and weed barrier before application.</p> <p>Use this product as part of an overall tree and shrub health care program before problems start (preferably in the fall). (However,) this product can be applied anytime except when the soil is waterlogged or frozen. These conditions inhibit the movement of the product down into the root zone. During prolonged dry periods, saturate the soil around the tree or shrub well with water the night before making an application.</p> <p>For severe infestations, treat with a foliar insecticide such as [Bayer Contact Insecticide], then use this product as part of a routine care program.</p>
HOW IT WORKS (SHOW IMAGE OF HOW THE PRODUCT WORKS SYSTEMICALLY)	<p>The insecticide and fertilizer dissolved in water moves down through the soil, where it is absorbed by the roots. Once absorbed, it moves up through the tree or shrub providing year-long insect protection and feeds. This product even moves into new growth after application, thus protecting and feeding it, too! To get complete results, the insecticide and fertilizer must distribute completely through the tree or shrub. Depending on the size and health of the plant, this may take one week to three months (for very large trees). Rain or water cannot wash off this internal protection and feeding.</p>

(NOTE: Application to trees heavily infested may not prevent their eventual loss due to existing pest damage and tree stress.)

	Children and pets may re-enter the treated area after it has dried.
---	---

Directions for Storage and Disposal	
Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.
Disposal 	<p>If empty:</p> <ul style="list-style-type: none"> • Non-refillable container. Do not refill or reuse container. • Rinse the empty product container thoroughly and disperse the rinse water around trees or shrubs as part of application. • Place empty container in trash or offer for recycling if available. <p>If partly filled:</p> <ul style="list-style-type: none"> • Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. • Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Harmful if absorbed through skin. Harmful if swallowed.
- Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.
- Remove and wash contaminated clothing before reuse.

First Aid + neonicotinyl Insecticide	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 877-229-3763 for emergency medical treatment information. Active Ingredient: 0.74% Imidacloprid [CAS #.138261-41-3] and 0.37% Clothianidin [CAS #]</p>	

ENVIRONMENTAL HAZARDS

- This pesticide is toxic to aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply where runoff is likely to occur. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer, to the extent consistent with applicable law, assumes responsibility for lack of performance or safety if not used according to the directions.

***Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.



NOTIFICATION

JAN 12 2009

A Business Unit of Bayer CropScience, L.P.
2 T.W. Alexander Drive
Research Triangle Park, NC 27709

Insecticide TD Concentrate (MASTER) Approved 01/28/08, Notification 07/18/08, Notification 08/28/08, Notification 12/12/08