

72155-93

04/06/2011

1/10



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**  
WASHINGTON, DC 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Annette M. Bloomberg  
Regulatory Product Manager  
Bayer Advanced  
PO Box 12014, 2 T.W. Alexander Drive  
Research Triangle Park, NC 27709

APR 06 2011

Subject: BTF Concentrate  
EPA Reg. No. 72155-93  
Final Printed Label dated January 26, 2011  
EPA Decision Number 447395

Dear Ms. Bloomberg:

The final printed label referred to above, submitted January 26, 2011 in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act has been reviewed and is acceptable.

One copy of the label stamped "Accepted" is enclosed for your records. If you have any questions, please contact Robert Westin by phone at (703) 305-5721 or via email at [westin.robert@epa.gov](mailto:westin.robert@epa.gov).

Sincerely,

A handwritten signature in black ink, which appears to read "Shaja B. Joyner", is positioned above the typed name.

Shaja B. Joyner  
Product Manager (20)  
Fungicide Branch  
Registration Division (7505P)


Enclosure

**(Ready-to-Spray label)**  
**(FRONT PANEL)**

# BTF Concentrate

**This label contains two separate label statements for, Outdoor Residential Pump Sprayer/Hose-end Sprayer Concentrate product use and Outdoor Residential Ready-To-Spray product use.**

- One quart treats up to 5,000 sq. ft.
- Cures, stops and prevents common lawn diseases
- Controls all major fungal lawn diseases, including brown patch, dollar spot, powdery mildew and rusts
- Systemic fungicide works through the leaves and stems to protect and cure
- Provides up to 30 days systemic protection
- Leaves no white residue
- Can be used on all types of lawns
- Once absorbed, continues to protect without wash off for 30 days
- Absorbed by leaves and spread throughout the plant
- Can be used on all types of lawns
- Starts protecting immediately
- Stops Disease(s) in its (their) tracks
- Stops Disease Before it Starts
- Stops Disease plus prevents reinfection/reoccurrence
- Protects continuously for up to 30 days
- Just hook (attach) (connect) to hose and spray
- Kills the disease, not the lawn
- Controls the disease, protects the lawn
- All weather formula
- Proven protection for lawns
- Triple protection formula
- Starts working immediately
- The ultimate disease protection
- Use anytime (conditions favor disease)
- Exclusive formula - 3 way control
- Intended for Homeowner Use Only



**ACTIVE INGREDIENT:**

Propiconazole ..... 2.42%

**OTHER INGREDIENTS** ..... 97.58%

**Net Contents:** 32 fl oz.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

**See Back Panel Booklet for Additional Ingredients and Precautionary Statements**

(Ready-to-Spray label)  
(FRONT PANEL)

# BTF Concentrate

## (ABN) Bayer Advanced Fungus Control for Lawns Ready-to-Spray

- 
- One quart treats up to 5,000 sq. ft.
  - Cures, stops and prevents common lawn diseases
  - Controls all major fungal lawn diseases, including brown patch, dollar spot, powdery mildew and rusts
  - Systemic fungicide works through the leaves and stems to protect and cure
  - Provides up to 30 days systemic protection
  - Leaves no white residue
  - Once absorbed, continues to protect without wash off for 30 days
  - Absorbed by leaves and spread throughout the plant
  - Can be used on all types of lawns
  - Can be used on all types of lawns
  - Starts protecting immediately
  - Stops Disease(s) in its (their) tracks
  - Stops Disease Before it Starts
  - Stops Disease plus prevents reinfection/reoccurrence
  - Protects continuously for up to 30 days
  - Just hook (attach) (connect) to hose and spray
  - Kills the disease, not the lawn
  - Controls the disease, protects the lawn
  - All weather formula
  - Proven protection for lawns
  - Triple protection formula
  - Starts working immediately
  - The ultimate disease protection
  - Use anytime (conditions favor disease)
  - Exclusive formula - 3 way control
  - Intended for Homeowner Use Only
- 

### ACTIVE INGREDIENT:

Propiconazole.....2.42%

OTHER INGREDIENTS .....97.58%

---

Net Contents: 32 fl oz.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

4/10

(BACK PANEL)

This product cures, stops and prevents plant diseases. This systemic fungicide is rainproof and provides protection against most common lawn diseases such as brown patch, dollar spot, powdery mildew, rust, red thread and more. Now it is easier than ever to prevent diseases and have a beautiful lawn.

**Read the label first!**

<b>QUICK FACTS</b>	
<ul style="list-style-type: none"> <li>• Cures and Prevents Common Lawn Diseases</li> <li>• Provides up to 30 days protection</li> <li>• Ready-to-Spray ... No Mixing, No Measuring</li> </ul>	
<b>CONTROLS</b>	<ul style="list-style-type: none"> <li>• Brown Patch, Dollar Spot, Summer Patch, Red Thread, Rust and other listed diseases</li> </ul>
<b>COVERAGE</b>	<ul style="list-style-type: none"> <li>• No measuring or mixing needed. Dilutes automatically as you spray.</li> <li>• 32 fl. oz. size treats up to 5,000 sq. ft.</li> </ul>
<b>WHERE TO USE</b>	<ul style="list-style-type: none"> <li>• Lawns</li> </ul>
<b>WHEN TO USE</b>	<ul style="list-style-type: none"> <li>• To treat an existing disease</li> <li>• To prevent and protect against future diseases</li> </ul>
For questions or comments, call toll-free 1-877-BayerAG 1-877-229-3724	

**FOR OUTDOOR RESIDENTIAL USE ONLY**

**ACTIVE INGREDIENT:**

Propiconazole..... 2.42%



**OTHER INGREDIENTS** ..... 97.58%

**TOTAL** ..... 100.00%


EPA Reg. No. 72155-93


EPA Est. No. \_AA\_

<b>DIRECTIONS FOR USE</b>	
<p>It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.</p>	
<b>BEFORE YOU USE</b> Read and follow directions when using.	<ul style="list-style-type: none"> <li>• Do not apply near lakes, streams, rivers or ponds.</li> <li>• Do not apply to fruits or vegetables grown for food.</li> </ul>
<b>HOW TO USE</b> Shake Well Before Use	<ul style="list-style-type: none"> <li>• This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray.</li> </ul>
<b>CURES &amp; PREVENTS</b>	<ul style="list-style-type: none"> <li>• Lawn diseases including Anthracnose, Bermuda grass decline, Brown Patch, Copper Spot, Dollar Spot, Fusarium Blight, Gray Leafspot, Large Patch of Zoysia, Powdery Mildew, Red thread, Rhizoctonia blight, Rust, Smut, Southern blight, Summer patch, and Zoysia Patch.</li> </ul>
<b>HOW MUCH TO USE</b>	<ul style="list-style-type: none"> <li>• First determine the area to be treated.</li> <li>• Apply entire 32 fl. oz. bottle to 5,000 sq. ft. It should take about 5 to 6 minutes to empty the container over the treatment area.</li> <li>• For Bermuda grass decline, Fusarium Blight, Large Zoysia Patch, Summer patch, and Zoysia Patch, apply entire 32 fl. oz. bottle to 2,500 sq. ft.</li> </ul>
<b>HOW THIS PRODUCT WORKS</b>	<p>This product provides 3-way action: it kills existing fungi, forms a protective barrier on the outside of the plant and is absorbed into the plant to keep on protecting regardless of weather conditions.</p>
Continued on next page	

<p><b>HOW TO ATTACH &amp; SPRAY</b></p>	<p><b>[Directions for Hayes Sprayer]</b></p> <ol style="list-style-type: none"> <li>1. Connect your garden hose to the bottle. Be sure the blue water control valve on top of the spray nozzle is in the OFF position.</li> <li>2. Turn on water at faucet. Twist the small star-shaped, blue product-control button to align the flat portion with the lock tab. Push the button in to open.</li> <li>3. To begin spraying, point nozzle toward the area to be treated and turn the blue water control valve to the ON position. Tab will be horizontal.</li> <li>4. To stop spraying, turn the blue water control valve on top of the spray nozzle to OFF. To close, push in the small round button opposite the star-shaped product-control button. Turn off faucet.</li> <li>5. Relieve water pressure by turning blue water control valve to the ON position until water slows to a drip. Turn blue water control valve back to OFF. Disconnect garden hose from bottle.</li> <li>6. The unused portion can be saved and used at a later date.</li> </ol> <p><b>[Directions for Green Garden K-1 Sprayer and Calmar Infinity Sprayer]</b></p> <p><b>Connect</b></p> <ol style="list-style-type: none"> <li>1. Shake well before use</li> <li>2. Connect sprayer to garden hose</li> <li>3. Be sure that sprayer valve is in off position</li> <li>4. Turn on water at faucet</li> </ol> <p><b>Spray</b></p> <ol style="list-style-type: none"> <li>1. Extend hose to furthest area to be treated, point sprayer nozzle in direction to be sprayed.</li> <li>2. To begin spraying, press lock tab while using other hand to turn sprayer valve to on position.</li> <li>3. Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap the treated areas. Work back toward the faucet to avoid walking over wet, treated grass.</li> </ol> <p><b>Finish</b></p> <ol style="list-style-type: none"> <li>1. To stop spraying, turn sprayer valve to off position.</li> <li>2. Turn off water at faucet.</li> <li>3. Relieve water pressure in hose by turning sprayer valve to water position until water slows to a drip, then turn valve to off position.</li> <li>4. Disconnect sprayer from hose.</li> </ol> <p><b>Tips for Applying</b></p> <ol style="list-style-type: none"> <li>1. Extend hose to the farthest area to be treated and work back toward the faucet to avoid walking into wet, treated area.</li> <li>2. Walk at a steady pace while spraying, using an even sweeping motion, slightly overlapping the treated areas.</li> </ol>
<p><b>HOW TO ATTACH AND SPRAY</b></p>  	<p><b>[Directions for Hayes HP-2 Sprayer]</b></p> <ol style="list-style-type: none"> <li>1. Connect your garden hose to the bottle. Be sure the blue water control valve on top of the spray nozzle is in the OFF position.</li> <li>2. To begin spraying, turn on water at faucet. Point nozzle towards the area to be treated and Press lock tab while using other hand to turn sprayer valve to on position.</li> <li>3. To stop spraying, turn the water control valve on top of the spray nozzle to OFF. Turn off faucet.</li> <li>4. Relieve water pressure by turning water control valve to the ON position until water slows to a drip. Turn water control valve back to OFF. Disconnect garden hose from bottle.</li> <li>5. The unused portion can be saved and used at a later date.</li> </ol> <p><b>Tips for Applying</b></p> <ol style="list-style-type: none"> <li>1. Extend hose to the farthest part of the lawn to be treated and work back toward the faucet to avoid contacting wet, treated areas.</li> <li>2. Use an even sweeping motion, ensuring thorough coverage of turf.</li> </ol>
<p><b>FOR BEST RESULTS</b></p>	<ul style="list-style-type: none"> <li>• This product is highly effective when used to prevent disease or when applied at first sign of disease. To prevent damage, start treating when conditions are favorable for disease development in your area, and treat every 30 days.</li> <li>• To control existing disease, reapply every 14 days until lawn shows signs of recovery. Do not apply more than 16 times per year at a rate of 32 fl. oz. per 5,000 sq. ft. or 8 times per year at a rate of 32 fl. oz. per 2,500 sq. ft.</li> <li>• Do not treat lawn during periods of stress from heat or drought.</li> <li>• Do not apply when temperatures are greater than 85°F, as injury to lawn may occur.</li> <li>• Rain or watering after spray has dried will not wash away effectiveness.</li> <li>• For more information on what you can do to control plant diseases, or to find out when disease is common in your area, contact your local County Extension Service (usually found in the White</li> </ul>

	Pages of the phone book under the name of your county.)
--	---

	Do not allow children and pets to enter the treated area until it has dried.
---	--

<b>IMPORTANT: Directions for Storage and Disposal</b>	
Storage Conditions:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.
Disposal:	 <p><b>If Empty:</b></p> <ul style="list-style-type: none"> <li>• Non-refillable container. Do not refill or reuse empty container.</li> <li>• Place in trash.</li> </ul> <p><b>If Partly Filled:</b></p> <ul style="list-style-type: none"> <li>• If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions.</li> <li>• Never place unused product down any indoor or outdoor drain.</li> </ul>

<b>PRECAUTIONARY STATEMENTS</b> <b>CAUTION</b>
---

<b>ENVIRONMENTAL HAZARDS</b>	
<ul style="list-style-type: none"> <li>• This product is toxic to fish and shrimp.</li> <li>• Drift or runoff may harm fish or shrimp.</li> <li>• To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.</li> </ul>	

**NOTICE:** Research and testing have determined that the "Directions For Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

**Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

(Pump Sprayer/Hose-end Sprayer label)  
(FRONT PANEL)

# BTF Concentrate

## (ABN) Bayer Advanced Fungus Control for Lawns Concentrate

- 40 fl. oz. container treats 6,250 sq. ft.
- Cures, stops and prevents common lawn diseases
- Controls all major fungal lawn diseases, including brown patch, dollar spot, powdery mildew and rusts
- Systemic fungicide works through the leaves and stems to protect and cure
- Provides up to 30 days systemic protection
- Leaves no white residue
- Once absorbed, continues to protect without wash off for 30 days
- Absorbed by leaves and spread throughout the plant
- Can be used on all types of lawns
- Can be used on all types of lawns
- Starts protecting immediately
- Stops Disease(s) in its (their) tracks
- Stops Disease Before it Starts
- Stops Disease plus prevents reinfection/reoccurrence
- Protects continuously for up to 30 days
- Just hook to hose and spray
- Kills the disease, not the lawn
- Controls the disease, protects the lawn
- All weather formula
- Proven protection for lawns
- Triple protection formula
- Starts working immediately
- The ultimate disease protection
- Use anytime (conditions favor disease)
- Exclusive formula - 3 way control
- 25% More vs. 32 oz. size (40 oz. size)
- Intended for Homeowner Use Only

---

**ACTIVE INGREDIENT:**

Propiconazole ..... 2.42%

**OTHER INGREDIENTS** ..... 97.58%

---

**Net Contents:** 40 fl oz.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

**See Back Panel Booklet for Additional Ingredients and Precautionary Statements**

**(BACK PANEL)**

This product cures, stops and prevents plant diseases. This systemic fungicide is rainproof and provides protection against most common lawn diseases such as brown patch, dollar spot, powdery mildew, rust, red thread and more. Now it is easier than ever to prevent diseases and have a beautiful lawn.

**Read the label first!**

<b>QUICK FACTS</b>	
<ul style="list-style-type: none"> <li>• Cures and Prevents Common Lawn Diseases</li> <li>• Provides up to 30 days protection</li> <li>• Easy, accurate measuring &amp; mixing concentrate</li> <li>• Apply with most common garden sprayers</li> </ul>	
<b>CONTROLS</b>	• Brown Patch, Dollar Spot, Summer Patch, Red Thread, Rust and other listed diseases
<b>COVERAGE</b>	<ul style="list-style-type: none"> <li>• Makes up to 10 gallons on spray solution.</li> <li>• 40 fl. oz. size treats 6,250 sq. ft.</li> </ul>
<b>WHERE TO USE</b>	• Lawns
<b>WHEN TO USE</b>	<ul style="list-style-type: none"> <li>• To treat an existing disease</li> <li>• To prevent and protect against future diseases</li> </ul>
For questions or comments, call toll-free 1-877-BayerAG 1-877-229-3724	

**FOR OUTDOOR RESIDENTIAL USE ONLY****ACTIVE INGREDIENT:**

Propiconazole..... 2.42%

**OTHER INGREDIENTS** ..... 97.58%

**TOTAL** ..... 100.00%


EPA Reg. No. 72155-93


EPA Est. No. \_AA\_

<b>DIRECTIONS FOR USE</b>	
<p>It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.</p>	
<b>BEFORE YOU USE</b> Read and follow directions when using.	<ul style="list-style-type: none"> <li>• Do not apply near lakes, streams, rivers or ponds.</li> <li>• Do not apply to fruits or vegetables grown for food.</li> </ul>
<b>HOW TO USE</b> Shake Well Before Use	• This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray.
<b>CURES &amp; PREVENTS</b>	• Lawn diseases including Anthracnose, Bermuda grass decline, Brown Patch, Copper Spot, Dollar Spot, Fusarium Blight, Gray Leafspot, Large Patch of Zoysia, Powdery Mildew, Red thread, Rhizoctonia blight, Rust, Smut, Southern blight, Summer patch, and Zoysia Patch.
<b>HOW MUCH TO USE</b>	<ul style="list-style-type: none"> <li>• First determine the area to be treated.</li> <li>• Mix 3.2 fl. oz. in 1 gallon of water to treat 500 sq. ft.</li> <li>• Apply entire 40 fl. oz. bottle to 6,250 sq. ft. It should take about 6 to 7 minutes to empty the container over the treatment area</li> <li>• For Bermuda grass decline, Fusarium Blight, Large Zoysia Patch, Summer patch, and Zoysia Patch, Apply entire 40 fl. oz. bottle to 3,125 sq. ft.</li> </ul>
<b>HOW THIS PRODUCT WORKS</b>	This product provides 3-way action: it kills existing fungi, forms a protective barrier on the outside of the plant and is absorbed into the plant to keep on protecting regardless of weather conditions.



Directions For Use (continued)	
SPRAYER TYPES	<b>Pump Style Sprayers</b>
	<ol style="list-style-type: none"> <li>1. Add the appropriate amounts of concentrate and water to the sprayer tank.</li> <li>2. Close sprayer, shake well and pressurize.</li> <li>3. Adjust nozzle to a coarse spray pattern and apply.</li> <li>4. Occasionally re-pressurize the sprayer if needed to maintain a good spray pattern.</li> </ol>
	<b>Dial Style Hose-End Sprayers</b>
	<ol style="list-style-type: none"> <li>1. Fill sprayer jar with enough concentrate to cover plants to be treated. Close sprayer and set dial.</li> </ol> <p>TIP: The numbers on Dial-Style Hose-End Sprayers are ounces of concentrate per gallon of spray.</p> <ol style="list-style-type: none"> <li>2. Attach sprayer to hose and apply.</li> </ol>
FOR BEST RESULTS	<b>Concentrate Plus Water Hose-End Sprayer</b>
	<ol style="list-style-type: none"> <li>1. Pour concentrate into sprayer jar to the required fluid ounce level.</li> <li>2. Add the appropriate amount of water to the gallons level.</li> <li>3. Replace sprayer top and shake well.</li> <li>4. Attach sprayer to hose and apply.</li> </ol>
	<ul style="list-style-type: none"> <li>• This product is highly effective when used to prevent disease or when applied at first sign of disease. To prevent damage, start treating when conditions are favorable for disease development in your area, and treat every 30 days.</li> <li>• To control existing disease, reapply every 14 days until lawn shows signs of recovery. Do not apply more than 16 times per year at a rate of 40 fl. oz. per 6,250 sq. ft. or 8 times per year at a rate of 40 fl. oz. per 3,125 sq. ft.</li> <li>• Do not treat lawn during periods of stress from heat or drought.</li> <li>• Do not apply when temperatures are greater than 85°F, as injury to lawn may occur.</li> <li>• Rain or watering after spray has dried will not wash away effectiveness.</li> <li>• For more information on what you can do to control plant diseases, or to find out when disease is common in your area, contact your local County Extension Service (usually found in the White Pages of the phone book under the name of your county.)</li> </ul>

	Do not allow children and pets to enter the treated area until it has dried.
---	--

IMPORTANT: Directions for Storage and Disposal	
Storage Conditions:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.
Disposal:	<p></p> <p><b>If Empty:</b></p> <ul style="list-style-type: none"> <li>• Non-refillable container. Do not refill or reuse empty container.</li> <li>• Place in trash.</li> </ul> <p><b>If Partly Filled:</b></p> <ul style="list-style-type: none"> <li>• If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions.</li> <li>• Never place unused product down any indoor or outdoor drain.</li> </ul>

**PRECAUTIONARY STATEMENTS**  
**CAUTION**

**ENVIRONMENTAL HAZARDS**

- This product is toxic to fish and shrimp.
- Drift or runoff may harm fish or shrimp.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

**NOTICE:** Research and testing have determined that the "Directions For Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

**Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.



A Business Unit of Bayer CropScience LP  
P.O. Box 12014, 2 T.W. Alexander Drive  
Research Triangle Park, North Carolina 27709

BTF Concentrate (MASTER) Approved 08/11/09