



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505P)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:

72155-117

Date of Issuance:

9/1/16

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

TEBUCONAZOLE ROSE AND  
FLOWER GRANULE

Name and Address of Registrant (include ZIP Code):

Norma C. Pangilinan, Ph.D.  
Registration Manager  
P.O. Box 12014  
2TW Alexander Drive Research  
Triangle Park, NC 27709

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Hope Johnson, Product Manager 21  
Fungicide Branch, Registration Division (7505P)

Date:

9/1/16

2. Be aware that proposed data requirements have been identified in a Work Plan. For more information on these proposed data requirements, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:  
<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>
3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
4. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, “EPA Reg. No. 72155-117.”
5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 03/18/2015
- Alternate CSF 1 dated 09/15/2015

If you have any questions, please contact Maryam K. Muhammad by phone at 703-347-0301, or via email at [Muhammad.maryam@epa.gov](mailto:Muhammad.maryam@epa.gov).

Enclosure

[FRONT PANEL]

# Tebuconazole Rose & Flower Granule

(ABN) Bayer Advanced Disease Control Ready-To-Use Granules

---

**ACTIVE INGREDIENT**

Tebuconazole# .....1.06%

**OTHER INGREDIENTS** .....98.94%

**TOTAL** .....100.00%

---

Net Contents: 2.85 lbs (1.3 Kg0), 4 lbs, 5 lbs, 6 lbs


#CAS # 107534-96-3

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back panel booklet for additional precautionary statements

Not for sale, distribution or use in New York State.



## [ + ] FIRST AID

### If in eyes

- Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**NOTE:** When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 1-877-229-3763 for medical emergency information.

**[BACK PANEL]**

This product's exclusive 2-in-1 formula feeds and protects against listed diseases in one easy step. It provides up to 6 weeks protection against the major problems of roses, hibiscus, iris and other listed flowers and shrubs. Easy to use no spraying or mixing. Growing beautiful roses, flowers, and shrubs has never been easier!

No spraying or mixing

Measure (Art)

Sprinkle evenly, work into soil (Art & water in (Art))



**READ THE LABEL FIRST! [ ]**

(Note to PM: Reference Statement for Booklets)

[ADDITIONAL PRECAUTIONARY STATEMENTS and DIRECTIONS FOR USE: See Inside Booklet.]

[Open resealable label for Additional Product Information]

[Peel back for additional Precautionary statements]

[Open Resealable Label for Directions & [and] Precautions].

<b>QUICK FACTS</b>		
<ul style="list-style-type: none"> <li>• [2 Systemic Products in One]                             <ul style="list-style-type: none"> <li>▪ [Fertilizer – Feeds &amp; Strengthens] [Feeds and Protects]</li> <li>▪ [Controls Listed Diseases]</li> </ul> </li> </ul>		<ul style="list-style-type: none"> <li>• [Protects Against Listed Diseases for up to 6 Weeks]</li> <li>• [Easy to use....]</li> <li>• [No Spraying or mixing]</li> </ul>
<b>DISEASES CONTROLLED</b>	<b>Diseases</b>	<b>Plants</b>
	Black Spot Powdery Mildew Rust	Roses
	Powdery Mildew Rust Southern Blight	Flowers
	Black Spot Powdery Mildew Rust Southern Blight	Azaleas Camellias Rhododendrons And Other Landscape [Ornamental] Shrubs
<b>FEEDS</b>	XX-XX-XX fertilizer for [strong][resilient][robust][sturdy] roots, shoots, and blooms.	
<b>WHERE TO USE</b>	Roses, flowers, iris, hibiscus, azaleas, camellias, rhododendrons and other listed plants and shrubs	
<b>WHEN TO USE</b>	Every 6 weeks throughout the growing season (See seasonal limitations in Directions For Use.)	
<b>COVERAGE</b>	Treats up to [32] [X] roses & other shrubs or over [700] [X] square feet of flowerbed ([4] [X] lb. size.)	
	Questions or comments, call toll-free 1-877 BayerAG 1-877-229-3724	

EPA Reg. No. 72155-XXX

EPA Est. No. \_\_\_\_\_

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

- Causes moderate eye irritation.
- Avoid contact with eyes or clothing.
- Wear long-sleeved shirt, long pants, shoes, socks, and gloves made of any waterproof material.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, tobacco, or using the toilet.

## **ENVIRONMENTAL HAZARDS**

- This product is toxic to aquatic invertebrates.
- Drift or runoff may be hazardous to aquatic organisms in water adjacent to treated areas.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

<p><b>BEFORE YOU USE</b></p> <p>Read and follow these directions and restrictions when using.</p>	<ul style="list-style-type: none"> <li>• Do not apply near lakes, streams, rivers, or ponds.</li> <li>• Do not apply to plants grown for food.</li> <li>• Do not treat plants grown in pots, flower boxes, or other containers.</li> <li>• Do not apply to soils which are water logged or frozen.</li> <li>• Do not use measuring utensils such as measuring cups and measuring spoons used for food or drinking water purposes to measure this product.</li> <li>• For outdoor residential use only.</li> </ul>	
<p><b>WHEN TO USE</b></p>	<p>Apply when planting. For established plants, use any time after new growth appears. Apply again every 6 weeks during the growing season.</p>	
<p><b>HOW MUCH TO USE</b></p> <p><b>Large Cap</b></p> <p>Fill measuring cap to top of inner circle (2 oz).                      [Fill measuring cap to top of inner circle (2 oz)][Four rounded tablespoons equals 2 oz.]                      [Fill measuring cap to the FILL LINE indicated on the exterior of the cap]</p>	<p>Azaleas, Camellias, &amp; Rhododendrons:</p> <p>Roses:</p> <p>Shrubs:</p> <p>Flower beds:</p>	<p>½ capful per foot of plant height</p> <p>1 capful per plant</p> <p>½ capful per foot of plant height</p> <p>½ capful per 12 sq ft (3' x4' bed area)</p>
<p><b>Small Cap</b></p> <p>Fill measuring cap to top of inner circle (1oz.).</p>	<p>Azaleas, Camellias, &amp; Rhododendrons:</p> <p>Roses:</p> <p>Shrubs:</p> <p>Flower beds:</p>	<p>1 capful per foot of plant height</p> <p>2 capfuls per plant</p> <p>1 capful per foot of plant height</p> <p>1 capful per 12 sq ft (3' x4' bed area)</p>
<p><b>Measuring Cup</b></p>	<p>Azaleas, Camellias, &amp; Rhododendrons:</p> <p>Roses:</p> <p>Shrubs:</p> <p>Flower beds:</p>	<p>(x cups) 1 oz. per foot of plant height</p> <p>(x cups) 2 oz. per plant</p> <p>(x cups) 1 oz. per foot of plant height</p> <p>(x cups) 1 oz. per 12 sq. ft. (3'x4' bed area)</p>
<p><b>HOW TO APPLY</b></p>	<ol style="list-style-type: none"> <li>1. Apply granules to soil around base of plant, sprinkling evenly in the area under the branches. (ART)</li> <li>2. Work granules into top 1 to 2 inches of soil. (ART)</li> <li>3. Water thoroughly after applying. (ART)</li> </ol> <p>For flower beds, sprinkle granules evenly over the bed, cultivate lightly into the soil, and water in thoroughly.</p> <p>[Fill measuring cap to top of inner circle (2 oz)][Four rounded tablespoons equals 2 oz.]                      [Fill measuring cap to the FILL LINE indicated on the exterior of the cap]</p>	
<p><b>FOR BEST RESULTS</b></p>	<ul style="list-style-type: none"> <li>• Begin using this product in the spring when plants are actively growing.</li> <li>• Reapply every 6 weeks for a total of 3 applications per year. In areas where disease occurs frequently and the soil is sandy, the application interval can be shortened to 4 – 5 weeks for a total of 4 applications per year, except for flower beds, where you are limited to 3 applications.</li> <li>• Ensure the product gets down into the rootzone by,                             <ul style="list-style-type: none"> <li>- Pulling mulch away from plants to be treated.</li> <li>- Building a circular well around individual plants.</li> <li>- Sprinkle granules evenly around the plant, water-in thoroughly and return the mulch.</li> </ul> </li> <li>• Keep rose, flower and shrub beds clean. This minimizes harborage sites for diseases (for additional cultural practices, consult your local County Extension Service).</li> </ul>	
<p><b>HOW IT WORKS</b></p>	<p>Water moves the product down into the root zone where it is taken up &amp; moved into the plant. The entire plant, even new growth, is fed and protected against disease. Rain or watering cannot wash off this long-lasting systemic protection.</p>	

 	<p>Do not allow people or pets to enter the treated area until the product has been watered in and allowed to dry.</p>
--	--

<p style="text-align: center;"><b>STORAGE AND DISPOSAL</b></p>	
<p>Do not contaminate water, food, or feed by storage or disposal.</p>	
<p>Pesticide Storage:</p>	<p>Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.</p>
<p>Container Handling:</p> 	<p><b>If Empty:</b></p> <ul style="list-style-type: none"> <li>• Non-refillable container. Do not refill or reuse this container.</li> <li>• Place empty container in trash or offer for recycling if available.</li> </ul> <p><b>If partly filled:</b></p> <ul style="list-style-type: none"> <li>• Call your local solid waste agency or toll-free 877-229-3724 for disposal instructions.</li> <li>• Never place unused product down any indoor or outdoor drain.</li> </ul>

<p style="text-align: center;"><b>NOTICE</b></p>
<p>Research and testing have determined that the “Directions for Use” are appropriate for the proper use of this product under expected conditions.</p> <p>To the extent permitted by applicable law, the Buyer assumes responsibility for lack of performance or safety if the product is not used according to the directions on this label.</p>

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

**PRODUCED FOR**



**A Business Unit of Bayer CropScience LP**  
**P.O. Box 12014, 2 T.W. Alexander Drive**  
**Research Triangle Park, North Carolina 27709**

Flower, Rose & Shrub Care II (PENDING) 06/05/2015, 06/24/2015, 07/10/2015, 09/23/2015, 09/24/2015, 10/12/2015, 12/10/2015, 12/15/2015, 08/18/2016, 08/24/2016, 09/01/2016

## [Marketing Claims]

### **Fertilizer Claims:**

- Promotes [strong][resilient][robust][sturdy] roots and beautiful blooms
- Fertilizer-feeds and strengthens
- Feeds for up to 6 weeks
- Keeps on feeding for up to 6 weeks
- Continuous feeding for up to 6 weeks
- Feeds and strengthens for up to 6 weeks
- Improves plant growth
- Revitalize [your] roses, flowers and shrubs
- Make [your] roses, flowers & shrubs [more robust][more resilient]
- Stimulates roses, flowers, & shrub recovery
- Supports plant growth
- Increases plant growth
- Promotes stronger roots systems
- Provides slow release feeding (fertilizer)
- Provides fertilizer to enhance plant growth
- Fertilize to promote plant growth
- Deliver fertilizer where[and when] it's needed

### **General & Combination Claims:**

- Feeds and protects (against listed\* diseases) in one (easy) step.
- 100% Satisfaction Guaranteed (or your money back)
- 2 Systemic Products in One (2-way protection) (Double- Action formula) (Dual Action)
- Fertilizer – Feeds & Renews [strengthens]
- Improves [plant growth]
- Listed\* Disease Control
- Easy to use...
- No spraying or mixing
- Protects and feeds entire plant (Rose, flower, shrub)
- Easy to use measuring cap (cup)
- [New] Bonus Size
- [X%] more vs. [X] lb. size
- No messy spraying
- 2 Systemic Products in One
- Fertilizer – [strong][more robust][more resilient] roots and beautiful blooms
- Disease Control - Black spot powdery mildew, rust & southern blight
- [Gripper][Ridged] [Cap][Lid][Top] makes the [product][bottle] easy to open
- EZ Open [Gripper][Ridged] [Cap][Lid][Top]
- [Easy Open [Gripper][Ridged][Cap][Lid][Top]
- [Easy Screw Off [Cap][Lid][Top]
- [EZ [Open] Grip
- [Easy [Open] Grip
- [Cap][Lid][Top] opens easily
- [Cap][Lid][Top] opens with ease
- No more struggling to [remove][open] the [cap][lid][top][with the][new] [easy][EZ][gripper][ridged][cap][lid][top]
- Comfort [Cap][Lid][Top]
- Easy [Open] Cap
- Easy Twist Off [Cap][Lid][Top]
- Remove [cap][lid][top] easily
- Easy twist off design
- Fill line helps you [measure][pour][the] [product][the correct][the right][treatment][amount][dose]
- Fill line helps you see how much to use
- No more guessing how much to use
- Fill measuring cap to the FILL LINE [indicated on the exterior of the cap] [(X oz.)]
- 25% MORE\* vs. 8lb. Size
- XX% MORE\* vs. X lb. Size
- 25% MORE\* vs. 4 lb. Size
- 20% MORE\* vs. 10 lb. Size
- 20% MORE\* vs. 5 lb. Size

- 33% MORE\* vs. 6 lb. Size
- Value Pack
- 2-Pack
- Value 2 Pack

**Pesticidal Claims:**


- Provides up to 6 **weeks** listed\* disease protection
- One application protects for up to 6 weeks.
- Protects Against Diseases for up to 6 Weeks
- Even Protects New Growth
- For Control of Listed\* Diseases on Roses, Flowers, and Shrubs
- Prevents, Stops and Controls Specified Diseases of Roses, Flowers, and Shrubs
- Controls Specified Diseases That Harm Roses, Flowers, and Shrubs
- Controls Listed\* Diseases and Restores Beauty to Roses, Flowers and Shrubs
- A New Way to Feed and Protect Your Roses, Flowers and Shrubs from Listed\* Diseases

**FOR OUTDOOR USE ON:**

- Azaleas, Camellias and Rhododendrons
- Flowering Shrubs, Trees\*
- Flowers, Roses, Shrubs, and bedding plants\*
- Promotes Beautiful Roses, Shrubs and Flowers\*

\*The word "listed" can appear as a footnote with the appropriate phrase, such as "listed diseases."

[Images]



---

**[For placement under Fertilizer Guarantee Section]**

**[Tebuconazole Rose & Flower Granule]**

GUARANTEED ANALYSIS

Total Nitrogen (N).....XXX%  
(Note to PM: nitrogen content maximum 6%)

Soluble Potash (K<sub>2</sub>O).....XXX%

F1559

Derived From: Urea, Polymer Coated Sulfur Coated Urea, & Potassium Sulfate

Information regarding the contents and levels of metals in this product are available on the Internet at  
<http://www.aapfco.org/metals.htm> ]

When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.

Net Weight: 2.85 lbs (1.3 Kg0), 4 lbs, 5 lbs, 6lbs

(Label for outer packaging/box of a multi-pack with full label affixed on container in box)

# Tebuconazole Rose & Flower Granule

(ABN) Bayer Advanced Disease Control Ready-To-Use Granules

---

**ACTIVE INGREDIENT**

Tebuconazole .....1.06%

**OTHER INGREDIENTS**.....98.94%

**TOTAL**.....100.00%

---

Net Contents: 2.85 lbs (1.3 Kg0), 4 lbs, 5 lbs, 6 lbs

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

- Causes moderate eye irritation.
- Avoid contact with eyes or clothing.
- Wear long-sleeved shirt, long pants, shoes, socks, and gloves made of any waterproof material.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, tobacco, or using the toilet.

**Read the label on the container in the box for full directions for use.**

[Marketing claims]

[For promotional use only. Not for resale.]

[Free with purchase of [product name]]

[Free sample]

[Trial size [product name]]

[Not for individual sale]

PRODUCED FOR



[www.bayeradvanced.com](http://www.bayeradvanced.com)

A Business Unit of Bayer CropScience, L.P.

P.O. Box 12014, 2 T.W. Alexander Drive

Research Triangle Park, North Carolina