



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (H7505P)
 1200 Pennsylvania Avenue NW
 Washington, D.C. 20460

EPA Reg.
 Number:

72159-13

Date of Issuance:

Term of Issuance: UnConditional

Name of Pesticide Product:

Agrisel Carbait 5

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Agrisel USA, Inc
 PO Box 3528
 Suwanee, GA 30024

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.
2. Revise the EPA Registration Number to read, EPA Reg. No. "72159-13" before you release the product for shipment.

Signature of Approving Official:

John Hebert
 Insecticide-Rodenticide Branch
 Registration Division (7505P)

Date:

Feb. 17, 2009

EPA Reg. No. 72159-13

3. Within eighteen months of the date of this registration, submit to the Agency the required one year storage stability study (830.6317) for the proposed product under warehouse conditions. The corrosion characteristics study (830.6320) may be carried out concurrently. It is recommended that observations be made at 0, 3, 6, 9, and 12 months.
4. Submit two copies of your final printed label before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitute acceptance of these conditions.

Carbaryl is currently undergoing reregistration, and further label changes may be required in the future.

A stamped copy of the label is enclosed for your records. If you have any questions regarding this notice contact Joanne Edwards at 703 305-6736.

3/7

ACCEPTED
 2/17/09
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 72159-13

Carbait 5 Label
February 17, 2009



CARBAIT 5

**Contains Carbaryl Insecticide
 N-METHYL CARBAMATE**

INSECTICIDAL BAIT FOR THE CONTROL OF INSECT PESTS

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate) 5.0%
OTHER INGREDIENTS: 95.0%
TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals	
CAUTION: Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wear long sleeved shirt, long pants, shoes, socks, and chemical resistant gloves (such as or made out of any waterproof material, selection category A).	
FIRST AID	
Have product container or label with you when calling a poison control center or doctor, or going for treatment.	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
NOTE TO PHYSICIAN: Carbaryl is an N-methyl carbamate insecticide which is a cholinesterase inhibitor. Specific antidote consists of atropine. Narcotics and other sedatives should not be used. Drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.	

For more information regarding this product, call 1-(877) AGRISEL (247-4735)

EMERGENCY TELEPHONE NUMBERS: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact:

- (800) 424-9300 CHEMTREC (transportation and spills)
- (800) 900-4044 Poison Control Center (human health)
- (800) 345-4735 ASPCA (animal health)

EPA Reg. No.: 72159-__

Net Contents: _____

EPA Est. No.: _____

**Agrisel USA, Inc.
 P.O. Box 3528
 Suwanee, GA 30024**

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are butyl rubber, nitrile rubber, and polyethylene. If you want more options, follow the instructions for category A on the EPA chemical-resistance category selection chart.

Loaders, applicators and other handlers must wear:

- Long sleeved shirt and long pants,
- Chemical-resistant gloves, and
- Shoes plus socks.

Aerial application is prohibited.

See engineering controls for additional exceptions.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry

USER SAFETY RECOMMENDATIONS

Users should wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Do not enter or allow worker entry into treated areas during the "Restricted-entry interval (REI). The REI for carbaryl is 12 hours unless otherwise specified in the directions for use associated with each crop.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over short-sleeve shirt and short-pants,
- Chemical-resistant footwear plus socks,
- Chemical-resistant gloves made of any waterproof material, and
- Chemical-resistant headgear if overhead exposure.

When the Restricted-Entry Interval for a crop is 7 days or longer, you must notify workers of the application by warning them orally and by posting warning signs at entrances to treated area.

When the Restricted-Entry Interval for a crop is 7 days or longer, you must notify workers of the application by warning them orally and by posting warning signs at entrances to treated area.

5/7

NON-AGRICULTURAL USE REQUIREMENTS

Do not enter or allow others to enter the treated area until dusts have settled. In addition, if directions for use require watering-in, do not enter or allow others to enter the treated area (except those involved in the watering-in) until the watering-in is completed and the area has dried.

ENGINEERING CONTROLS

When applicators use enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(5), the handler PPE requirements may be reduced or modified as specified in the WPS.

CHEMIGATION PROHIBITION

Do not apply this product through any type of irrigation system

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE STORAGE: Store in original container only. Keep in locked cabinet out of reach of children and animals. Store in a cool, dry place. (In case of spill, remove spillage with an industrial type vacuum cleaner and wash area with household bleach).

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty bag. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration; or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

APPLICATION DIRECTIONS AND RESTRICTIONS

The following application methods are prohibited: aerial, hand, spoon, and belly grinder. Carbait 5 will control Cutworms, Armyworms, Crickets, Darkling Ground Beetles, Grasshoppers, Mole Crickets and Sowbugs. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or tribe, consult the Agency responsible for pesticide regulation.

CROP	MINIMUM TIME FROM APPLICATION TO HARVEST OR FORAGE (PHI)	MAXIMUM RATE PER ACRE PER APPLICATION	MAXIMUM SEASONAL RATE (lbs. ai / acre)*	MAXIMUM NUMBER OF APPLICATIONS TO CROP	RETREATMENT INTERVAL
Asparagus (spears) For preharvest application, apply a maximum rate of 1 pound active ingredient per acre Use prohibited in California	1 day	20 lbs	3	3	3 days
Asparagus (ferns) For postharvest application to the plants remaining in the field (at fern stage), apply a maximum rate of 2 pounds active ingredient per acre Use prohibited in California	N/A	40 lbs	4	2	7 days
Beans, dried (navy & kidney) (Including forage and hay)	3 days (succulent) 21 days (dried, hay) 14 days (forage)	30 lbs	6	4	7 days

6/7

Carbait 5 Label
February 17, 2009

CROP	MINIMUM TIME FROM APPLICATION TO HARVEST OR FORAGE (PHI)	MAXIMUM RATE PER ACRE PER APPLICATION	MAXIMUM SEASONAL RATE (lbs. ai / acre)*	MAXIMUM NUMBER OF APPLICATIONS TO CROP	RETREATMENT INTERVAL
Pea, dried	21 days (dried, hay) 14 days (forage)	30 lbs	6	4	7 days
Broccoli, Brussels sprouts, Cauliflower, Cabbage, Chinese Cabbage, Collards, Kale, Kohirabi Application is permitted only within 30 days from the date of crop emergence or the date of transplanting.	3 days (Bursseel Sprouts, broccoli, cabbage, kohirabi, cauliflower) 14 days (Chinese cabbage, kale, collards)	40 lbs	6	4 (some of which must be lower than maximum rate)	7 days
Garden beet greens, Collards, Kale, Turnips (tops)	15 days	40 lbs	6	5 (some of which must be lower than maximum rate)	7 days
Garden beet roots, Carrots, Horseradish, Parsnips, Radishes, Rutabaga roots, Turnip roots	7 days	40 lbs	6	6 (some of which must be lower than maximum rate)	7 days
Rhubarb, Garden Beets (tops) Turnips (tops)	14 to 15 days	40 lbs	6	5 (some of which must be lower than maximum rate)	7 days
Corn (Sweet, Seed) Restricted-entry interval (REI) = 24 hours. EXCEPTION: the REI is 21 days for workers detassling corn. Hand harvesting is prohibited.	2 days (ears) 14 days (forage) 48 days (forage)	40 lbs	8	4	3 days
Corn (Field, Pop) Restricted-entry interval (REI) = 24 hours. EXCEPTION: the REI is 21 days for workers detassling corn. Hand harvesting is prohibited.	14 days (forage, silage) 48 days (grain, fodder)	40 lbs	8	4	14 days
Cucurbits (Cucumbers, melon, and Squash)	3 days	20 lbs	6	6	7 days
Eggplants, Peppers, Tomatoes	3 days	40 lbs	4	7 (some of which must be lower than maximum rate)	7 days

*Not for use on celery in California

7/7

CROP	MINIMUM TIME FROM APPLICATION TO HARVEST OR FORAGE (PHI)	MAXIMUM RATE PER ACRE PER APPLICATION	MAXIMUM SEASONAL RATE (a)*	MAXIMUM NUMBER OF APPLICATIONS TO CROP	RETREATMENT INTERVAL
Melons (Cantaloupe, Casaba, Crenshaw, Honeydew, Muskmelon, Watermelon)	3 days	20 lbs	6	6	7 days
Mustard Greens	13 to 14 days	40 lbs	4	4 (some of which must be lower than maximum rate)	7 days
Potatoes	7 days	40 lbs	4	6 (some of which must be lower than maximum rate)	7 days
Grain Sorghum	14 days (grazing, forage) 21 days (grain, fodder)	40	6	4	7 days
Strawberries	7 days	40 lbs	10	5	7 days
Sugar Beets	28 days (roots, forage)	30 lbs.	3	2	14 days

Non Agricultural Uses

USE	MINIMUM TIME FROM APPLICATION TO HARVEST OR FORAGE (PHI)	MAXIMUM RATE PER ACRE PER APPLICATION	MAXIMUM SEASONAL RATE (a)*	MAXIMUM NUMBER OF APPLICATIONS TO CROP	RETREATMENT INTERVAL
Lawn and turf For residential lawns, you must water-in immediately after application	-	30 lbs	-	-	Restricted-use entry interval for harvesting is 24 hours.
Pasture (rangeland and wasteland) Forage grasses, Fence row and non-crop areas Not for food or feed use.	-	20-40 lbs	-	-	-
Ornamentals (annual plants, herbaceous plants, shrubs, trees and other woody plants) NOT FOR FOOD OR FEED USE NOT FOR USE IN CALIFORNIA.	-	40-48 lbs	-	-	-

* The maximum pounds of a.i. per acre per application must include all products containing carbaryl applied to the crop.

WARRANTY DISCLAIMER AND NOTICE

THE DIRECTIONS FOR USE OF THIS PRODUCT ARE BELIEVED TO BE ADEQUATE AND SHOULD BE FOLLOWED CAREFULLY. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT DUE TO SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OR ABSENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF AGRISEL USA INC., THE MANUFACTURER OR SELLER. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE PRODUCTS SOLD TO YOU ARE FURNISHED "AS IS" BY AGRISEL USA INC., THE MANUFACTURER OR SELLER, AND ARE SUBJECT ONLY TO THE MANUFACTURER'S WARRANTIES, IF ANY, WHICH APPEAR ON THE LABELS TO THE PRODUCTS SOLD TO YOU. EXCEPT AS EXPRESSLY PROVIDED HEREIN AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, AGRISEL USA INC., THE MANUFACTURER OR SELLER MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD OR USE OF THE PRODUCT, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. EXCEPT AS EXPRESSLY STATED HEREIN, AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW AGRISEL USA INC., THE MANUFACTURER OR SELLER MAKES NO WARRANTY OF RESULTS TO BE OBTAINED BY USE OF THE PRODUCT. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND AGRISEL USA INC.'S, THE MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE LIMITED TO DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. NO AGENT OR EMPLOYEE OF AGRISEL USA INC. OR SELLER IS AUTHORIZED TO AMEND THE TERMS OF THIS WARRANTY DISCLAIMER OR THE PRODUCT'S LABEL OR TO MAKE A REPRESENTATION OR RECOMMENDATION DIFFERENT FROM OR INCONSISTENT WITH THE LABEL OF THIS PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL AGRISEL USA INC., THE MANUFACTURER OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES AND THE BUYER AND USER WAIVE ANY RIGHT THEY MAY HAVE TO SUCH DAMAGES.