



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

72159-17

Date of Issuance:

3/30/17

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Agrisel Gladiator Place Pack Pellets

Name and Address of Registrant (include ZIP Code):

Agrisel USA, Inc.
 c/o Jane Miller
 Biologic, Inc.
 115 Obtuse Hill Road
 Brookfield, CT 06804

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Elyssa Arnold

Elyssa Arnold, Acting, Product Manager 01
 Invertebrate and Vertebrate Branch 3
 Registration Division (7505P)

Date:

3/30/17

2. Be aware that proposed data requirements have been identified in a Work Plan or proposed DCI. For more information on these proposed data requirements, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:
<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>
3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 72159-17.”
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated November 29, 2016

If you have any questions, please contact Melody Banks by phone at (703) 305-5413, or via email at Banks.Melody@epa.gov.

Sincerely,



Elyssa Arnold, Acting Product Manager 01
Invertebrate & Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

Agrisel Gladiator Place Pack Pellets

[Effective Indoor and Outdoor Control of Norway Rats, Roof Rats, Cotton Rats, Polynesian Rats, House Mice, Eastern Harvest Mice, Golden Mice, and Meadow Voles]

[Kills Norway Rats, Roof Rats, Cotton Rats, Polynesian Rats, House Mice, Eastern Harvest Mice, Golden Mice, and Meadow Voles]

[Norway Rats, Roof Rats, and House Mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from time of bait consumption for them to die. Due to Stop Feed Action rats, mice and meadow voles will cease feeding after consuming a toxic dose.]

[This product is effective against anticoagulant-resistant Norway Rats, Roof Rats, and House Mice.]

[This product may only be used inside and within 100 feet of man-made structures or inside of transport vehicles (ships, trains, or aircraft).]

ACTIVE INGREDIENT:

Bromethalin

(CAS No. 63333-35-7).....0.01%

OTHER INGREDIENTS:.....99.99%

TOTAL:100.00%

EPA Reg. No. 72159-XX

EPA Est. No. XXXXX-XX-XXX


KEEP OUT OF REACH OF CHILDREN CAUTION

Net Contents: 128 x 0.50 ounce (21.3 grams) through
1120 x 0.50 ounce (21.3 grams)

Net Weight: 4 pounds (1.81 kilograms) through
35 pounds (15.88 kilograms)

This Product May Not Be Sold in Packaging that Holds Less Than 4 Pounds of Bait.

Manufactured For:
Agrisel USA, Inc.
P.O. Box 3528
Suwanee, GA 30024



FIRST AID	
HAVE LABEL WHEN OBTAINING TREATMENT ADVICE	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center, or doctor, or 1-800-498-5743 immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center, or doctor, or 1-800-498-5743 immediately for treatment advice.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center, or doctor, or 1-800-498-5743 immediately for treatment advice.
Have product container or label with you when calling a poison control center or doctor for treatment advice.	
TREATMENT FOR PET POISONING	
If animal eats bait, call veterinarian or 1-800-498-5743 at once.	
NOTE TO PHYSICIAN OR VETERINARIAN	
Contains the nerve poison Bromethalin. This is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals, and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long-sleeved shirt and barrier laminate gloves. Any person who retrieves carcasses or unused bait following application of this product must wear barrier laminate gloves.

User Safety Requirements

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Remove PPE immediately after handling this product. Wash the outside of barrier laminate gloves before removing them.
- As soon as possible, wash hands thoroughly after applying the bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used wherever children, pets, non-target mammals, or birds may have access to the bait placement location.

USE RESTRICTIONS:

This product may only be used to control the following rodent pests in and around man-made structures: Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), Cotton rat (*Sigmodon hispidus*), Polynesian rat (*Rattus exulans*), House mouse (*Mus musculus*), Eastern harvest mouse (*Reithrodontomys humuli*), Golden mouse (*Ochrotomys nuttalli*), and Meadow vole (*Microtus pennsylvanicus*).

This product must be used in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles, (ships, trains, aircraft), docks and port or terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited.

This product must not be applied directly to food or feed crops.

Do not use this product in sewers.

Do not broadcast bait.

Do not place bait near or inside of ventilation duct openings.

Do not contaminate water, food, feed, food- or feed-handling equipment, milk- or meat-handling equipment, or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations.

Burrow baiting with Agrisel Place Pack Pellets is prohibited.

Do not sell this product in individual containers holding less than four (4) pounds of bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats, mice or meadow voles will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where signs of these rodents have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

The active ingredient in this product is different from anticoagulant rodenticides. Individual rats, mice and meadow voles cease feeding after consuming a toxic dose.

Rats: Apply 2 to 12 place packs at each placement location. Space placements at intervals of 15 to 30 feet in infested areas.

Mice and Meadow Voles: Apply one place pack at each placement location. Space placements at intervals of 8 to 12 feet. Up to four place packs may be used at points of very high mouse or meadow vole activity.

Follow-Up: Adjust the amount of bait applied to the level of feeding expected at each bait placement location. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of rat, mouse or meadow vole activity. Maintain baiting for at least one week or until there no longer are fresh signs of rat, mouse or meadow vole activity or it becomes clear that the remaining rats, mice or meadow voles are not attracted to the bait.

Wearing barrier laminate gloves, collect and properly dispose of all dead rodents and leftover bait. To discourage reinfestation, limit sources of food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish them as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

Pesticide Disposal: Dispose of wastes resulting from the use of this product in trash or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Plastic Containers: Triple rinse (or equivalent) then offer for recycling or reconditioning; or puncture and dispose of container in a sanitary landfill; or by incineration.

Paper Containers: Dispose of empty container by placing in trash, at an approved waste disposal facility, or by incineration.

DISCLAIMER

DISCLAIMER: To the extent permitted by applicable law, seller makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Agrisel USA, Inc. makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent permitted by applicable law, Agrisel USA, Inc. shall not be liable for (1) any consequential, incidental or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law Agrisel USA, Inc. and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Agrisel USA, Inc., and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, AGRISEL USA, INC. AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Agrisel USA, Inc. or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF AGRISEL USA, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE AGRISEL USA, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Agrisel USA, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Agrisel USA, Inc.

For non-emergency (e.g., current product information), Call: *[to be provided at final printing]*

Outer Container Label
Agrisel Gladiator Place Pack Pellets
11/28/2016

Lot Number Placement:

Top of Plastic Pail
Seam of Plastic Pouch

Optional Marketing Statements:

Contains Bromethalin

Stop Feed Action

Helps Stop Damage Caused
by Norway Rats, Roof Rats,
Cotton Rats, Polynesian Rats,
House Mice, Eastern Harvest
Mice, Golden Mice, and
Meadow Voles.

Helps Stop Damage Caused
by Meadow Voles.

Helps Stop Damage Caused
by House Mice

Helps Stop Damage Caused
by Eastern Harvest Mice.

Helps Stop Damage Caused
by Golden Mice

Helps Stop Damage Caused
by Norway Rats.

Helps Stop Damage Caused
by Roof Rats.

Helps Stop Damage Caused
by Cotton Rats.

Helps Stop Damage Caused
by Polynesian Rats.

Agrisel Gladiator Place Pack Pellets

[Effective Indoor and Outdoor Control of Norway Rats, Roof Rats, Cotton Rats, Polynesian Rats, House Mice, Eastern Harvest Mice, Golden Mice, and Meadow Voles]

[Kills Norway Rats, Roof Rats, Cotton Rats, Polynesian Rats, House Mice, Eastern Harvest Mice, Golden Mice, and Meadow Voles]

[Norway Rats, Roof Rats, and House Mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from time of bait consumption for them to die. Due to Stop Feed Action rats, mice and meadow voles will cease feeding after consuming a toxic dose.]

[This product is effective against anticoagulant-resistant Norway Rats, Roof Rats, and House Mice.]

[This product may only be used inside and within 100 feet of man-made structures or inside of transport vehicles (ships, trains, or aircraft).]

ACTIVE INGREDIENT:

Bromethalin

(CAS No. 63333-35-7).....0.01%

OTHER INGREDIENTS:.....99.99%

TOTAL:100.00%

EPA Reg. No. 72159-XX

EPA Est. No. XXXXX-XX XXX

KEEP OUT OF REACH OF CHILDREN

CAUTION

Net Contents: 0.50 ounce (14 grams)

Net Weight: 0.50 ounce (14 grams)

It is Illegal to Sell This Place Pack Individually.

**Manufactured For:
Agrisel USA, Inc.
P.O. Box 3528
Suwanee, GA 30024**

FIRST AID	
HAVE LABEL WHEN OBTAINING TREATMENT ADVICE	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center, or doctor, or 1-800-498-5743 immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center, or doctor, or 1-800-498-5743 immediately for treatment advice.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center, or doctor, or 1-800-498-5743 immediately for treatment advice.
Have product container or label with you when calling a poison control center or doctor for treatment advice.	
TREATMENT FOR PET POISONING	
If animal eats bait, call veterinarian or 1-800-498-5743 at once.	
NOTE TO PHYSICIAN OR VETERINARIAN	
Contains the nerve poison Bromethalin. This is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals, and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long-sleeved shirt and barrier laminate gloves. Any person who retrieves carcasses or unused bait following application of this product must wear barrier laminate gloves.

User Safety Requirements

- Follow manufacturer’s instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Remove PPE immediately after handling this product. Wash the outside of barrier laminate gloves before removing them.
- As soon as possible, wash hands thoroughly after applying the bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

Stop!

Read Entire Label on the Outer Package Including Precautions, Use Directions, and Storage and Disposal Text prior to Using This Product.

DISCLAIMER

DISCLAIMER: To the extent permitted by applicable law, seller makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Agrisel USA, Inc. makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent permitted by applicable law, Agrisel USA, Inc. shall not be liable for (1) any consequential, incidental or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

For non-emergency (e.g., current product information), Call: *[to be provided at final printing]*

Optional Marketing Statements:

Contains Bromethalin

Stop Feed Action

Helps Stop Damage Caused
by Norway Rats, Roof Rats,
Cotton Rats, Polynesian Rats,
House Mice, Eastern Harvest
Mice, Golden Mice, and
Meadow Voles.

Helps Stop Damage Caused
by Meadow Voles.

Helps Stop Damage Caused
by House Mice

Helps Stop Damage Caused
by Eastern Harvest Mice.

Helps Stop Damage Caused
by Golden Mice

Helps Stop Damage Caused
by Norway Rats.

Helps Stop Damage Caused
by Roof Rats.

Helps Stop Damage Caused
by Cotton Rats.

Helps Stop Damage Caused
by Polynesian Rats.