| Please read instructions | | oleting form. | 06/21/2004 Form | Approved. O | MB No. 2070 | / I D-0060, Approval expires 2-28 | |
|--|---|---|---|--|--|---|--|
| \$epa | | United States Environmental Protection Agency Washington, DC 20460 | | | egistratio mendmei ther | 1 | |
| | | Applicatio | n for Pesticide - Se | ction I | | | |
| 1. Company/Product Number 72444-1 | | | 2. EPA Product Manager Dennis Szuhay | | | 3. Proposed Classification | |
| 4. Company/Product (Name) Contans WG | | | PM# Microbial Pest | | | | |
| 5. Name and Address o | f Applicant <i>(Include ZIP</i> | Codej | - | | | with FIFRA Section 3(c)(3) | |
| Prophyta Biologis Inselstrasse 12 D-23999 Malchow | cher Pflanzenschu //Poel, Germany | tz GmbH | (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No | | | | |
| Check h | this is a new address | | Product Name | | | | |
| | | | Section - II | | | | |
| Notification - Exp Explanation: Use add Notification to add altern This notification is consist labeling or the confidenti to EPA. I further unders | litional page(s) if necess ate text. Refer to the atta stent with the provisions o ial statement of formula fo tand that if this notification | ary. (For section ched cover letter d f PR Notice 98-10 or this product. I ur h is not consistent t | Me Too Me Too Other - E I and Section II.) ated April 2, 2004 for details. and EPA regulations at 40 CF iderstand that it is a violation of with the terms of PR Notice 98 | R 152.46, an of 18 U.S.C. S -10 and 40 C | d no other cha | | |
| | · | and penalties und | ler sections 12 and 14 of FIFF Section - III | łA. | | | |
| Material This Product Will Be Packaged In: nild-Resistant Packaging Unit Packaging | | | Water Soluble Packaging 2. Type of | | Type of Cont | ainer | |
| Yes No | Yes | | Yes No | | Metal Plastic Glass | | |
| ertification must If "Yes" No. per Unit Packaging wgt. container | | | | | | | |
| Location of Net Contents Information 4. Size(s) Re | | 4. Size(s) Rota | іг п | | tion of Label Directions on container label | | |
| Manner in Which Lab | al is Affixed to Product | Lithogra Paper g Stencile | iph Oti lued id | ner | | | |
| | | | Section - IV | | | | |
| Contact Point (Comp | lete items directly below | for identification | of individual to be contacted | d, if necessa | ry, to process | s this application.) | |
| ame Amy Plato Roberts | | | Title Regulatory Consultant | | | Telephone No. (Include Area Code) (202) 828-8964 | |
| | t any knowlinglly false o | | ion Il attachments thereto are tr ement may be punishable by | | | 6. Date Application Received | |
| Signature | | | 3. Title Regulatory Consultant | | | · · · · · · · · · · · · · · · · · · · | |
| UVV | <u> </u> | | | | | v | |

Recu'd 6-22-001



WASHINGTON

1101 17th Street, N.W. Suite 500 Washington, D.C. 20036 Telephone 202 223-4392

Fax 202 872-0745

Dennis Szuhay Acting Chief, Microbial Pesticides Branch Biopesticides and Pollution Prevention Division (7511C) Office of Pesticide Programs, EPA 1921 Jefferson Davis Highway Arlington, VA 22202

April 2, 2004

Corrected Cover letter

RE: CONTANS® WG EPA Registration No. 72444-1

NOTIFICATION to add alternate text

SAN FRANCISCO

Spear Tower, Suite 3622

One Market

San Francisco, CA 94105

Telephone 415 293-8061

Fax 415 293-8001

Dear Mr. Szuhay:

- 1) Notification form;
- 2) One copy of the label with all changes highlighted in shading.

This label notification is to add the following alternate text:

- (Page 1 of 4) New name and address of US marketer.
- (Page 4 of 4) "OMRI™ Listed" logo.
- (Page 4 of 4) Statement "Contans is a registered trademark of Prophyta Biologischer Pflanzenschutz GmbH in the United States and elsewhere."

The above listed additions are consistent with 40 CFR 156 and PR Notice 98-10. If you have any questions or comments, please do not hesitate to let me know.

Suite A

Davis, CA 95616

SACRAMENTO

712 Fifth Street

lelephone 530 757-1298

Fax 530 757-1299

Sincerely,

Amy Plato Roberts Regulatory Consultant for Prophyta Biologischer Pflanzenschutz GmbH Direct dial (202) 828-8964; email <u>aroberts@tsgusa.com</u>

{

(Front Panel)

CONTANS®WG

(Alternate Brand Name: Intercept® WG)

For agricultural and greenhouse use to reduce/control Sclerotinia sclerotiorum and Sclerotinia minor in the soil

ACTIVE INGREDIENTS: Coniothyrium minitans strain CON/M/91-08 5.30% NOTIFICATION **OTHER INGREDIENTS:** Date Reviewed: 6-3 KEEP OUT OF REACH OF CHILDREN CAUTION Reviewed By: 6 TOTAL

Contains a minimum of 1 X 10⁹ cfu/gram

| | FIRST AID |
|---------------------------|--|
| If swallowed | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| lf on skin or clothing | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice. |
| lf inhaled | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. |

See back panel for additional precautionary statements.

EPA Reg. No.: 72444-1 EPA Establishment No.: 72444-DEU-001

Manufactured by:

Prophyta Biologischer Pflanzenschutz GmbH Inselstrabe 12 D-23999 Malchow/Poel, Germany

Marketed and Distributed by:

Sylvan Bioproducts, Inc. 222 Main Street, PO Box 249 Saxonburg, PA 16056 C Casadriant 14.0 For more information call: (866) 352-7520 or visit: www.contanswg.com



(Back Panel)

ţ

(

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION. Harmful if swallowed, if absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Applicators and other handlers must wear long-sleeved shirt and long pants, waterproof gloves and shoes plus socks. All mixer/loaders and applicators must wear a dust/mist-filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any N, P, R, or HE filter. Follow manufacturer's instructions for cleaning / maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean highwater mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or thorough drift. Only protected handlers may be in the area during application.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is coveralls, waterproof gloves and shoes plus socks.

General Information: CONTANS®WG is applied directly on the soil surface and incorporated into the upper soil layer. It is intended for use on agricultural and greenhouse soils used for the production of plants that are susceptible to infection by *Sclerotinia sclerotiorum* and *Sclerotinia minor*. Plants susceptible to *Sclerotinia sclerotiorum* and *Sclerotinia minor* are leafy vegetables, brassica vegetables, fruiting vegetables, bulb vegetables, cereal grains, legume vegetables, oil seeds, herbs and spices and ornamental plants. CONTANS®WG may be applied directly to the soil prior to planting, at planting or during transplanting.

CONTANS®WG is a water dispersible granule for the reduction/control of *Sclerotinia sclerotiorum* and *Sclerotinia minor* in agricultural soils. CONTANS®WG is intended for use as part of an Integrated Pest Management (IPM) system. When used in conjunction with good cultural management practices and as part of a complete disease control program, CONTANS®WG reduces/controls soil infestations of *Sclerotinia sclerotiorum* and *Sclerotinia minor*.

See your CONTANS®WG distributor for tank mix compatibility.

Mixing Directions: Determine the volume of water needed to provide thorough coverage of the soil in the treatment area. The amount of water needed will depend on weather, spray equipment and local experience. Partially fill the spray tank with clean water and begin agitation. Add the specified amount of CONTANS®WG to the tank (consult application directions below). Finish filling the tank to the desired volume that provides maximum coverage. Maintain agitation. Do not allow spray mixture to stand overnight or for prolonged periods.

Application Directions: CONTANS®WG is applied directly to the soil surface, using conventional spray equipment. Thorough spray coverage is needed to provide a uniform deposit of CONTANS®WG on the soil. The treated soil surface must be incorporated into the upper soil layer (top one to two inches) by means of water or by disc, cultivator or other similar equipment. Maintain agitation continuously while spraying. For tractor-mounted sprayers, use of a spray boom equipped with fan nozzles provides enhanced coverage.

CONTANS®WG is less effective in soils with temperatures over 85°F and under 35°F.

The active ingredient of CONTANS®WG is exempt from the requirement of a tolerance for residues in and on all food commodities, and can be used in any agricultural soil without rotational crop restrictions.

Application Rates:

L.

ł.

For general agricultural use - Apply CONTANS®WG at a rate of 1 to 4 lbs per acre to the soil prior to or at planting or at time of transplant. CONTANS®WG may also be applied to plant debris that remains in the field after harvest, prior to replant of a susceptible crop. If incorporation will displace the soil greater than two inches, increase the application rate to 3 to 6 lbs per acre.

For use on soils where sunflower, canola, safflower, root vegetables, dry beans or soybeans will be planted - Apply CONTANS®WG to the soil at a rate of 1 to 2 lbs per acre at or prior to planting sunflower, canola, safflower, root vegetables, dry beans or soybeans. When applied correctly, CONTANS®WG will reduce inoculum loads of sclerotia in the soil. CONTANS®WG may also be applied in the fall to treat the soil prior to spring planting of a susceptible crop. Treated soils should not be disturbed to avoid bringing untreated sclerotia from lower soil layers to the top soil layer. If the equipment used will incorporate CONTANS®WG to a depth greater than two inches, the application rate should be

increased to 2-6 lbs per acre.

6/6

For greenhouse use - Apply CONTANS®WG at a rate of 0.75 – 1.5 oz per 1000 ft².

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry, cool place out of direct sunlight and away from heat sources at approximately 4°C. Keep from overheating.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty package into application equipment. Then dispose of empty package in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY - Prophyta Biologischer Pflanzenschutz GmbH warrants that the product conforms to the description on the label and is reasonably fit for the purposes set forth on the label, when used according to directions under normal use conditions. Neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to the label instructions; the buyer assumes the risk of any such uses.

(Batch No.: XXX) . (Expiration: XXX)

OMRI™ Listed

é

Contans is a registered trademark of Prophyta Biologischer Pflanzenschutz GmbH in the United States and elsewhere.