
DRAFT LABEL



MSTRS® ECB -2

A PHEROMONE PRODUCT FOR CONTROL OF THE EUROPEAN CORN BORER,

Ostrinia nubilalis BY DISRUPTION OF MATING COMMUNICATION

ACTIVE INGREDIENT		
Z-11-Tetradecen-1-yl acetate	***************************************	96.00%
OTHER INGREDIENTS	***************************************	4.00%
	TOTAL	100.00%

Each dispenser ccontains 800 milligrams of pheromone

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR FIRST AID STATEMENTS

READ ALL DIRECTIONS BEFORE USING THIS PRODUCT

MSTRS® Technologies, Inc. 2501 North Loop Drive Ames IA 50010-8277

EPA Registration No. 72451-3

EPA Establishment No. 72451-IA-1

NET WEIGHT: 0.70 oz/ 20.0 g

25 disruption dispensers containing 800 mg of pheromone per polymeric releaser

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin inhaled or swallowed. Remove contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing
- ➤ Rinse skin immediately with plenty of water for 15 20 minutes
- Call poison control center or doctor for treatment advice

IF INHALED:

- > Move person to fresh air
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.
- Call poison control center or doctor for treatment advice

IF IN EYES:

- ➤ Hold eye open and rinse slowly and gently with water for 15 20 minutes. Hemove contact lenses, if present, after 5 minutes, then continue rinsing eye.
- > Call paison control center or doctor for treatment advice

Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1 515-296-6332.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

STORAGE AND DISPOSAL STATEMENTS

Do not contaminate water, food or feed by storage or disposal

PESTICIDE STORAGE: Store in original container, in a cool, dry area

PESTICIDE DISPOSAL: Westes resulting from the use of this product may

be disposed of an site or at an approved waste

disposal facility.

CONTAINER DISPOSAL: The name (or equivalent). Then, puncture and

dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning if

burned, stay out of the smoke

DRAFT LABEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. CROP:

corn

2. PEST:

European com borer [Ostrinia nubilalis]

3. APPLICATION:

European corn borer adults mate in grassy areas near streams within the cornfield and in the surrounding borders. These grassy

regions are the target areas for deploying MSTRS®ECB-2.

The MSTRS®ECB-2 dispensers must be attached to stakes at a height of 5 - 6.5 feet above the ground, at a density of 7 -14 dispensers per acre of grass [this approximates to 0.7 - 1.4 dispensers per acre of corn, or approximately 1 dispenser per 0.7 - 1.5 acres of corn]. This is achieved in grassy borders by spacing the dispensers at 25 yard intervals. In interior grassy areas and along waterways and terraced areas more than 20 yards wide, a 25 yard spacing around such areas must also be used. If the area is less than 20 yards in width then the dispensers must be staggered at 25 yard intervals from one side of the area to the other.

As promulgated at 40 CFR 180.1153 DO NOT EXCEED the rate of

150 grams per scre per year.

4. TIMING:

Deploy MSTRS®ECB-2 immediately prior to the first emergence of European corn borer moths in early summer. The dispensers will emit

effective amounts of pheromone for 60 days.

5. NOTE:

MSTRS®ECB-2 impedes the meting of European corn borer moths in grassy areas in and around cornfields. Because of the local movement of adult females, mated females from untreated areas can invade treated areas, therefore it is advantageous to treat as large an

acreage of corn as possible.

WARRANTY

MSTRS® Technologies Inc., warrants that this product conforms to the chemical description on the label. MSTRS® Technologies Inc., neither makes nor authorizes any agent or representative to make, any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material. MSTRS® Technologies Inc.'s maximum liability for breach of this warranty shall not exceed the purchase price of this product. Buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material.