



U.S. ENVIRONMENTAL PROTECTION AGENCY  
 Office of Pesticide Programs  
 Registration Division (H7505C)  
 1200 Pennsylvania Avenue NW  
 Washington, D.C. 20460

NOTICE OF PESTICIDE:  
 Registration  
 Reregistration

(Under FIFRA, as amended)

EPA Registration  
 Number:  
 72468-3

Date of Issuance:  
 March 6, 2006

The term of Issuance:  
**Conditional**

Name of Pesticide Product:  
**MoldWash™ Wood  
 Preservative/Mold Control**

Name and Address of Registrant (include ZIP Code):

Mold Free, Inc.  
 9601 Wilshire Blvd., Suite 620  
 Beverly Hills, CA 902210

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Revise the "EPA Registration Number to read, "EPA Reg No. 72468-3"
  - b. Delete all claims for "Black Mold [Stachybotrys]" from the label. Black mold is considered a public health organism. Efficacy data must be submitted to support the claim.

Signature of Approving Official:

Adam Heyward  
 Product Manager 34  
 Regulatory Management Branch II  
 Antimicrobials Division (7510C)

Date:

March 6, 2006

- c. The EPA Establishment Number must be listed on the label.
  - d. Add the word "**Caution**" at the end of the precautionary statement heading.
3. Submit three (3) copies of the final printed label prior to releasing this product for Sale.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Adam Heyward  
Product Manager 34  
Regulatory Branch II  
Antimicrobials Division (7510C)

Enclosure: [stamped labeling]

MoldWash™  
Wood Preservative/Mold Control

3/4

For the preservation, protection and preventative treatment of wood against decay fungi, mold and wood-destroying insects and for remedial control of such pests in infested wood.

Active Ingredient:  
Disodium Octaborate Tetrahydrate 10% (12% BAE)\*  
(Na<sub>2</sub>B<sub>8</sub>O<sub>13</sub>·4H<sub>2</sub>O)  
Inert ingredients 90%

\* 10% Disodium Octaborate Tetrahydrate active ingredient is equivalent to 12% Boric acid, Acid Equivalents-BAE

Keep out of reach of children

## CAUTION

### FIRST AID

#### IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

#### IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

#### IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

#### IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison center or doctor, or going for treatment.

#### Precautionary statements:

#### Hazards to humans and domestic animals

Harmful if swallowed. Avoid contact with eyes. Wash thoroughly after handling. Avoid contamination of food and feed. Do not leave container where children or animals may gain access.

**PERSONAL PROTECTIVE EQUIPMENT:** Applicators and other handlers must wear a long-sleeved shirt and long pants which cover the entire arm and leg skin surface, socks, water-resistant boots, chemical resistant gloves and chemical resistant protective eyewear - splash goggles are recommended. When applying this product in confined spaces such as crawl spaces and attics, a ventilation exhaust system is recommended. If this is impractical, the use of a NIOSH approved respirator designed for dusts/mists is recommended. Clean spills and over-spray with a clean damp cloth or use an absorbent. Dispose of spill as required by state guidelines and laws.

EPA Reg. No. 72468X  
EPA Est.

Net contents \_\_\_\_\_ Gallons

Manufactured by: Mold Free, Inc.  
9601 Wilshire Boulevard, Suite 620  
Beverly Hills, CA 90210

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a dry place. Do not store where children or animals may gain access.

**Pesticide disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### Environmental hazards

*MoldWash™* solutions carelessly spilled or applied to cropland or growing plants, including trees and shrubs, may kill or seriously retard plant growth. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### Target organisms

*MoldWash™* is an effective treatment for wood against decay, fungi, common black molds including brown (i.e. *Poria*), white, and wet rots.

#### Preparation of treatment solution

*MoldWash™* is a ready-to-use solution that can be applied without any preparation of the solution.

**If using as a foam:** Simply add a surfactant/foaming agent to the solution. Typically 1-2 ounces of foaming agent added to the aqueous solution will produce foam with the desired expansion ratios of approximately 20 to 1 (approx. 20 gallons of foam per 1 gallon of *MoldWash™* aqueous solution). *MoldWash™* foam should be of a consistency that adheres to wood surfaces, so that run-off is minimized. Since each foam machine can produce different foams, refer to the manufacturer manuals and the surfactant's label for specific instructions.

ACCEPTED  
with COMMENTS  
EPA Letter Dated:

MAR - 6 2006

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No.,

72468-3

#### Directions for use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### General information

*MoldWash*<sup>™</sup> is a ready-to-use solution with fungicidal/fungistatic properties. This product cannot be tank mixed with other products. This product will protect only treated wood and gypsum facing.

This product can be used in coatings to treat all interior and exterior wood structural components which when utilized will be protected from rain and not in direct contact with the ground. The treatment of lumber is permanent even after cutting and finishing providing the wood is not exposed to water for a prolonged period of time or in contact with the ground.

This product can be used for preventative treatment of wood in existing structures (before signs of infestation), for pre-treatment of wood during construction and for remedial treatment of wood infested with mold and fungus, as listed below.

*MoldWash*<sup>™</sup> is recommended for wood and cellulose materials, in accordance with the specific treatment methods described herein. This product should be applied only to treat bare wood, plywood and particle board where an intact water repellent barrier such as paint, stain or a sealer is not present. Do not apply to foam-board.

*MoldWash*<sup>™</sup> is effective for all interior and exterior wood that will be protected from excessive rain and not in direct contact with soil. Types of wood include, but are not limited to, all types of lumber, logs and plywood. **Use of this product does not substitute for mechanical alteration, soil treatment or foundation treatment, but is merely a supplement.**

This product is toxic to wood-destroying molds and fungi, but surface etching of treated wood by target organisms may occur. Application of *MoldWash*<sup>™</sup> to control wood-destroying organisms must be part of an Integrated Pest Management (IPM) strategy. Current Mold Free, Inc. specifications and technical bulletins must be followed for all treatment methods.

Do not use to treat lumber that will contact soil or be exposed to leaching by weather.

#### Application

*MoldWash*<sup>™</sup> may be used as a solution or foam. For remedial control of mold, fungi and common black molds attacking wood, or for protection of wood against future infestations, 2 applications of the *MoldWash*<sup>™</sup> aqueous solution are normally required.

#### Solutions

Apply solutions by brush or spray until the wood surface is thoroughly wet, at a rate of approximately 1 gallon per 200 square feet of wood surface area. Spray evenly using a medium or coarse spray at low pressure (20-30 psi). Best results and penetration will be obtained when ambient temperatures are above 55°F. Do not spray frozen wood, painted or waterproofed surfaces.

#### Foam

Apply foam so that all accessible wood surfaces are covered with foam at a rate of approximately 1 gallon per 200 square feet of wood surface area. Spray evenly using a medium or coarse spray at low pressure (20-30 psi). Where possible, place foam between wood joints or abutting wood surfaces. In wall voids, inject enough foam to contact drywall and wood surfaces of studs in the wall or the target area desired. Best results and penetration will be obtained when ambient temperatures are above 55°F. Do not foam frozen wood, painted or waterproofed surfaces.

#### Pressure processes

Pressure treatment procedures must rigidly adhere to the standards of Mold Free, Inc. and/or those of the American Wood Preservers' Association. If several species are being treated at once, choose the treating schedule for the most difficult to treat species.

#### Preventative treatment

Application of *MoldWash*<sup>™</sup> solution and foam will prevent infestation of mold and fungus.

#### Directions for use continued

#### Drilling and injecting

Application may also be by drilling and then injecting the solution or foam under pressure into sound wood or until runoff is observed from entry/exit holes of infested wood. Injection holes (approximately 1/8 inch diameter) should be drilled in the area of suspected infestation, preferably in a diamond pattern with the long axis (12-16 inches) along the grain and the short axis (4-6 inches) across. Drill holes approximately 3/4 of the thickness of the beam. The solution is injected under pressure (65-70 psi) for 15-60 seconds in each hole. Please refer to Mold Free, Inc. technical bulletin for further details.

#### Remedial treatment

*MoldWash*<sup>™</sup> solution and foam will penetrate dry wood down to 1/2 inch below treated surfaces.

#### Attics, crawlspaces and basements

Spray *MoldWash*<sup>™</sup> to all accessible wood: rafters, trusses, top-plates, ceiling joists, plywood, particleboard, flooring, sub-floor etc. This application will control an infestation even when certain parts of the gallery are not directly sprayed. This has been a very effective technique in spot treating for control of mold and fungus.

#### Pre-treatment to wood - new construction

Spray or foam applications of *MoldWash*<sup>™</sup> may also be made to wood during construction. Apply solution to all accessible surfaces of bare wood at a rate of approximately 1 gallon per 200 square feet of wood surface area. Application should be performed after framing and roofing are in place and before drywall and insulation are installed. Avoid spraying electrical components. Protect wood from excessive rain.

#### Exterior wood

*MoldWash*<sup>™</sup> can be applied to bare siding, trim or logs. Applications can be made by spray or pressure injection techniques. Painted or sealed wood can be treated by pressure injection or the sealing coat can be removed prior to application. Following treatment, exterior wood surfaces should be sealed. Wood should be completely dry before a sealing coat (paint, varnish or waterproofing seal) can be applied.

#### Decks

*MoldWash*<sup>™</sup> can be used to treat wood decks. Prepare the deck by removing any dirt, debris or sealants that will interfere with the application and absorption of *MoldWash*<sup>™</sup>. After the deck has dried (dry to the touch) two applications of *MoldWash*<sup>™</sup> can then be applied to the wood. Protect any surrounding plants, ornaments from accidental contact with the solution. Following treatment the deck should be allowed to dry before a sealing coat is applied.

*MoldWash*<sup>™</sup> is **FOR NON-FOOD USE ONLY.**

This product cannot be tank mixed with other products. In the home, remove or cover exposed food, food handling surfaces, and cooking utensils. Wash thoroughly after treatment and before reuse.

Do not use in any type of food processing plant (meat, poultry, shell egg, etc.) or food handling area. **DO NOT APPLY TO FOOD.** Do not use in cafeterias, kitchens, bakeries, meat packing plants, food processing plants, or any type of food handling establishment.

Do not apply in classrooms when in use. Do not use in aircraft cabins. Do not apply to patient rooms in hospitals and nursing homes while occupied.

Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement.

When spraying overhead interior areas of homes, apartment buildings and all other dwellings, cover or protect surfaces below the area being treated with plastic sheeting or other material which can be disposed of if contamination from dripping or splashing occurs.

Current Mold Free, Inc. specifications/technical bulletins should be followed for all treatment methods to ensure adequate chemical loadings in wood.

**Notice** Because of many varying conditions affecting use and application, manufacturer warns buyer that these may impair or vary the results or effects of the use of this product. In any event, complete prevention of decay by fungi or other organisms is not guaranteed. Neither manufacturer nor seller shall be liable in respect to any injury or damages suffered by reason of the use of this product for a purpose not indicated by the label, or when used contrary to the directions or instructions hereon, nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. There are no express warranties on *Mold Free, Inc.* or implied warranties of merchantability or fitness for any particular purpose, except as specifically stated herein. Manufacturer shall not be liable for any consequential damages based on the use of this product.