

72499-1

09/16/2002

1/3



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511C)
1200 Pennsylvania Avenue NW
Washington, DC 20460

EPA Reg. Number:

72499-1

Date of Issuance:

9/16/02

Term of Issuance:

Unconditional

Name of Pesticide Product:

LEXX-A-PHOS®
FUNGICIDE

NOTICE OF PESTICIDE:

Registration

Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Foliar Nutrients, Inc.
320 First Avenue, N.W.
Cairo, GA 31728

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5) subject to the comments listed below:

1. Make the following label changes:
 - a. Add the phrase, "EPA Registration No. 72499-1" to your label before you release the product for shipment
 - b. Add the appropriate Establishment Number to your label before you release the product for shipment
2. Submit five copies of the final printed labeling before you release this product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec.6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Unconditional registration does not eliminate the need for continual reassessment of a pesticide. If EPA determines, at any time, that additional data are required to maintain in effect, an existing registration, the Agency will require submission of such data under Section 3(c)(2)(B) of FIFRA.

Signature of the Approving Official

9/16/02

LEXX-A-PHOS® FUNGICIDE

FOR CONTROL OF CERTAIN DISEASES IN WOODY ORNAMENTALS, TURF GRASSES AND NON-BEARING FRUIT AND TREE NUT CROPS

ACTIVE INGREDIENTS*:

Dipotassium phosphonate.....20.40%
 Dipotassium phosphate.....22.67%
OTHER INGREDIENTS56.93%
TOTAL100.00%

*Contains 2.24 lb/gallon Dipotassium phosphonate. Equivalent to 1.1613 lbs/gallon (10.576% by weight) phosphorous acid.

*Contains 2.48 lb/gallon Dipotassium phosphate. Equivalent to 1.3954 lbs/gallon (12.756% by weight) phosphoric acid.

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

FIRST AID

If in eyes:	- Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for treatment advice.
If on skin or clothing:	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15 – 20 minutes. - Call a poison control center or doctor for treatment advice
If inhaled	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. - Call poison control center or doctor for treatment advice.

HOT LINE NUMBER – CHEMTREC (800) 424-9300 – 24 hours


Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

EPA Reg. No. (pending as File Symbol 72499-R)

EPA Est. No. XXXXX-XX-XX

Net Contents : XX

Manufactured by: Foliar Nutrients, Inc.
 320 1st Avenue, N.W.
 Cairo, BA 31728



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear long-sleeved shirt, long pants, waterproof gloves and shoes plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, fish, aquatic invertebrates and honey bees. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean highwater mark. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from treated areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow entry into treated areas during the restricted-entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, wear: coveralls, shoes plus socks, and waterproof gloves.

2/3

FAILURE TO FOLLOW DIRECTIONS AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR DISEASE CONTROL OR ILLEGAL RESIDUES.

RECOMMENDATIONS

WOODY ORNAMENTALS: LEXX-A-PHOS® has been found to be safe for the plant species listed on this label. The professional user should determine whether LEXX-A-PHOS® can be safely used on other species not listed on the label by testing the recommended rates in a small area. LEXX-A-PHOS® may be applied as a foliar spray (1% v/v) or as a soil drench (1% v/v) in sufficient water to wet the root zone, and as a foliar spray to run-off. A 1% dilution is achieved by mixing 1 gallon of LEXX-A-PHOS® with 99 gallons of water. Repeat applications should be made every two to three weeks. Do not mix LEXX-A-PHOS® with other fertilizers or pesticides. The following plants have been tested with good tolerance and safety to LEXX-A-PHOS®:

Azalea	Rhododendron	Viburnum
Ligustrum	Dogwood	Junipers
Photinia	Cleyera	Common cypress
Boxwood	Leyland cypress	Pines
Cypress species	Oaks	Plums
Crape Myrtle	Peaches	
Persimmons	Mimosa	

LEXX-A-PHOS® has been proven effective against a wide spectrum of pathogens such as powdery mildews (*Oidium* spp., *Phyllactinia* spp., *Erysiphe* spp. and *Sphaerotheca* spp.), leaf spots such as *Entomosporium* spp., *Elsinoe* spp., and *Taphrina* spp., as well as root rots caused by *Pythium* spp. and *Phytophthora* spp., and downy mildews caused by *Plasmopara viticola*.

NON-BEARING CITRUS AND NURSERIES:

For control of citrus *Alternaria* leaf spot, make foliar applications at 1% v/v as new flush first appears and continue at 2-3 week intervals until the new foliage is mature. Repeat the sequence with each additional growth flush. For *Phytophthora* root rot, make soil or foliar applications at 1-2% v/v or in sufficient water to wet the root zone or to run-off the foliage.

NON-BEARING PEACHES:

For control of peach gummosis (*Botryosphaeria dothidea*), make applications of 1-2% v/v to the tree as the new flush first appears in early spring in sufficient water to affect a run-off and wet the branches and trunk. Repeat applications at a monthly interval during the growing season.

NON-BEARING PECANS:

For control of foliar pecan scab (*Cladosporium caryigenum*). Infections of foliate occur early as new foliage first emerges. First application of 1 - 2% v/v should be made at that time and repeated at 3-4 week intervals until leaves have matured.

NON-BEARING BLUEBERRIES (HIGHBRUSH AND RABBITEYE):

For control of rust (*Pucciniastrum myrtilli*) and *Septoria ablobunctatum*, apply foliar applications of 1 - 2% v/v in early Spring when new foliage emerges and continue on a 3-4 week interval for the remainder of the growing season. For *Phytophthora* root rot control, apply 1 - 2% v/v as a soil application to the bed as a surface spray in early spring and in later summer.

NON-BEARING GRAPES:

For control of downy mildew (*Plasmopara viticola*) and powdery mildew (*Oidium* spp.), apply foliar applications of 1 - 2% v/v on a 3-4 week interval during the growing season.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store unused product in original container only in a cool, dry area out of reach of children and animals.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container Disposal: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bag in a sanitary landfill or by incineration if allowed by state and local authorities.

WARRANTY STATEMENT

FOLIAR NUTRIENTS, INC. warrants that this product in its unopened package conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions on the crops specified. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of the Seller. All such risks shall be assumed by the Buyer. There are no other warranties, expressed or implied, concerning the use of this product other than indicated on the label. This warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or conditions not reasonably foreseeable to the Seller and the Buyer assumes all risk of any such use.

Last label version (2) dated September 16, 2002 - apr