

72500-2

9/12/2001

1/4



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505D)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

72500-2

Date of Issuance:

September 12, 2001

Term of Issuance:

Name of Pesticide Product:

Mole Gel Bait

NOTICE OF PESTICIDE:

- Registration
- Reregistration

Under FIFRA, as amended.

Name and Address of Registrant (include ZIP Code):

Scimetrics Ltd.
P. O. Box 100
Nunn, CO 80648
Attn: Linda Poche'

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5) provided that you:

1. Make the following label change(s) before you release the product for shipment:
 - A. Add the following registration number: EPA Reg. No. 72500-2, to your label.
2. Submit one (1) copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A copy of the label stamped "Accepted" is enclosed for your records.

Signature of Approving Official:

Geraldine R. McCann
EPA/OPP/RD/IRB

Date:

September 12, 2001

Kaput[®] Mole Gel Bait

CAUTION

**KEEP OUT
OF REACH OF
CHILDREN**

ACCEPTED
SEP 12 2001
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 72500-2

Active Ingredient: warfarin	
(α -Acetonylbenzyl-4-hydroxycoumarin)	00.025%
Inert Ingredients.....	99.975%
Total.....	100.000%

**PRECAUTIONARY STATEMENTS: HAZARDS
TO HUMANS AND DOMESTIC ANIMALS**
See full label on back for details.

Kaput® MOLE GEL BAIT

ACTIVE INGREDIENT: Warfarin
 (3-(\square -Acetylbenzyl-4-hydroxycoumarin)..... 0.025%
 INTERT INGREDIENTS 99.975%
 TOTAL.....100.000%

EPA Reg. No. 72500-(Applied For)
EPA Est. No. 72427-CO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION: See Below for Additional Information
Net Wt. 3 Fluid Oz.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: This product reduces the clotting ability of the blood and may cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K1 are indicated, as in poisoning from an overdose of bis-hydroxycoumarin. For human cases, Vitamin K1 is antidotal at doses of 10-20 mg total (not mg/kg). For animal cases, Vitamin K1 is antidotal at 2-5 mg/kg. Repeated doses may need to be given up to two weeks (based upon monitoring of prothrombin times).

ENVIRONMENTAL HAZARDS

Do not apply this product directly to water, or to areas where surface water is present or the intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children to this product or use it for any purpose other than to control moles. To help prevent accidents:

1. Store product not in use in locations out of reach of children and pets.
2. Follow all application directions and **USE RESTRICTIONS** on this label. Apply bait only in underground runways of moles. Keep your pets out of treated areas and isolate treated areas using existing fencing, if present.
3. Dispose of product container, and unused or spoiled bait as specified on this label.

USE RESTRICTIONS: This product may be used only to control eastern moles (*Scalopus aquaticus*), star-nose moles (*Condylura cristata*), hairy-tailed moles (*Parascalops breweri*), or townsend

moles (*Scapanus townsendii*) on lawns, turf areas, golf courses, and other non-food grassy areas. Bait must be applied directly into main underground runways. Do not place bait in pushed-up subsurface feeding runs or above the ground surface.

SELECTION OF TREATMENT AREAS: The presence of moles may be indicated by a network of surface ridges in the turf or by a series of conical mounds of earth pushed up from deep burrows. Conical mounds may betray the location of main underground runways.

BAITING: Prior to treatment, determine which burrow systems are active. Using a round-ended wood rod, such as a broomstick, probe ground in vicinity of conical mounds or surface ridges until main underground runway is detected by a sudden decrease in resistance against the probe. Mark open burrow systems and revisit them 2-3 days later. Burrow systems that are active are likely to be plugged by moles.

Treat only active burrow systems. To treat a burrow system, locate main runways by probing. Remove the cap from the tip of the applicator syringe to allow the product to be injected into the burrow system. Inject half of an ounce of bait (one-sixth of the contents of one syringe) through probe hole at each bait placement location. Make six (6) such placements per burrow system. Cover holes made to enter tunnel with sod and soil, but do not allow dirt to sift in to foul or cover bait.

Check effects of treatment 4-5 days after bait application by opening and marking burrows in the manner used to check for initial activity. Return 2-3 days later and retreat all active burrows. Maximum application rate is 1 syringe/10,000 ft².

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place inaccessible to children and pets. Do not store used or partially used syringes.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-Household use Disposal - Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY: Manufacture and Seller make no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extend beyond the statements on this label.

SCIMETRICS, LTD. CORP.

P.O. Box 76
Nunn, CO 80648.
9/10/01

4/4

NOTE TO PHYSICIAN: This product reduces the clotting ability of the blood and may cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K1 are indicated, as in poisoning for an overdose of bis-hydroxycoumarin. For human cases, Vitamin K1 is the antidote. See full label for more information or call 1-800-426-6228.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Kaput[®]

Mole Gel Bait

KEEP OUT OF REACH OF CHILDREN

Use only for the control of moles. Refer to full label in container for complete directions for use.

Active Ingredient: Warfarin,
 (α-Acetylbenzyl-4-hydroxycoumarin)..... 00.025%
 Inert Ingredients..... 99.975%
 Total: 100.000%

Mfg. By Scimetrics Ltd. Corp., P.O. Box 100, Nunn, Co 80648
 EPA Reg. No. 72500- EPA Est. No. 72426-CO-1
 U.S. Patent No. 6,264,969 NET WT. 3.0 OZ (84g)

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS (See full label for details)

CAUTION: Keep away from humans, domestic animals, and pets. If swallowed this material may reduce the clotting ability of the blood and cause bleeding.

ACCEPTED
 SEP 12 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under
 EPA Reg. No. 72500-2