Sease road instructions on	reverse before complet	ing form.		Form Approved.	OMB No. 2070	0-0060			
SEPA Environmental Protection Ager Washington, DC 20460				X	Registration Amendment Other		OPP Identifier Number		
		Application fo	r Pesticio	le - Section	1				
Company/Product Number Seimetries Ltd. Corp. / 72500-2				2. EPA Product Manager 3			posed Classification		
: Company/Product (Name) Mole Gel Bait				PM# OY			None Restricted		
P.O. Box 100				6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:					
Numn, CO 80648 Check if this is a new address				Product Name Mole Gel Bait					
	13 13 8 New 800/855				re Ger bar	L			
			ection - I	<u> </u>					
Amendment - Explain below. Resubmission in response to Agency letter dated				Final printed labels in response to Agency letter dated "Me Too" Application.					
X Notification - Explai				Other - Explain below.			1 8 2001		
"This notification of CFR 152.46, as		inges have be	en made 1	to the labe (continu		e con	fidential		
		S	ection - I	li .					
1. Material This Product V	/ill Be Packaged In:			+ 					
Child-Resistant Packaging Yes* No	Yes Yes			Yes X No			Type of Container Metal Plastic Glass		
* Certification must be submitted	If "Yes" Unit Packaging wgt.		"Yes" ckage wgt	No. per container	1 1	Paper Other (S	Specify)		
		4. Size(s) Retail Co 10 oz. tube	<u> </u>		Ocation of Label Directions On Label On Labeling accompanying product				
- Manner in Which Label adhesive	is Affixed to Product	Lithograph Paper glued Stendiled		Other		<u>-</u>			
		S	ection - I	V			1		
Contact Point (Comple	te items direc. , balow	for identification of	ndividual to b	e contacted, if ne	cessary, to prod	ess this	application :		
Linda Pochė		Title	President			Telephone No. My My de Area Codel (970) 897-2236			
•	itamants I have made or any knowingly false or i le law				·		6• Deter Application Reserved		
Sinda Tropic			President				6		
- Typed Name		5 36	itë	L.P.					
Linda Poche		7	1	L.P.					

Section II Explaination continued

statement of formula of this product. I understand that it is a violation of 18 U.S.C. Section 1001 to willfully make any false statements to the EPA. I further understand that if this notification is not consistent with the terms of PR 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

NOTIFICATION
DEC 1 8 2001

Kaput® MOLE GEL BAIT

ACTIVE INGREDIENT: Warfarin	
3(alpha-Acetonylbenzyl-4-hydroxycoumarin)	0.025%
INTERT INGREDIENTS	99.975%
TOTAL	100.000%

EPA Reg. No. 72500-2 EPA Est. No. 72426-CO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION: See Below for Additional Information

Net Wt. 10 Fluid Oz.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: This product reduces the clotting ability of the blood and may cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K1 are indicated, as in poisoning from an overdose of bishydroxycoumarin. For human cases, Vitamin K1 is antidotal at doses of 10-20 mg total (not mg/kg). For animal cases, Vitamin K1 is antidotal at 2-5 mg/kg. Repeated doses may need to be given up to two weeks (based upon monitoring of prothrombin times).

ENVIRONMENTAL HAZARDS

Do not apply this product directly to water, or to areas where surface water is present or the intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children to this product or use it for any purpose other than to control moles. To help prevent accidents:

- 1. Store product not in use in locations out of reach of children and pets.
- Follow all application directions and USE RESTRICTIONS on this label Apply bait only in underground runways of moles. Keep your pets out of treated areas and isolate treated areas using existing fencing, if present.
- 3. Dispose of product container, and unused or spoiled bait as specified on this label.

USE RESTRICTIONS: this product may used only to control eastern moles (Scalopus aquaticus), starnose moles (Condylura cristata), hairy mole (Parascalops breweri), and townsend moles (Scapanus townsendii) on lawns, turf areas, golf courses, and other non-food grassy areas. Bait must be applied directly into main underground runways. Do not place bait in pushed-up subsurface feeding runs or above the ground surface.

SELECTION OF TREATMENT AREAS: The presence of moles may be indicated by a network of surface ridges in the turf or by a series of conical mounds of earth pushed up from deep burrows. Conical mounds may be tray the location of main underground runways.

BAITING: Prior to treatment, determine which burrow systems are active. Using a round-end wood rod, such as a broomstick, probe ground in vicinity of conical mounds or surface ridges until main underground runway is detected by a sudden decrease in resistance against the probe. Mark open burrow systems and revisit them 2-3 days later. Burrow systems that are active are likely to be plugged by moles

Treat only active burrow systems. To treat a burrow system, locate main runways by probing. Remove the cap from the tip of the applicator cartridge to allow the product to be injected into the burrow system. Inject half of an ounce of bait (one-twentieth of the contents of one cartridge – see markers on tube for ½ oz. increments) through probe hole at each bait placement location. Make six (6) such bait placements per burrow system. Cover holes made to enter tunnel with sod and soil, but do not allow dirt to sift in to foul or cover bait.

Check effects of treatment 4-5 days after bait application by opening and marking burrows in the manner used to check for initial activity. Return 2-3 days later and retreat all active burrows. Maximum application rate is 1 cartridge/acre.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place inaccessible to children and pets. Do not store used or partially used cartridges.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-Household use Disposal – Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

make no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extend beyond the statements on this label.

SCIMETRICS, LTD., P.O. Box 100, Nunn, CO 80648 9/11/01 NOTIFICATION