

72500-2

05/31/2011

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Decision # 449633
360 5-896881
1155

MAY 31 2011

Scimetrics Ltd. Corp.
P.O. Box 1045
Wellington, CO 80549

Attention: Ms. Sue Valentine

Subject Kaput® Mole Gel Bait
EPA Reg. No. 72500-2
Your resubmission of May 16, 2011

Purpose This submission includes revised labels to comply with the Risk Mitigation Decision of May 28, 2008, under sec 3(c)(5) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and current requirements.

Label The labeling submitted with the above letter is acceptable, provided you submit one (1) copy of final printed labeling to us, before you ship your product.

Follow the enclosed "Minimum Type Size Requirements for Final Printed Label".

Compliance with RMD and RED With this accepted labeling, the product meets the risk management goals of the Reregistration Eligibility Decision (RED) for the 1998 Rodenticide Cluster and the Risk Mitigation Decision for Ten Rodenticides (RMD).

- Existing stocks**
- The registrant may not distribute or sell existing stocks of this product after June 4, 2011 unless they conform to the terms and conditions of registration as amended today.
 - Any person other than the registrant may sell and distribute existing stocks of this product with the previously approved label until such stocks are exhausted.
 - Any person may use existing stocks of this product with the previously approved label until such stocks are exhausted.

Consequence for non-compliance If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Questions If you have questions about this letter, please contact Dan Peacock at 703-305-5407 (phone); 703-305-6596 (fax); or peacock.dan@epa.gov (E-Mail).

Sincerely,



Rosanna Louie-Juzwiak
Acting Product Manager (07)
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosures
1. Stamped Label
2. Minimum Type Sizes for Final Printed Label

File Location Dan Peacock, C:\Documents and Settings\dpeacock\Desktop\Backup, 16gb Flash Drive\Warfarin\Registration Actions\72500-2\72500-2, 5-18-2011 resub, re-reg + RMD. 5-20-2011.doc

072500-00002.20110516

72500-2: Page 1 of 3
AMEND TO COMPLY WITH RMD
05.16.11

Kaput® Mole Gel Bait

This product may only be used to control moles in manual, below-ground applications.

The Original Warfarin Gel for Moles
Kills Moles
Kills Listed Moles
Reduce Moles in Your Lawn
U.S. Patent No. 6,264,969
Gel-Based Bait Palatable to Moles
Gel Bait Designed to Mimic Moles' Natural Food Source
Poison Bait with Syringe Applicator
Treats an Entire Burrow System
Use on Lawns, Turf Areas, Golf Courses and Other Non-Food Grassy Areas

Active Ingredient:	
Warfarin (CAS No. 81-81-2)	0.025%
Other Ingredients	99.975%
Total	100.000%

Keep Out of Reach of Children
CAUTION
See below [back panel] for additional Precautionary Statements. **ACCEPTED MAY 31 2011**

EPA Reg. No. 72500-2

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

Net Weight: 3 Fluid Oz. (90 mL)

Sciencetrix No: 72500-2
LTD. CORP.
New Solutions to Old Problems



[More than Rodent Management Products]

{Back Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Apply this product only for the sites, pests and application methods specified on this label.

Read this Label:

Read this entire label and follow all use directions and precautions.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Follow all application directions and **Use Restrictions** on this label. Apply bait only in moles' underground runways. Keep pets out of treated areas and isolate treated areas using existing fencing, if present.
3. Dispose of product container and unused or spoiled bait as specified on this label.

Use Restrictions: This product may be used only to control eastern moles (*Scalopus aquaticus*), star-nosed moles (*Condylura cristata*), hairy-tailed moles (*Parascalops breweri*), coast moles (*Scapanus orarius*), broad-footed moles (*S. latimanus*) and/or townsend moles (*S. townsendii*) on lawns, turf areas, golf courses and other non-food grassy

areas. This product may only be applied at the use sites and by the application methods indicated on this label. Bait must be applied directly into moles' burrow systems (main underground tunnel or subsurface runways). Do not place bait on the ground surface.

Selection of Treatment Areas: The presence of moles may be indicated by a network of surface ridges in the turf or by a series of conical mounds of earth pushed up from deep burrows. Conical mounds may betray the location of main underground runways.

Baiting: Prior to treatment, determine which burrow systems are active. Using a round-ended wood rod, such as a broomstick, probe ground in vicinity of conical mounds or surface ridges until main underground runway is detected by a sudden decrease in resistance against the probe. Mark open burrow systems and revisit them 2-3 days later. For deeper tunnels, open system with a shovel and leave open. Burrow systems that are active are likely to be plugged by moles.

Treat only active borrow systems. To treat a burrow system, locate main runways by probing. Remove the cap from the tip of the applicator syringe and turn dosing ring to mark indicating half ounce. Inject half an ounce of bait (one-sixth of the contents of one syringe) through probe or shoveled opened hole at each bait placement location. Make six (6) such placements per burrow system. Cover holes made to enter tunnel with sod and soil, but do not allow dirt to sift in to foul or cover bait.

Follow-up: Check effects of treatment 4-5 days after bait application by opening and marking burrows in the manner used to check for initial activity. Return 2-3 days later and retreat all active burrows. Maximum application rate is 1 syringe/10,000 ft².

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. Do not store used or partially used syringes. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling:** Non-refillable container; do not reuse or refill this container. Offer for recycling, if available; otherwise, dispose of empty container in a sanitary landfill; or by incineration.

Lot Number: {description of where lot number is found}

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. Anyone handling baits or retrieving carcasses must wear gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID

HAVE LABEL WHEN OBTAINING TREATMENT ADVICE

If Swallowed	<ul style="list-style-type: none"> • Call a poison control center, doctor, or National Pesticide Information Network (1-800-858-7378) immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor.
---------------------	---

S/S

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or 1-800-222-1222 at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the anticoagulant Warfarin. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K₁ orally or intramuscularly.

Environmental Hazards

This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

WARRANTY

To the extent consistent with applicable law, Manufacturer and Seller make no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

[Attention [Notice]: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.]

[Manufactured by:]

Scimetrics

LTD. CORP.

New Solutions to Old Problems

P.O. Box 1045

Wellington, CO 80549

(970) 482-1330

mole@scimetricsltd.com

[] denotes alternate/optional language

{ } denotes language that does not appear on the market labeling