



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

July 9, 2015

Ms. Sue Valentine
Regulatory Manager
Scimetrics Ltd. Corporation
P.O. BOX 1045
Wellington, CO 80549

Subject: Label Amendment – Add Language Prohibiting use in North Carolina Against the
Star-Nosed Mole
Product Name: Kaput® Mole Gel Bait
EPA Registration Number: 72500-2
Application Date: May 27, 2015
Decision Number: 506045

Dear Ms. Valentine:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 72500-2
Decision No. 506045

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Melody Banks by phone at 703 305 5413, or via email at Banks.Melody@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'MS', with a horizontal line extending to the right from the end of the signature.

Mark Suarez
Product Manager 07
Invertebrate & Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs

Enclosure: Stamped Approved Label

Kaput[®] Mole Gel Bait

This product may only be used to control moles in manual, below-ground applications.

The Original Warfarin Gel for Moles
Kills Moles
Kills Listed Moles
Reduce Moles in Your Lawn
U.S. Patent No. 6,264,969
Gel-Based Bait Palatable to Moles
Gel Bait Designed to Mimic Moles' Natural Food Source
Poison Bait with Syringe Applicator
Treats an Entire Burrow System
Use on Lawns, Turf Areas, Golf Courses and Other Non-Food Grassy Areas

Active Ingredient:

Warfarin (CAS No. 81-81-2)	0.025%
Other Ingredients	<u>99.975%</u>
Total	100.000%

**Keep Out of Reach of Children
CAUTION**

See below [back panel] for additional Precautionary Statements.


EPA Reg. No. 72500-2

EPA Est. 72500-CO-1

Net Weight: 3 Fluid Oz. (84 g)



[More than Rodent Management Products]



{Back Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Apply this product only for the sites, pests and application methods specified on this label.

Read this Label:

Read this entire label and follow all use directions and precautions.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Follow all application directions and **Use Restrictions** on this label. Apply bait only in moles' underground runways. Keep pets out of treated areas and isolate treated areas using existing fencing, if present.
3. Dispose of product container and unused or spoiled bait as specified on this label.

Use Restrictions: This product may be used only to control eastern moles (*Scalopus aquaticus*), starnose moles* (*Condylura cristata*), hairy-tailed moles (*Parascalops breweri*), coast moles (*Scapanus orarius*), broad-footed moles (*S. latimanus*) and/or townsend moles (*S. townsendii*) on lawns, turf areas, golf courses and other non-food grassy

areas. This product may only be applied at the use sites and by the application methods indicated on this label. Bait must be applied directly into moles' burrow systems (main underground tunnel or subsurface runways). Do not place bait on the ground surface.

***Not for use against the star-nosed mole in North Carolina**

Selection of Treatment Areas: The presence of moles may be indicated by a network of surface ridges in the turf or by a series of conical mounds of earth pushed up from deep burrows. Conical mounds may betray the location of main underground runways.

Baiting: Prior to treatment, determine which burrow systems are active. Using a round-ended wood rod, such as a broomstick, probe ground in vicinity of conical mounds or surface ridges until main underground runway is detected by a sudden decrease in resistance against the probe. Mark open burrow systems and revisit them 2-3 days later. For deeper tunnels, open system with a shovel and leave open. Burrow systems that are active are likely to be plugged by moles.

Treat only active borrow systems. To treat a burrow system, locate main runways by probing. Remove the cap from the tip of the applicator syringe and turn dosing ring to mark indicating half ounce. Inject half an ounce of bait (one-sixth of the contents of one syringe) through probe or shoveled opened hole at each bait placement location. Make six (6) such placements per burrow system. Cover holes made to enter tunnel with sod and soil, but do not allow dirt to sift in to foul or cover bait.

Follow-up: Check effects of treatment 4-5 days after bait application by opening and marking burrows in the manner used to check for initial activity. Return 2-3 days later and retreat all active burrows. Maximum application rate is 1 syringe/10,000 ft².

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. Do not store used or partially used syringes. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling:** Non-refillable container; do not reuse or refill this container. Offer for recycling, if available; otherwise, dispose of empty container in a sanitary landfill; or by incineration.

Lot Number: {description of where lot number is found}

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. Anyone handling baits or retrieving carcasses must wear gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID	
HAVE LABEL WHEN OBTAINING TREATMENT ADVICE	
If Swallowed	<ul style="list-style-type: none">• Call a poison control center, doctor, or National Pesticide Information Network (1-800-858-7378) immediately for treatment advice.• Have a person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or 1-800-222-1222 at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the anticoagulant Warfarin. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K₁ orally or intramuscularly.

Environmental Hazards

This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

WARRANTY

To the extent consistent with applicable law, Manufacturer and Seller make no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

[Attention [Notice]: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.]

[Manufactured by:]



P.O. Box 1045

Wellington, CO 80549

(970) 482-1330

mole@scimetricsltd.com

[customerservice@kaputproducts.com]

[] denotes alternate/optional language

{ } denotes language that does not appear on the market labeling