

72500-6

OS/31/2011

1/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Decision # 421716

360
1155

5-896882

Scimetrics Ltd. Corp.
P.O. Box 1045
Wellington, CO 80549

Attention: Ms. Sue Valentine

MAY 31 2011

Subject Kaput® Rat & Mouse Bait
EPA Reg. No. 72500-6
Your resubmission of May 17, 2011

Purpose This submission includes revised labels to comply with the Risk Mitigation Decision of May 28, 2008, under sec 3(c)(5) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and current requirements.

Label The labeling submitted with the above letter is acceptable, provided you submit one (1) copy of final printed labeling to us, before you ship your product.

Follow the enclosed "Minimum Type Size Requirements for Final Printed Label".

Terms and Conditions

Terms and Conditions of Registration

This product is registered only subject to the registrant's commitment to control distribution of the product so that it will only be distributed to or sold in agricultural, farm and tractor stores or directly to PCOs and other professional applicators, and the registrant's commitment not to sell or distribute the product in channels of trade likely to result in retail sale in hardware and home improvement stores, grocery stores, convenience stores, drug stores, club stores, big box stores, and other general retailers.

This product may not be sold in packaging that holds less than 4 pounds of bait.

Compliance with RMD and RED

With this accepted labeling, the product meets the risk management goals of the Reregistration Eligibility Decision (RED) for the 1998 Rodenticide Cluster and the Risk Mitigation Decision for Ten Rodenticides (RMD).

Existing stocks

- The registrant may not distribute or sell existing stocks of this product after June 4, 2011 unless they conform to the terms and conditions of registration as amended today.
- Any person other than the registrant may sell and distribute existing stocks of this product with the previously approved label until such stocks are exhausted.
- Any person may use existing stocks of this product with the previously approved label until such stocks are exhausted.


Consequence for non-compliance

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Questions

If you have questions about this letter, please contact Dan Peacock at 703-305-5407 (phone); 703-305-6596 (fax); or peacock.dan@epa.gov (E-Mail).

Sincerely,



Rosanna Louie-Juzwiak
Acting Product Manager (07)
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosures

1. Stamped Label
2. Minimum Type Sizes for Final Printed Label

File Location

Dan Peacock, C:\Documents and Settings\dpeacock\Desktop\Backup, 16gb Flash Drive\Warfarin\Registration Actions\72500-6\72500-6, 5-17-2011 resub, re-reg + RMD. 5-20-2011.doc

3/10

072500-00006.10110517

72500-6 Page 1 of 8
AMEND TO COMPLY WITH RMD
REVISED LABEL 05.17.11

Kaput® Rat & Mouse Bait

This product may be used only inside and within 50 feet of buildings
or inside transport vehicles (ships, trains or aircraft).

ACCEPTED MAY 31 2011

Master Label

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under:
Master Label Includes
Sub-Label A: Box/Pail/Outer Label
Sub-Label B: Place Pack Label

Kills Norway Rats, Roof Rats, House Mice and Voles
Also Kills Voles
EPA Reg. No. 72500-6

Kills Rats, Mice and Voles

First dead rats, mice and voles will appear 4 to 5 days after feeding begins.

Active Ingredient:

Warfarin (CAS No. 81-81-2) 0.025%

Other Ingredients 99.975%

Total 100.000%

Keep Out of Reach of Children

CAUTION

Harmful if swallowed.

See back panel for First Aid and additional Precautionary Statements.

EPA Reg. No. 72500-6

EPA Est. 72500-CO-1

Net Weight:

4 lbs. (32 x 2 oz. (56 grams) Place Pack)

[7.5 lbs. (60 x 2 oz. (56 grams) Place Pack)]

[18.75 lbs. (150 x 2 oz. (56 grams) Place Pack)]

[31.25 lbs. (250 x 2 oz. (56 grams) Place Pack)]

Each Place Pack = 2 oz. (56 grams)

[Manufactured by:]

Scimetrics

LTD. CORP.

New Solutions to Old Problems

Kaput

[More Than Rodent Management Products]

[] Denotes optional/alternate language

{ } Denotes language that does not appear on the market label

4/10

{Front Panel}

Sub-Label A: Box/Pail Outer Label

Kaput® Rāt & Mōuse Bait

Place Packs

Also Kills Voles

Kills Rats, Mice and Voles

This product may be used only inside and within 50 feet of buildings
or inside transport vehicles (ships, trains or aircraft).

Kills Norway Rats, Roof Rats, House Mice and Voles

First dead rats, mice and voles will appear 4 to 5 days after feeding begins.

Active Ingredient:

Warfarin (CAS No. 81-81-2) 0.025%

Other Ingredients 99.975%

Total 100.000%

Keep Out of Reach of Children

CAUTION

Harmful if swallowed.

See back panel for First Aid and additional Precautionary Statements.

EPA Reg. No. 72500-6

EPA Est. 72500-CO-1

Net Weight: _____

4 lbs. (32 x 2 oz. (56 grams) Place Pack)

[7.5 lbs. (60 x 2 oz. (56 grams) Place Pack)]

[18.75 lbs. (150 x 2 oz. (56 grams) Place Pack)]

[31.25 lbs. (250 x 2 oz. (56 grams) Place Pack)]

Each Place Pack = 2 oz. (56 grams)

Scimetrics

LTD. CORP.

New Solutions to Old Problems

Kaput

[More Than Rodent Management Products]

{Back Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL:

Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

5/10

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help prevent exposure:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, OR in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and dogs, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled and unconsumed bait as specified on this label.

NOTE: Bait Stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

RATS AND MICE

Use Restrictions: This product is only for control of [to kill] Norway rats, roof rats, and house mice in and around homes, industrial buildings, commercial, agricultural, and public buildings, and similar man-made structures. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related port and terminal buildings. **Do not apply farther than 50 feet from buildings.** Do not use in edible product areas of food or feed processing plants or other areas where food or feed is commercially prepared or processed. Do not contaminate food/feed or food/feed handling equipment or place near or inside ventilation duct opening. Do not broadcast bait. Do not sell this product in individual containers holding less than four (4) pounds of bait.

Selection of Treatment Areas: Determine where rodents will most likely find and consume the bait. Generally, these areas will be along walls and building foundations, in cellars and crawl spaces, by gnawed openings, in corners and concealed places, between floors and walls, beside burrow openings and other locations where signs of rodents have been seen. Remove as much alternative food as possible.

Application Directions:

Norway Rats and Roof Rats: Apply 2 to 8 placepacks per bait placement (including deeply into rat burrows) in infested areas. Space placements at 15 to 30 foot intervals. Maintain an uninterrupted supply of fresh bait for 10 days or until there are no longer are fresh signs of rat activity or feeding on the bait.

House Mice: Open pack and apply 1/4 to 1/2 ounce of bait per placement. Use up to one unopened 2-ounce pack only at points of extremely high mouse activity. Space placements at 8 to 12 foot intervals in infested areas. Maintain an uninterrupted supply of fresh bait for 15 days or until there no longer are fresh signs of house mouse activity or feeding on the bait.

Follow-up: While wearing gloves, collect and properly dispose of all visible dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. Where there is a continuous source of reinfestation, establish permanent bait stations and replenish bait as needed.

VOLES

Use Restrictions: Use this product to control only meadow voles [*Microtus pennsylvanicus*], pine voles [*M. pinetus*] and montane voles [*M. montanus*] around homes, and industrial, commercial, agricultural and public buildings. **Do not apply farther than 50 feet from buildings.** Do not use this product within the habitat of threatened or endangered *Microtus* spp. voles, threatened or endangered *Peromyscus* spp. mice, or other threatened or endangered rodents. Do not expose bait on bare ground. All applications must be made by hand. Wear gloves when handling bait or animal carcasses. Do not broadcast bait. Do not sell this product in individual containers holding less than 4 pounds of bait.

Selection of Treatment Areas: Determine areas near buildings where voles or signs of vole activity (girdling of plants, consumption of bulbs, burrow openings and surface runways) have been seen. These areas generally will be in flower beds or under shrubs, bushes or ground cover.

Application Directions: Open pack and load one ounce (half of a pack) of bait into each bait station. Situate bait stations near runways, burrow openings or plants that voles have been damaging. Maintain an uninterrupted supply

of fresh bait for 15 days or until there are no longer fresh signs of mouse activity or feeding on bait. Collect and properly dispose of any carcasses and leftover bait.

Follow-up: While wearing gloves, collect and properly dispose of all visible dead animals and leftover bait.

Storage and Disposal
Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Container Handling: Non-refillable container; do not reuse or refill this container. {Plastic:} Offer for recycling, if available or reconditioning, if appropriate; otherwise, dispose of empty container in a sanitary landfill; or by incineration.
{Paper:} Offer for recycling, if available; otherwise, dispose of empty box in a sanitary landfill or by incineration.
Lot Number: {Description of where lot number is found}

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets.

All handlers (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements
Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

FIRST AID	
HAVE LABEL WHEN OBTAINING TREATMENT ADVICE	
If Swallowed	<ul style="list-style-type: none"> • Call a poison control center, doctor, or National Pesticide Information Network (1-800-858-7378) immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor.

TREATMENT FOR PET POISONING
If animal eats bait, call veterinarian or 1-800-222-1222 at once.
NOTE TO PHYSICIAN OR VETERINARIAN
Contains the anticoagulant Warfarin. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K ₁ orally or intramuscularly.

Environmental Hazards

This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

WARRANTY

To the extent consistent with applicable law, Manufacturer and Seller make no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

WARRANTY DISCLAIMER

[
The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER, AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, CROP OR PLANT DAMAGE, OR LOSS OF YIELD, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE WEATHER, WIND, AND TEMPERATURE, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER, AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER OR MANUFACTURER, AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY OTHER REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS. NO WARRANTIES SHALL BE CREATED BY COURSE OF DEALING, USAGE OF TRADE, OR COURSE OF PERFORMANCE. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE FACE HEREOF. THE SELLER OR MANUFACTURER ASSUMES NO RESPONSIBILITY THAT THE GOODS WILL BE FIT FOR ANY PARTICULAR PURPOSE FOR WHICH YOU MAY BE BUYING OR USING THE GOODS, EXCEPT AS OTHERWISE PROVIDED IN THE CONTRACT.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NEITHER MANUFACTURER NOR SELLER SHALL BE LIABLE TO BUYER OR USER OR TO CUSTOMERS OF BUYER, IF ANY, FOR INDEMNIFICATION OR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE USE, MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE GOODS AND, IF BUYER OR USER WISHES, THE RETURN OF THE GOODS BY BUYER TO SELLER.

8/10

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the goods, and return it unopened to the Seller, and the purchase price will be refunded. By using the goods, you expressly agree to all of the terms and conditions of this contract.]

[Attention [Notice]: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.]

[Manufactured by:]

S Scimetrics

LTD. CORP.

New Solutions to Old Problems

P.O. Box 1045 Wellington, CO 80549

(970) 482-1330

mole@scimetricsltd.com

[] Denotes optional/alternate language

{ } Denotes language that does not appear on the market label

Sub-Label B: Place Pack Label (Unit Packaging)

{Front Panel}

Kaput® Rat & Mouse Bait

Place Pack

Also Kills Voles

Kills Rats, Mice and Voles

This product may be used only inside and within 50 feet of buildings
or inside transport vehicles (ships, trains or aircraft).

Kills Norway Rats, Roof Rats, House Mice and Voles

First dead rats, mice and voles will appear 4 to 5 days after feeding begins.

Active Ingredient:

Warfarin (CAS No. 81-81-2) 0.025%

Other Ingredients 99.975%

Total 100.000%

Keep Out of Reach of Children

CAUTION

Harmful if swallowed.

See back panel for First Aid and additional Precautionary Statements.

EPA Reg. No. 72500-6

EPA Est. 72500-CO-1

Net Weight: 2 oz. (56 grams)



[More Than Rodent Management Products]

{Back Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read the entire label on the outer package before using this product. It is illegal to sell these placepacks individually.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. **Pesticide**

Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling:** Non-refillable container; do not reuse or refill this container. **{Plastic:}** Offer for recycling, if available or reconditioning, if appropriate; otherwise, dispose of empty container in a sanitary landfill.

{Paper:} Offer for recycling, if available; otherwise, dispose of empty box in a sanitary landfill or by incineration.

Lot Number: {Description of where lot number is found}

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets.

All handlers (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

FIRST AID: Have label available when obtaining treatment advice. **If swallowed**, call poison control center, doctor, or National Pesticide Information Network (1-800-858-7378) immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.

Read complete Precautionary Statements regarding User Safety Requirements, Treatment for Pet Poisoning, Note To Physician or Veterinarian and Environmental Hazards on container label.

WARRANTY

Read the complete warranty statement found on the container label; by using the goods, you expressly agree to all terms and conditions.

[Attention [Notice]: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.]

[Manufactured by:]

Scimetrics

LTD. CORP.

New Solutions to Old Problems

P.O. Box 1045

Wellington, CO 80549

(970) 482-1330

mole@scimetricsltd.com

[] Denotes optional/alternate language

{ } Denotes language that does not appear on the market label