72500-7

01/10/2007

72500-7 New Label: Page 1 of 3 11/24/08 Amendment

# Kaput<sup>®</sup> Mouse Blocks

(Front Panel)

#### Kaput® Mouse Blocks

#### Now Controls [Kills] Rats Tool

For Control of [Kills] Norway Rats, Roof Rats, Deer Mice, White-Footed Mice and House Mice

Active ingredient:	
Warfarin, 3-(alpha-Acetonylbenzyl-4-hydroxycoumarin)	0.025%
	400 0000/

#### Keep Out of Reach of Children CAUTION Harmful if swallowed. See back panel for additional precautionary statements.

ACCEP FPE BOS. No. 72500-7 JAN 1 0 2007

EPA Est. 72500-CO-1

Net Weight: 10 lbs. (4.54 kg.) About 105 Blocks

Scimetrics Ltd. Corp

{Back Panel}

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read this Label: Read this entire label and follow all use directions and use precautions.

**Important:** Do not expose children, pets or other non-target animals to this product or use it for any purpose other than to control [kill] Norway rats, roof rats, deer mice, house mice and white-footed mice. To help prevent accidents:

- 1. Store product not in use in locations out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals or areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled or unconsumed bait as specified on this label.

Use Restrictions: This product may be used to control [kill] only Norway rats (*Rattus norvegicus*), roof rats (*Rattus rattus*), deer mice (*Peromyscus maniculatus*), white-footed mice (*P. leucopus*) and house mice (*Mus musculus*). Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not use this product within the occupied habitats of threatened or endangered *Peromyscus* spp. mice.

**Urban Areas:** This product may be used in and around homes, and industrial, commercial and public buildings. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings.

Applications "around" buildings must be made in tamper-resistant bait stations placed along walls or other external parts of buildings (e.g. doorways, ramps, loading docks) where rats or mice might seek to gain entrance.

**Non-Urban Areas:** In non-urban areas, this product may be used only in and around homes and agricultural buildings for rats and mice. If applied in secured, tamper-resistant balt stations, this product may also be used in parks, woodlots, yards and lots surrounding residential buildings, and non-crop areas near agricultural buildings.

Selection of Treatment Areas: Determine where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, along building foundations, in cellars and crawl spaces, and other locations where rats and mice or their signs are seen in or near homes, cabins, outbuildings and similar structures. When controlling white-footed mice, the bases of trees located in permitted use sites (See **Use Restrictions**) may provide suitable baiting points. When bait is applied, remove as much of the foods as possible that the rats and mice have been eating.

# **Application Directions:**

Mice: Apply 1 or 2 bait blocks per placement. Use 2 blocks only at points of extremely high mouse activity. Space placements at 8- to 12-foot intervals.

Rats: Apply 4 to 16 bait blocks per placement. Space placements at 15- to 30-foot intervals.

All applications, including indoor applications, must be made in tamper-resistant bait stations unless children, pets, domestic animals and non-target wildlife are reliably denied access to the treated area by other means. Maintain an uninterrupted supply of fresh bait for at least 30 days or until signs of rodent activity cease to appear. Immediately replace contaminated or spoiled bait. To discourage re-infestation, eliminate food, water and harborage as much as possible and attempt to locate and seal openings through which rats or mice enter buildings. Repeat treatment if re-infestation occurs. Where a continuous source of infestation is present, establish permanent bait stations, monitor those stations, and replenish bait as needed.

#### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in original container in a cool, dry place inaccessible to children and pets. **Disposal: If empty:** Do not reuse this container; place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

### PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Keep away from humans, domestic animals and pets. Harmful if swallowed or absorbed through the skin because this material may reduce the clotting ability of the blood and cause bleeding. Do not get in eyes, on skin or clothing. Wash arms, hands and face with soap and water after applying and before eating or smoking.

# First Aid

Have the product container or label with you when calling a poison control center or doctor or going for treatment. **If swallowed**, call a poison control center, doctor or 1-800-858-7378 for immediate treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.

# Notice to Physician or Veterinarian

This material may reduce the clotting ability of the blood and may cause bleeding. If ingested, administer Vitamin K-1 intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

# **Environmental Hazards**

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

72500-7 New Label: Page 3 of 3 11/24/06 Amendment

Notice of Warranty Manufacturer and Seller make no warranty of merchantability, fitness for any purpose, or otherwise, expressed or implied, concerning this product or its use, which extend beyond the statements on this label.

Scimetrics Ltd. Corp. New Solutions to Old Problems P.O. Box 1045 Wellington, CO 80549 (970) 482-1330 www.scimetricsltd.com

[ ] = Denotes alternate/optional language