



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

June 9, 2016

Sue Valentine
Scimetrics Ltd. Corp.
P.O. Box 1045
Wellington, CO 80549

Subject: Label Amendment – To add pests per the ASPCRO letter
Product Name: Smacker Bait
EPA Registration Number: 72500-19
Application Date: April 28, 2016
Decision Number: 517156

Dear Ms. Valentine:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 72500-19
Decision No. 517156

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Gene Benbow by phone at 703-347-0235, or via email at Benbow.Gene@epa.gov

Sincerely,

A handwritten signature in black ink, appearing to read 'MS', with a horizontal line extending to the right from the end of the signature.

Mark Suarez
Product Manager 07
Invertebrate & Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

Smacker Bait

This product may only be used inside and within 100 feet of buildings or inside transport vehicles (ships, trains or aircraft).

Active Ingredient:

Bromadiolone (CAS No. 28772-56-7) 0.005%
Imidacloprid (CAS No. 138261-41-3) 0.020%

Other Ingredients 99.975%
Total 100.000%

Keep Out of Reach of Children
CAUTION

See back panel for First Aid and Precautionary Statements.

EPA Reg. No. 72500-19

EPA Est. 72500-CO-1

Net Weight: 16 lbs. (7.25 kg) About 255 Blocks
[18 lbs. (8.16 kg) About 290 Blocks; 22 lbs. (9.98 kg) About 350 blocks;
30 lbs (13.61 kg) About 480 blocks; 45 lbs. (20.41 kg) About 720 Blocks]

ACCEPTED

06/09/2016

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 72500-19

{Back Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This label must be in the user's possession at the time of product application.

Apply this product only for the sites, pests and application methods specified on this label.

If sufficient quantities of this bait are ingested, the use of this product may aid in the reduction of fleas [kills fleas], including but not necessarily limited to *Xenopsylla cheopis*, that commonly infest listed rodent hosts.

Read this Label:

Read this entire label and follow all use directions and use precautions.

Important: Do not expose children, pets or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use in locations out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and dogs, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears or other potentially destructive animals or in areas prone to vandalism.
3. Dispose of product container, as well as unused, spoiled and unconsumed bait, as specified on this label.

Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

Use Restrictions: This product may only be used to control [kill] following rodents, including the fleas that commonly infest listed rodents: Norway rats (*Rattus norvegicus*), Roof rats (*Rattus rattus*), House mice (*Mus musculus*), Cotton

Rats* (*Sigmodon hispidus*), Eastern harvest mouse* (*Reithrodontomys humuli*), Golden mouse* (*Ochrotomys nuttalli*), Polynesian rat* (*Rattus exulans*), Meadow vole* (*Microtus pennsylvanicus*), White-throated woodrat* (*Neotoma albigula*), Southern plains woodrat* (*Neotoma micropus*), and Mexican woodrat* (*Neotoma mexicana*), and their fleas in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port or terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops. Do not broadcast bait. Burrow baiting with this product is prohibited. Do not use this product to control *Peromyscus* spp. mice.

***Not permitted for use against these species in California.**

Do not sell this product in individual containers holding less than 16 pounds of bait.

Selection of Treatment Areas: Determine areas where rodents will most likely find and consume bait. Generally, these areas will be along walls, by gnawed openings, in corners and concealed places, between floors or walls, beside burrow openings and other locations where signs of rodents have been seen. Remove as much alternative food as possible.

Application Directions:

Rats: Apply 4 to 16 one-ounce bait blocks per bait placement. Space placements at intervals of 15 to 30 feet in infested area. Maintain an uninterrupted supply of fresh bait for at least 10 days or until there no longer are signs of new feeding by rats.

Mice and Meadow Voles: Apply 1 one-ounce bait block per placement. Space placements at intervals of 8 to 12 feet in infested area. At points of extremely high rodent activity use 2 bait blocks. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice and meadow voles cease to appear.

Follow-up (Rats, Mice, Meadow Voles): Immediately replace contaminated or spoiled bait. While wearing waterproof gloves, properly collect and dispose of all dead animals and leftover bait. To discourage re-infestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations. Regularly check the stations and replace bait as needed.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. **Pesticide**

Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling:** Non-refillable container; do not reuse or refill this container. **{Plastic:}** Offer for recycling, if available, or reconditioning, if appropriate; otherwise dispose of empty container in a sanitary landfill; or by incineration. **{Paper:}** Offer for recycling, if available; otherwise dispose of empty container in trash, at a sanitary landfill, or by incineration.

Lot Number: {Description of where the lot number is found}

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets.

Personal Protective Equipment (PPE): All handlers (including applicators) must wear shoes, socks, and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of waterproof gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

First Aid

Have label with you when obtaining treatment advice.

If swallowed

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the anticoagulant Bromadiolone. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K₁, intramuscularly or orally. Also for pets, if needed, check prothrombin time every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

Environmental Hazards

This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

WARRANTY

To the extent consistent with applicable law, Manufacturer and Seller make no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

[Notice of Warranty

1. Warranty Disclaimer

The directions for use of this product must be followed carefully. The goods delivered to you are furnished "as is" by Manufacturer or Seller. To the extent permitted by applicable law, Manufacturer and Seller make no warranties, guarantees or representations of any kind to Buyer or User, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. To the extent permitted by applicable law, unintended consequences, including, but not limited to ineffectiveness, may result because of such factors as the presence or absence of other materials used in combination with the goods, the manner of use or application, including weather, all of which are beyond the control of Manufacturer or Seller and assumed by Buyer or User. This writing contains all of the representations and agreements between Buyer, User, Seller

and Manufacturer, and no person or agent of Manufacturer or Seller has any authority to make any representation, warranty or agreement relating in any way to these goods.

2. Limitation of Liability

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for special, incidental or consequential damages, or for damages in their nature of penalties relating to the goods sold, including use, application, handling and disposal. Manufacturer or Seller shall not be liable to Buyer or User by way of indemnification to Buyer or to customers of Buyer, if any, or for any damages or sums of money, claims or demands whatsoever, resulting from or by reason of, or arising out of the misuse, or failure to follow label warnings or instructions for use, of the goods sold by Manufacturer or Seller to Buyer. Buyer's or User's exclusive remedy, and Manufacturer's or Seller's total liability, shall be for damages not exceeding the cost of the product purchased. The Buyer, its customers or User assume all such risks.

3. If you do not agree with or do not accept any of the directions for use, warranty disclaimers or limitations of liability, do not use this product; return it unopened to the Seller and the purchase price will be refunded.]

Scimetrics

LTD. CORP.

New Solutions to Old Problems

[Pest Management Solutions]

P.O. Box 1045

Wellington, CO 80549-1045

(970) 482-1330

customerservice@kaputproducts.com

[mole@scimetricsltd.com]

Kaput[®]

[*More Than Rodent Management Products*]

[] Denotes optional/alternate language

{ } Denotes language that does not appear on the market label

OPTIONAL MARKETING STATEMENTS:

[{Number}] Bait Blocks

Rodenticide + [and] Insecticide

Kills Norway Rats, Roof Rats and House Mice

Kills Norway Rats, Roof Rats, House Mice and their Fleas [!]

With Bromadiolone & Imidacloprid

Kills the fleas while it kills the rodent [!]

A Bait Containing a Rodenticide to Kill Norway Rats, Roof Rats and House Mice and an Insecticide to Kill Fleas on Listed Rodent Hosts

Rats and mice start to die 4 to 5 days after feeding begins

Made in USA

U.S. Patent No. 7,943,160 B2

OPTIONAL GRAPHICS:

