

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W.

Washington, D.C. 20460

NOTICE OF PESTICIDE:

X Registration Reregistration (under FIFRA, as amended)

EPA	Reg.	Number:
	ILLE.	Tiumper.

Date of Issuance:

72500-26

1/3/17

T	erm	of	Issuance:

Conditional

Name of Pesticide Product:

KAPUT® FERAL HOG BAIT

Name and Address of Registrant (include ZIP Code):

Ms. Sue Valentine Regulatory Manager Scimetrics Ltd., Corp. P.O. Box 1045 Wellington, CO 80549-1045

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:	Date:
VE.	1/3/17
Venus Eagle, Acting Chief Invertebrate-Vertebrate Branch 3, Registration Division (7505P)	

- 2. Be aware that proposed data requirements have been identified in a Preliminary Work Plan. For more information on these proposed data requirements, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

 http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1
- 3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
- 4. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 72500-26."
- 5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 12/30/2016
- Alternate CSF 1 dated 12/30/2016

If you have any questions, please contact Mark Suarez by phone at 703-305-0120, or via email at suarez.mark@epa.gov.

Enclosure

Kaput® FERAL HOG BAIT

Active Ingredient:

Warfarin (CAS Number 81-81-2)	0.005%
Other Ingredients	99.995%
Total	100.000%

Keep Out of Reach of Children **CAUTION**

See back [side] panel for First Aid and Precautionary Statements.

EPA Reg. No. 72500-_ EPA Est. 72500-CO-1

Net Wt. lbs {25 to 100 lbs} [{11.34 to 45.36 kg}]

{Back [Side] Panel}

FIRST AID				
	Call a poison control center or doctor immediately for treatment advice.			
If Swallowed	Have person sip a glass of water if able to swallow.			
	Do not induce vomiting unless told to do so by the poison control center or doctor.			
	Do not give anything by mouth to an unconscious person.			
If in Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.			
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.			
	Call a poison control center or doctor for treatment advice.			
TDE ATMENT COD DET DOISONING				

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains Warfarin, an anticoagulant. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or animals that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K₁, intramuscularly or orally. Have the product container or label with you when calling a poison control center or doctor or going for

treatment. You may also contact the National Poison Information Center at 1-800-858-7378 for emergency medical treatment information.

ACCEPTED

01/03/2017

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 72500-26

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from humans, domestic animals and pets. Any person who retrieves carcasses or unused bait following application of this product must wear protective gloves.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and Other Handlers Must Wear:

- Long-sleeved shirt and long pants,
- Shoes plus socks, and
- When handling bait or retrieving animal carcasses, chemical-resistant gloves made of barrier laminate, polyethylene, butyl rubber (≥14 mils), nitrile rubber (≥14 mils), neoprene rubber (≥14 mils), natural rubber (≥14 mils), polyvinyl chloride (≥14 mils), or Viton (≥14 mils).

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then, wash thoroughly and change into clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing them. As soon as possible, wash thoroughly and change clothing.

ENVIRONMENTAL HAZARDS

This product may be toxic to fish, birds and other wildlife. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply this product directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment wash waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL:

Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, domesticated animals or other non-target wildlife to this product. To help prevent accidents:

- 1. Store product not in use in locations out of reach of children, pets, domesticated animals and wildlife.
- 2. Apply this product only as specified on this label.
- 3. Dispose of product container as well as unused, spoiled or recoverable unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may only be used to control feral hogs (*Sus scrofa*) on pastures, rangeland, forests, non-crop areas, and crop lands. This bait may only be applied in hog feeders equipped with heavy lids (8 to 10 lbs. of total weight) on bait compartments so as to limit direct access to bait by nontarget animals. Feral hogs must be conditioned to accept feed from the bait dispensers and to open the weighted lids to bait compartments.

- •Do not apply this bait directly on the ground, including all types of ground surface (e.g., bare or plant-covered ground, paved surfaces, etc.). Apply this product only in hog feeders consistent with the description provided above.
- •Apply bait in fenced areas, if available.
- •When handling bait or animal carcasses, wear protective gloves made of barrier laminate, polyethylene, butyl rubber (≥14 mils), nitrile rubber (≥14 mils), neoprene rubber (≥14 mils), natural rubber (≥14 mils), polyvinyl chloride (≥14 mils), or Viton (>14 mils).
- •Store this product out of reach of children, pets, domesticated animals, and wildlife.
- •Post bilingual caution signs (English and Spanish) in the treated areas to warn the public of the presence of the Warfarin bait and to forbid disturbance of bait dispensers and hog carcasses. Post these signs on public roads, trails, and pathways within and at common points of access to treated areas.

GRAZING RESTRICTIONS: Do not allow livestock to graze on baited areas (whether fenced or open) during the baiting program. If bait is to be applied in areas used for grazing, ensure that all livestock are removed and excluded from baited areas before applying this product and for at least 90 days after toxic baits are removed from bait dispensers.

SELECTION OF BAITING SITES: Baiting sites must be consistent with the limitations set forth in the **USE RESTRICTIONS** on this label (above). Before applying this product, observe the area selected for treatment to identify where hog activity and trails are located. Look for evidence of recent activity, including hog sightings, hog damage to crops, rooting of the soil, hog wallows, and fresh hog tracks and fecal material.

PLACING AND SECURING HOG FEEDERS: Locate hog feeders in or near probable resting areas for hogs, including brush along streams, dense cover, and tall vegetation. Do not place feeders in open areas in crops, fields, or pastures. From one to three bait feeders may be used per placement location, according to the apparent number of hogs visiting the location. Three dispensers spaced no more than 10 feet apart may be used where hog numbers are excessive (e.g., if large hog family groups, or sounders, are present). Secure feeders in place, so that hogs cannot tip them over, by use of T-posts or by tying the feeders to trees or shrubs.

CONDITIONING HOGS TO FEEDERS: After the feeders are situated and secured, feral hogs must be conditioned (trained) to feed from them. To accomplish this, load the feeding compartments with a non-toxic feed, and open the lids to the feeding compartments by about 6 inches so that hogs can access this feed with little difficulty. To condition hogs to accept this product, use one of the following preparations as the non-toxic feed: (1) cracked or whole corn, soaked in water for 3-5 days until it has a noticeable odor; (2) cracked or whole corn treated with a commercially available hog attractant which includes scents of hog urine, fruit, or pet food; or (3) Kaput Feral Hog Lure. Load 25 to 50 lbs. of the non-toxic feed into each hog feeder. Provide access to non-toxic feed for three to six weeks, until hogs are feeding readily from the bait compartments. Failure to condition hogs to feeders or ending the conditioning period too early may reduce the number of hogs taken or prolong the period of time needed for toxic baiting.

BAIT APPLICATION: After feral hogs have been conditioned to take non-toxic feed from bait compartments, remove all of the non-toxic feed remaining in the feeders. Add 25 to 50 lbs. of *Kaput*® FERAL HOG BAIT to each feeder and **close lids to bait compartments** so that hogs must lift the doors with their snouts in order to access bait. (Do not load this product into feeders from which no non-toxic bait was consumed during the conditioning period.) Monitor feeders every 1 to 4 days once treatment has begun to determine whether hogs are accessing bait, to assess whether bait is being spilled around feeders, and to replenish bait, if appropriate. Refill feeders if bait is significantly depleted or degraded, and there still is evidence of hog activity at the feeder. As bait take and hog numbers decline, the feeders may be monitored at 5-day intervals, but site surveillance must continue as described below. If possible, feeders should be checked at mid-day to minimize disturbance to feral hogs. Bait spilled around feeders must be collected and disposed of properly.

SURVEILLANCE AND FOLLOW-UP: Dead hogs may begin to appear in or near the treatment areas within 4 to 7 days after bait placement. Applicators must return to the treatment site within 4 days after the first bait placements were made, and at 2- to 4-day intervals thereafter, to inspect the site for evidence of dead or dying feral hogs and/or dead nontarget animals. All carcasses found must be disposed of properly. Carcasses may be buried on site in

holes dug deeply enough that the entire carcass is at least 18 inches below the ground surface. Cover buried carcasses up to the level of the surrounding ground. If burial is not practical (e.g., due to frozen or extremely hard ground) and other disposal methods are allowed by State and local authorities, carcasses may be disposed of by other methods to ensure that carcasses are not accessible to scavengers. Continue to monitor the treatment area to collect and dispose of feral hogs and to search for non-target animals for at least two weeks after the removal of all bait from the hog feeders. Deaths of any animals other than feral hogs that appear to be the result of baiting with this product must be reported to State authorities.

Note: A dye in this product will impart a blue color to the fatty tissues of hogs that have eaten the bait.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Non-refillable container. Do not reuse or refill this container. Offer container for recycling, if available, or reconditioning, if appropriate. Otherwise, dispose of empty container in a sanitary landfill.

Batch Code [Lot Number]: {Description of where lot number is located}

{Per PR Notice 2007-4 the batch code/lot number will appear on the label or container.}

WARRANTY

To the extent consistent with applicable law, Manufacturer and Seller make no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use/handling is contrary to label instructions.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER, AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, CROP OR PLANT DAMAGE, OR LOSS OF YIELD, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE WEATHER, WIND, AND TEMPERATURE, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER, AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER OR MANUFACTURER, AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY OTHER REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS. NO WARRANTIES SHALL BE CREATED BY COURSE OF DEALING, USAGE OF TRADE, OR COURSE OF PERFORMANCE. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE FACE HEREOF. THE SELLER OR MANUFACTURER ASSUMES NO RESPONSIBILITY THAT THE GOODS WILL BE FIT FOR ANY PARTICULAR PURPOSE FOR WHICH YOU MAY BE BUYING OR USING THE GOODS, EXCEPT AS OTHERWISE PROVIDED IN THE CONTRACT.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THE NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NEITHER MANUFACTURER NOR SELLER SHALL BE LIABLE TO BUYER OR USER OR TO CUSTOMERS OF BUYER, IF ANY, FOR INDEMNIFICATION OR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE USE, MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE GOODS AND, IF BUYER OR USER WISHES, THE RETURN OF THE GOODS BY BUYER TO SELLER.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the goods, and return it unopened to the Seller, and the purchase price will be refunded. By using the goods, you expressly agree to all of the terms and conditions of this contract.]

[Attention [Notice]: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.]

Manufactured by:



[Pest Management Solutions]
P.O. Box 1045
Wellington, CO 80549
(970) 482-1330
customerservice@kaputproducts.com
Made in [the] U.S.A. [USA]
[Patent Pending]

[Kaput® is a registered trademark of Scimetrics Ltd. Corporation]

^{ } Denotes language that does not appear on the market label

^[] Denotes alternate/optional language

CAUTION

- Warfarin bait to control feral hogs is being used in this area.
- Do not touch dead animals or bait dispensers.
- Do not eat meat from animals shot or found dead in this area.
- Do not eat animals with internal parts that are dyed blue.
- Do not allow livestock to graze in this area.

PRECAUCIÓN

- Cebo con warfarin se utiliza en esta área para controlar marrano salvajes.
- No toque animales muertos ni dispensadores de cebo.
- No coma carne de animales disparados o encontrados muertos en esta zona.
- No coma animales con partes internas teñidas azul.
- En esta zona no permita ganado a pacer.