



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

April 5, 2018

Sue Valentine  
Regulatory Manager  
Scimetrics, Ltd. Corp.  
P.O. Box 1045  
Wellington, CO 80549

Subject: Label Amendment – To clarify the directions for use and precautionary language and to revise text to more accurately reflect the product’s profile  
Product Name: Kaput® Feral Hog Bait  
EPA Registration Number: 72500-26  
Application Date: March 26, 2018  
Decision Number: 539473

Dear Ms. Valentine:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2  
EPA Reg. No. 72500-26  
Decision No. 539473

with FIFRA section 6. If you have any questions, please contact Meredith Laws by phone at (703) 308-7038, or via email at [laws.meredith@epa.gov](mailto:laws.meredith@epa.gov).


Sincerely,

A handwritten signature in black ink, appearing to read 'M. Laws', with a horizontal line underneath the name.

Meredith F. Laws, Chief  
Invertebrate & Vertebrate Branch 3  
Registration Division (7505P)  
Office of Pesticide Programs

# Kaput® FERAL HOG BAIT

<b>Active Ingredient:</b>	
Warfarin (CAS Number 81-81-2) .....	0.005%
<b>Other Ingredients</b> .....	<u>99.995%</u>
Total .....	100.000%



Keep Out of Reach of Children  
**CAUTION**

See back [side] panel for First Aid and Precautionary Statements.

EPA Reg. No. 72500-26  
 EPA Est. 72500-CO-1

Net Wt. \_\_\_ lbs  
 {25 to 100 lbs}  
 [{11.34 to 45.36 kg}]

{Back [Side] Panel}

<b>FIRST AID</b>	
<b>If Swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>NOTE TO PHYSICIAN</b>	
<p>Contains Warfarin, an anticoagulant. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K<sub>1</sub>, intramuscularly or orally.</p> <p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergencies call your poison control center at 1-800-222-1222.</p>	

**THIS PRODUCT FORMULA INCLUDES A BLUE DYE THAT WILL IMPART A BLUE COLOR TO THE FATTY TISSUES OF HOGS THAT HAVE EATEN THE BAIT**

## PRECAUTIONARY STATEMENTS

### Hazards to Humans

**CAUTION:** Harmful if swallowed. Any person who handles the bait and retrieves carcasses or unused bait following application of this product should wear protective gloves. Gloves will help protect against stains from the blue color and from the diseases feral hogs may spread to humans, domestic animals, and other wildlife.

### Personal Protective Equipment (PPE)

Applicators and other handlers should wear long-sleeved shirt, long pants, gloves, socks and shoes. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

### Environmental Hazards

Do not apply this product directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment wash waters.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### READ THIS LABEL:

Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets, domestic animals or other non-target wildlife to this product. To help prevent accidents:

1. Store product not in use in locations out of reach of children, pets, domestic animals and wildlife.
2. Apply this product only as specified on this label.
3. Dispose of product container as well as unused, spoiled or recoverable unconsumed bait as specified on this label.

**USE RESTRICTIONS:** This product may only be used to control feral hogs (*Sus scrofa*) on pastures, rangeland, forests, and non-crop areas. This bait must only be applied in hog feeders equipped with heavy lids (minimum of 17 lbs. total lid weight) on bait compartments (for example, *Hog Stopper* feeders) so as to limit direct access to bait by non-target animals. Feral hogs must be conditioned to accept feed from the bait dispensers and to open the weighted lids to bait compartments.

- Do not apply this bait directly on the ground, including all types of ground surface (e.g., bare or plant-covered ground, paved surfaces, etc.). Apply this product only in hog feeders consistent with the description provided above.

**GRAZING RESTRICTIONS:** Do not allow livestock to graze on baited areas during the baiting program. If bait is to be applied in areas used for grazing, ensure that all livestock are removed and excluded from baited areas before applying this product and during the use of this product.

**SELECTION OF BAITING SITES:** Baiting sites must be consistent with the limitations set forth in the **USE RESTRICTIONS** on this label (above). Before applying this product, observe the area selected for treatment to identify where hog activity and trails are located. Look for evidence of recent activity, including hog sightings, hog damage to crops, rooting of the soil, hog wallows, and fresh hog tracks and fecal material.

#### PLACING AND SECURING HOG FEEDERS:

- Locate hog feeders in or near probable resting areas for hogs, including brush near streams, dense cover and tall vegetation.
- From one to three bait feeders may be used per placement location, according to the apparent number of hogs visiting the location. Three dispensers spaced no more than 10 feet apart may be used where hog numbers are excessive (e.g., if large hog family groups, or sounders, are present).
- Secure feeders in place, so that hogs cannot tip them over, by use of T-posts or by tying the feeders to trees or shrubs.

### CONDITIONING HOGS TO FEEDERS:

- After the feeders are situated and secured, feral hogs must be conditioned (trained) to feed from them. To accomplish this, load the feeding compartments with a non-toxic feed, and open the lids to the feeding compartments by about 6 inches so that hogs can access this feed with little difficulty.
- To condition hogs to accept this product, use one of the following preparations as the non-toxic feed: (1) cracked or whole corn; (2) cracked or whole corn, soaked in water for 3-5 days until it has a noticeable odor; (3) cracked or whole corn treated with a commercially available hog attractant which includes scents of hog urine, fruit, or pet food; or (4) *Kaput*<sup>®</sup> Feral Hog Lure.
- Load 25 to 50 lbs. of the non-toxic feed into each hog feeder. Provide access to non-toxic feed for one (1) to three (3) weeks, until hogs are feeding readily from the bait compartments. Failure to condition hogs to feeders or ending the conditioning period too early may reduce the number of hogs taken or prolong the period of time needed for toxic baiting.

### BAIT APPLICATION:

- After feral hogs have been conditioned to take non-toxic feed from bait compartments, remove all of the non-toxic feed remaining in the feeders. Add 25 to 50 lbs. of *Kaput*<sup>®</sup> FERAL HOG BAIT to each feeder and **close lids to bait compartments** so that hogs must lift the doors with their snouts in order to access bait. Do not load this product into feeders from which **NO** non-toxic bait was consumed during the conditioning period.
- Monitor feeders every 2 to 4 days once treatment has begun to determine whether hogs are accessing bait, to assess whether bait is being spilled around feeders, and to replenish bait, if appropriate.
- Refill feeders if bait is significantly depleted or degraded, and there still is evidence of hog activity at the feeder. As bait take and hog numbers decline, the feeders may be monitored at 4-day intervals, but site surveillance must continue as described below. If possible, feeders should be checked at mid-day to minimize disturbance to feral hogs. Bait spilled around feeders must be collected and disposed of properly.

**SURVEILLANCE AND FOLLOW-UP:** Dead hogs may begin to appear in or near the treatment areas within 5 to 7 days after bait placement. Applicators must return to the treatment site within 4 days after the first bait placements were made, and at 2- to 4-day intervals thereafter during the baiting program, to inspect the site for evidence of dead or dying feral hogs. All carcasses found must be disposed of properly. Carcasses may be buried on site. Burial may minimize feral hog disease transmission to humans, domestic animals, and other wildlife. If burial is not practical and other disposal methods are allowed by State and local authorities, carcasses may be disposed of by other methods. Continue to monitor the treatment area for dead or dying feral hogs for at least two weeks after the removal of all bait from the hog feeders.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in original container in a cool, dry place inaccessible to children, pets, domestic animals, and other wildlife.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Handling:** Non-refillable container. Do not reuse or refill this container. Offer container for recycling, if available, or reconditioning, if appropriate. Otherwise, dispose of empty container in a sanitary landfill.

*{Per PR Notice 2007-4 the batch code/lot number will appear on the label or container.}*

## WARRANTY

To the extent consistent with applicable law, Manufacturer and Seller make no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer or user assumes all risk of use and/or handling of this material when such use/handling is contrary to label instructions.

### [WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER AND SELLER, AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE WEATHER, WIND, AND TEMPERATURE, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER AND SELLER, AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER AND MANUFACTURER, AND BETWEEN BUYER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY OTHER REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS. NO WARRANTIES SHALL BE CREATED BY COURSE OF DEALING, USAGE OF TRADE, OR COURSE OF PERFORMANCE. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE FACE HEREOF.

### LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THE NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NEITHER MANUFACTURER NOR SELLER SHALL BE LIABLE TO BUYER OR USER OR TO CUSTOMERS OF BUYER, IF ANY, FOR INDEMNIFICATION OR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE USE, MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S AND SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE GOODS AND, IF BUYER OR USER WISHES, THE RETURN OF THE GOODS BY BUYER TO SELLER.]

Manufactured by:



[Pest Management Solutions]

P.O. Box 1045

Wellington, CO 80549

(970) 482-1330

[customerservice@kaputproducts.com](mailto:customerservice@kaputproducts.com)

Made in [the] U.S.A. [USA]

[Patent Pending]

[Kaput® is a registered trademark of Scimetrics Ltd. Corporation]

**OPTIONAL MARKETING CLAIMS:**

FERAL HOGS SPREAD 30+ BACTERIAL AND VIRAL DISEASES TO HUMANS, LIVESTOCK, PETS AND WILDLIFE

FERAL HOGS CONTAMINATE AND DESTROY PROPERTY, CROPS AND OTHER NATURAL RESOURCES

FERAL HOGS ARE DESTRUCTIVE TO ENDANGERED AND THREATENED SPECIES

BAIT WITH INDICATOR DYE

BLUE INDICATOR DYE WILL BEGIN TO APPEAR IN HOG'S FATTY TISSUE APPROX. 3 HOURS AFTER BAIT CONSUMPTION

WARFARIN IS VIRTUALLY INSOLUBLE IN WATER

KILLS FERAL HOGS

FERAL HOGS START TO DIE 5 -7 DAYS AFTER FEEDING BEGINS


PATENT PENDING

MADE IN USA

FERAL HOGS

- TRANSFER 30+ DISEASES TO HUMANS + ANIMALS
- DESTROY CROPS + NATURAL RESOURCES
- KILL ENDANGERED + THREATENED SPECIES

**OPTIONAL GRAPHIC:**



*{ } Denotes language that does not appear on the market label  
[ ] Denotes alternate/optional language*