

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

72500-30

EPA Reg. Number:

Date of Issuance:

0-30

12/1/21

NOT	ΓICF	OF	PEST	$\Gamma \Gamma C$	$\mathbf{DF} \cdot$

X Registration
Reregistration
(under FIFRA, as amended)

Term of Issuance: Conditional

Name of Pesticide Product:

Kaput Combo Bait with Fipronil

Name and Address of Registrant (include ZIP Code):

Ms. Sue Valentine Regulatory Manager Scimetrics Ltd., Corp. P.O. Box 1045 Wellington, CO 80549-1045

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:	
Sincerely Sur En	Date:
Sincerely,	12/1/21
Gene Benbow, Product Manager 7	
Invertebrate & Vertebrate Branch 3	
Registration Division (7505P)	
Office of Pesticide Programs	

Page 2 of 2 EPA Reg. No. 72500-30 Decision No. 568520

EPA Form 8570-6

- 2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Warfarin GDCI-086002-1601

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1

- 3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 72500-30."
- 4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 12/01/2020
- Alternate CSF 1 dated 12/01/2020

If you have any questions, please contact Kevin Ulrich by phone at (202) 566-2944, or via email at Ulrich.kevin@epa.gov.

Enclosure: Label

Kaput® Combo Bait® with Fipronil

This product may only be used to control listed rodent species and kill blacklegged ticks on these listed rodents in and within 100 feet of man-made structures.

Active Ingredient:

Warfarin (CAS No. 81-81-2)	0.025%
Fipronil (CAS No. 120068-37-3)	0.005%
Other Ingredients	99.970%
Total	100.000%

Keep Out of Reach of Children CAUTION

See back panel for First Aid and additional Precautionary Statements.

EPA Reg. No. 72500-___

EPA Est. 72500-CO-1

Net Weight: $\{4 - 50 \text{ lbs. } [1.81 - 22.7 \text{ kg}]\}$

[Contains approx. {number} bait blocks]
[About {number} blocks]

ACCEPTED

12/01/2021

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 72500-30

{Back Panel}

Read This Label: Read this entire label and follow all use directions and use precautions.

	FIRST AID
Have the produ	uct container or label with you when calling a poison control center or doctor, or when going for treatment.
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	Treatment for Pet Poisoning
	If animal eats bait, call a veterinarian at once.
	Note to Physician or Veterinarian

Note to Physician or Veterinarian

Contains the anticoagulant Warfarin. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K1.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Keep away from children, domestic animals and pets.

Personal Protective Equipment (PPE): All handlers (including applicators) must wear long-sleeved shirt and long pants, socks and shoes and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. IF no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, thoroughly wash hands after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet, then change into clean clothing.

Environmental Hazards

This product is toxic to aquatic invertebrates, mammals and birds. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This label must be in the user's possession at the time of product application.

Apply this product only for the sites, pests and application methods specified on this label.

Use this product to control [kill] listed rats and mice and kill their blacklegged ticks (*Ixodes scapularis*). Blacklegged ticks may transmit Lyme disease.

Read this Label:

Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in locations out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and dogs, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears or other potentially destructive animals or in areas prone to vandalism.
- 3. Dispose of product container, as well as unused, spoiled and unconsumed bait, as specified on this label.

Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets and non-target mammals, or birds may have access to bait.

Use Restrictions: This product may only be used to control [kill] the following listed rodents: Norway rats (*Rattus norvegicus*), Roof rats (*Rattus rattus*), House mice (*Mus musculus*), white-footed mice (*Peromyscus leucopus*), Cotton Rats* (*Sigmodon hispidus*), Eastern harvest mouse* (*Reithrodontomys humuli*), Golden mouse* (*Ochrotomys nuttalli*), Polynesian rat* (*Rattus exulans*), Meadow vole* (*Microtus pennsylvanicus*), White-throated woodrat* (*Neotoma albigula*), Southern plains woodrat* (*Neotoma micropus*), Mexican woodrat* (*Neotoma mexicana*) and kill blacklegged ticks that infest listed rodents in and within 100 feet of man-made structures constructed in a manner so

as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port or terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops. Do not broadcast bait. Burrow baiting with this product is prohibited. Do not sell or distribute this product in individual containers holding less than 4 pounds of bait.

*Not permitted for use against these species in California.

Selection of Treatment Areas: Determine areas where listed rats, mice or meadow voles will most likely find and consume bait. Generally, these areas will be along walls, by gnawed openings, in corners and concealed places, between floors or walls, beside burrow openings and other locations where signs of rodents have been seen. Remove as much alternative food as possible.

Application Directions:

Rats: Apply 4 to 16 blocks per bait placement. Space placements at intervals of 15 to 30 feet in infested area. Maintain an uninterrupted supply of fresh bait for at least 10 days or until there no longer are signs of new feeding by rats.

Mice and Meadow voles*: Apply 1 bait block per placement. Space placements at intervals of 8 to 12 feet in infested area. At points of extremely high rodent activity use 2 bait blocks. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice and meadow voles cease to appear.

Follow-up (Rats, Mice, Meadow voles*): Immediately replace contaminated or spoiled bait. While wearing gloves, properly collect and dispose of all dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations. Regularly check the stations and replace bait as needed.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling:** Non-refillable container. Do not reuse or refill this container. Offer for recycling if available, or dispose of in trash or in a sanitary landfill or by incineration.

{Per PR Notice 2007-4 the batch code/lot number will appear on the label or container.}

WARRANTY

To the extent consistent with applicable law, Manufacturer and Seller make no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

[1. WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. To the extent consistent with applicable law, these goods delivered to you are furnished "as is" by manufacturer or seller. Except as warranted in this label, manufacturer and seller make no warranties, guarantees, or representations of any kind to buyer or user, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use, or eligibility of the product for any particular trade usage. To the extent consistent with applicable law, unintended consequences, including but not limited to ineffectiveness, may result because of such factors as the presence or absence of other materials used in combination with the goods, the types of soils, or the manner of use, including weather, all of which are beyond the control of the manufacturer or seller and assumed by buyer or user.

2. LIMITATION OF LIABILITY

To the extent consistent with applicable law, manufacturer or seller shall not be liable for special, incidental, or consequential damages, or for damages in their nature of penalties relating to the goods sold, including use, application, handling, and disposal. To the extent consistent with applicable law, neither manufacturer nor seller shall be liable to buyer or user by way of indemnification to buyer or to customers of buyer, if any, or for any damages or sums of money, claims or demands whatsoever, resulting from or by reason of, or rising out of the misuse, or failure to follow label warnings or instructions for use, of the goods sold. All such risks shall be assumed by the buyer, its customers, or user. To the extent consistent with applicable law, buyer's or user's exclusive remedy, and manufacturer's or seller's total liability shall be for damages not exceeding the cost of the product or return of the product at the sole discretion of manufacturer or seller.

3. If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.]

[Attention [Notice]: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.]

[Pest Management Solutions]
[Innovative Rodent Control Based On Science]
P.O. Box 1045
Wellington, CO 80549-1045
(970) 482-1330
customerservice@kaputproducts.com

- [] Denotes optional/alternate language
- { } Denotes language that does not appear on the market label

OPTIONAL MARKETING STATEMENTS:

Rodenticide and [+] Insecticide
Kills listed rodents and [+] their blacklegged ticks
Kills the blacklegged ticks while it kills the listed rodent host!
Contains Warfarin & Fipronil
A bait containing a rodenticide to kill the listed rodent and an insecticide to kill blacklegged ticks on the rodent
Kills blacklegged ticks that may transmit Lyme disease
Made in USA
U.S. Patent No. 7,943,160 B2

OPTIONAL GRAPHICS:





