72567-5

2/17/2000

Page 123



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

x Registration

Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

72567-5

FEB 17 2000

Term of Issuance:
Conditional

Name of Pesticide Product:

Omen 4-4

Name and Address of Registrant (include ZIP Code):

Plexus Services, Inc. 5701 Red Bug Road Winter Springs, Florida 32708

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above RPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit/cite all data required for the registration/reregistration of your product when the Agency requires all registrants of similar products to submit data.
- 2. Make the following label change before you release the product for shipment:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 72567-5.

Signature of Approving Official:

Date:

George T. LaRocca Insecticide Branch Registration Division (7505C)

EPA Form 8570-6

- b. Change the statement "Contains a Petroleum Distillate Solvent" to read "Contains Petroleum Distillate".
- c. Update your Precautionary Statements to read: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- d. Update date the Statement Of Practical Treatment (SOPT): to read: IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
- e. Your label must contain the following: Note to Physician: This product may pose an aspiration pneumonia hazard. Contains petroleum distillate.
- 3. For accurate assessment of physical or chemical hazards that may be anticipated from subject product, you should submit the full data requirement pertaining to the product's flash point. Reported flash point in box 9 of the CSF does not seem to reflect the product's composition.
 - 4. Submit one (1) copy of the final printed labeling for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca Insecticide Branch Registration Division (7505C)

For Application only by Public Health Official and Trained Personnel of Mosquito Abatement Districts and Other Mosquito Control Frograms. An All Temperature, Quick knockdown, Low Odor, Non-Corrosive Synergized Synthetic Pyrethroid for the Control of Adult Mosquitoes in Residential And Recreational Areas. Also for Use Against Biting and Non-Biting Midges and Black flies.

militario Contains 0.3344 lbs. A.I. and 0.3344 ibs. A.I. Piperonyl Butovide / gallor

ACTIVE INGREDIENTS: Permethrin (3-phenoxyphenyl)methyl(+/-) cis/trans 3-(2.2-dichloroethenvl) 2.2dimethyl cyclopropanecarboxylate - - - - 4.0% Piperonyl Butoxide Technical Equivalent to 80% (butvicarbityl) (6-propylpiperonyl)ether and 20% related compounds- - - -

OTHER INGREDIENTS: *-92.0% * Contains a Petroleum Distillate Solvent 100.0%

KEEP OUT OF REACH OF CHILDREN

Plexus Services, Inc. 7503 Red Bug Road Winter Springs, FL 32708

Net Contents 30 Gallons EPA Est. No. 72567-

EPA Reg. No. 72567-

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente"
STATEMENT OF PRACTICAL, TREATMENT

IF SWALLOWED; Call a physician or Poison Control Center immediately. Do not induce vomiting because of sepiration hazard. IF IN-IALED: Remove victim to freeh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention. IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation pensists.

NOTE TO PHYSICIAN: "Solvent presents an aspiration hazard. Gestric lavage is indicated if material was taken internally. Vomiting may cause aspiration pneumonia.

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inheled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes, skin, or clothing. Wash throroughly with seap and water after using and before eating or empking. Avoid contamination of food and feed. May cause contact sensitization following repeated contact with skin in susceptible individuals.

ENVIRONMENTAL HAZARDS

This product is extremely tool to fielh and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoif from treated sites may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment weathwesters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not use pour solid or stone past heat for onen fame.

Do not use, pour, solit or store need heat or open flame.

DIRECTIONS FOR USE it is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal, STORAGE: Store product in its original labeled container in a cool, dry, locked place designated for such insecticides and out of reach of children, Avoid exposure to extreme temperatures. In case Gry, locked piace designated for such insecticides and out of reach of children. Avoid exposure to extreme temperatures. In case of splitting, sock up with absorbern material such as savidust, or fullers earth; sweep up and place in a labeled container and dispose of as follows. PESTICIDE DISPOSAL: Westes resulting from the use of this product may be disposed of on site or at an approved wastes disposal inclinity, CONTAINED DISPOSAL; (Metal) Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other approved state and local procedures. (Plastic) Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning, if burned, stay out of smoke,

THERMAL AEROSOL FOGGING

TRUCK MOUNTED - Apply diluted with Thermal Fog Oil and suitable Thermal Fogging equipment. Use at the recommended rates of 0.001 to 0.007 pounds of Permethrin per acre and the same amount; 0.001 to 0.007 pounds of the synergist Piperonyl Butoxide per acre. Use higher flow rate in heavy vegetation or when insect populations are high. Do not exceed the maximum rates. May be applied at speeds of 5 m.p.h. up to 20 m.p.h. To reduce oil requirement and studge buildup in equipment, use 100 second viscosity mineral "fog" oil. For use with hand carried and/or lawn mower foggers, use same rates of A.i. per acre. Do not wet foliage since certain oil base formulations may be phytotoxic. Do not fog when wind conditions exceed 5 miles per hour. Use a clean, well maintained and properly calibrated fogger. Fog Down

AS A BARRIER SPRAY USE A "BACKPACK" ULV UNIT

For use in non-thermal ULV portable backpack equipment apply OMEN® 4-4 with equipment adjusted to deliver ULV particles of 50 to 100 microns mass median diameter. Use 38.3 ft. oz. of the undituted sorsy per acre (equal to 0.1 lb. A.f. per acre) as a 50 ft (15.2 m) swath while walking at a speed of 2 m.p.h. (3.2 k.p.h.). May also be applied diluted; make sure that the same amount of A.I. (0.1 lb.) is applied per acre.

NON-THERMAL AEROSOL (COLD FOG)

OMEND 4-4 is recommended for application as an ultra low volume (U.L.V.) non-thermal aerosol (cold Fog) to control adult mosquitoes in residential and recreational areas where these insects are a problem, such as but not limited to parks, campelles, woodlands, athletic fields, golf courses, residential areas, and municipalities, gardens, playgrounds, recreational areas and overgrown waste areas. Do not apply this product within 100 feet (30 maters) of letes and streams. Do not allow spray treatment to drift on pestureland, cropland, poultry ranges, or water supplies. For best results treat when mosquitoes are most active and weather conditions are conductive to keeping the fog close to the ground, i.e. cool temperatures and wind speed not greater than 10 m.p.h., Applications during the cool hours of the night or early morning is preferable. Repeat treatment as needed.

OMENS 4-4 U.L.V. Non-thermal Agrosol (Cold Fog) Applications. To control Mosquitoss, Midges and Stabilities, apply OMENO 4-4 using any standard U.L.V. ground applicator with an accurate flow mater capable of ensuring the proper flow rate and of producing a non-thermal serosol spray with droplets ranging in size from 5 to 30 microns and a mass median diameter (MMD) of 10 to 20 microns using a spread factor of 0.85. Apply the product undiluted at a flow rate of 2.3 to 6.3 fluid ounces per minute at an average vehicle speed of 10 m.p.h. with a swath width of 300 feet. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.001 to 0.007 pounds of Permethrin and the same amount 0.001 to 0.007 pounds of the synergist Piperonyl Butoxide per sore. Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or when populations are high.

Permethrin/PBO lbs. A.I./Acre	Application Rates - Fluid Ounces per Minute per M.P.H.			
	5 mph	10 mph	15 mph	20 mph
0.007 / 0.007	8.1	6.3	24.5	32.6
0.0035 / 0.0035	4.0	8.1	12.2	16.2
0.00175 / 0.00175	2.5	4.1	6.1	8.2
0.001/ 0.001	1.1	2.3	3.5	4.6

AERIAL APPLICATION

The use of specially designed aircraft capable of applying ULTRA LOW VOLUMES of OMENIO 4-4 at above recommended rates may be considered necessary when conducted at the discretion of Public Health Officials, Mosquito Absternent Districts and other trained personnel engaged in OUTDOOR Mosquito & Biting Fly control programs when these insects threaten to become a public health hazard

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label. (omen-4-4.P65\08-10-99)

PAGE 5 OF 14