



72567-7

6-5-2000

1/4

	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460	EPA Reg. Number:  72567-7	Date of Issuance:  JUN 5 2000
	NOTICE OF PESTICIDE:  <u>  x  </u> Registration <u>      </u> Reregistration  (under FIFRA, as amended)	Term of Issuance:  Conditional	
		Name of Pesticide Product:  Skeeter-Mite 300-1500 ULV	
Name and Address of Registrant (include ZIP Code):  Plexus Services, Inc. 1558 Crossbearn Dr. Casselberry, FL 32707			
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>			
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"><li>1. Submit/cite all data required for the registration/reregistration of your product when the Agency requires all registrants of similar products to submit data.</li><li>2. Make the following label change before you release the product for shipment:<ol style="list-style-type: none"><li>a. Revise the EPA Registration Number to read, "EPA Reg. No. 72567-07.</li></ol></li></ol>			
Signature of Approving Official:   George T. LaRocca Insecticide Branch Registration Division (7505C)		Date:  JUN 5 2000	

2/4

b. Add Aerial Precaution for use in Florida, i.e., "In Florida: Do not apply by aircraft exception emergency situations and with the approval of the Florida Department of Agriculture and Consumer Services.

c. Delete "above" under Aerial Applications since the rates are not listed above.

d. Delete the Thermal Aerosol Fogging Use. This use pattern is not approved for the me-too product EPA Reg. No. 8328-40.

3. Submit a revised data matrix listing "Phytotoxicity" and "Efficacy" data under "Pay" status. These type studies are conducted with the end-use product and do not qualify for formulators exemption. They may also be compensable data if submitted and accepted by the Agency in support of a product for registration.


4. Under block 2 of the CSF, you listed Bonide Products Inc. as producer. We assume Bonide Products is under contract with Plexus Services, Inc. to formulate this product using EPA Reg. No. 71532-1 as the source material. Please confirm.

5. Submit two (2) copies of the final printed labeling for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



George T. LaRocca  
Insecticide Branch  
Registration Division (7505C)

Enclosure

# <sup>®</sup>**SKEETER-MITE**

**Net Contents 30 Gallons.**

**\*\*For the Control of Adult Mosquitoes**



**SKEETER-MITE 300-1500 ULV**  
*For Application only by Public Health Officials and  
 Trained Personnel of Mosquito Abatement Districts  
 and Other Mosquito Control Programs.*  
*An All Temperature, Quick knockdown, Low Odor,  
 Non-Corrosive Synergized Synthetic Pyrethroid for*  
***\*\*use in the control of Adult mosquitoes, Biting and  
 Non-Biting Midges and Black flies in Residential  
 And Recreational Areas.***

## **AERIAL APPLICATION**

The use of specially designed aircraft capable of applying ULTRA LOW VOLUMES of **SKEETER-MITE® 150 / 750 ULV** at above recommended rates may be considered necessary when conducted at the discretion of Public Health Officials, Mosquito Abatement Districts and other trained personnel engaged in OUTDOOR Mosquito & Biting Fly control programs when these insects threaten to become a public health hazard.

## **THERMAL AEROSOL FOGGING**

**TRUCK MOUNTED-** At the a.i. rates provided in the application chart on this label apply **SKEETER-MITE® 300-1500 ULV** undiluted or (diluted with a suitable 100 second viscosity mineral "fog" oil) with suitable Thermal Fogging equipment. Use only at the recommended rates of 0.00088 to 0.005 pounds of A.I. Permethrin per acre and 0.0044 to 0.0264 pounds of the synergist A.I. Piperonyl Butoxide per acre (see chart for rates). Use higher flow rate in heavy vegetation or when insect populations are high. Do not exceed the maximum rates. May be applied at speeds of 5 m.p.h. up to 10 m.p.h. Do not fog when wind is over 5 mph. Use a clean, well maintained and properly calibrated fogger. Fog Down wind.

## **STORAGE AND DISPOSAL**

**Do not contaminate water, food or feed by storage or disposal.** **STORAGE:** Store product in its original labeled container in a cool, dry, locked place designated for such insecticides and out of reach of children. Avoid exposure to extreme temperatures. In case of spillage, soak up with absorbent material such as sawdust, or fullers earth; sweep up and place in a labeled container and dispose of as follows. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved wastes disposal facility. **CONTAINER DISPOSAL:** (Metal) Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other approved state and local procedures. (Plastic) Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. (sktr-15-P65103-09-00)

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product in accordance with the terms of this label.

## **ACTIVE INGREDIENTS:**

Permethrin (3-phenoxyphenyl)methyl(+/-) cis/trans 3-(2,2-dichloroethyl) 2,2-dimethyl cyclopropanecarboxylate - 3.0%  
 Piperonyl Butoxide Technical Equivalent to 80% (butylcarbyl) (6-propylpiperonyl) ether and 20% related compounds - 15.0%

**OTHER INGREDIENTS:** - - - - - 82.0%  
 \*contains petroleum distillate . Total 100.0%

Contains 0.225 lbs. A.I. Permethrin / gallon and 1.125 lbs. A.I. Piperonyl Butoxide per gallon.

**EPA Reg. No. 72567-**

**EPA Est. No. 4-NY-1**

## **KEEP OUT OF REACH OF CHILDREN CAUTION**

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente"

## **FIRST AID & STATEMENTS OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration hazard. **IF INHALED:** Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists. **NOTE TO PHYSICIAN:** "Solvent presents an aspiration hazard. Gastric lavage is indicated if material was taken internally. Vomiting may cause aspiration pneumonia."

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS

## **PRECAUTIONARY STATEMENTS**

### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after using and before eating or smoking. Avoid contamination of food and feed. May cause contact sensitization following repeated contact with skin in susceptible individuals.

### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated sites may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

### **PHYSICAL AND CHEMICAL HAZARDS**

Do not use, pour, spill or store near heat or open flame.

## **DIRE**

It is a violation of Federal law to use this product in or around

## **ULV NON-THERMAL AEROSOL CONDITION**

**SKEETER-MITE® 300-1500 ULV** is an ultra low volume (U.L.V.) adult mosquito control product. In residential areas, mosquitoes are a problem, especially in woodlands, athletic fields, pastures, gardens, playgrounds, and streams. Do not allow spray to contact poultry ranges, or water sources. Mosquitoes are most active and widespread in the evening. The fog is most effective at night, but can be applied in the early morning if preferable. **U.L.V. Nonthermal Aerial Mosquito Control:** Mosquitoes, Midges and Black Flies using any standard U.L.V. equipment. A nonthermal aerosol spray with a median particle size of 10-20 microns and a mass median diameter of 1.5 microns. The product undiluted at an average vehicle speed of 5 mph is equivalent to 0.00088 to 0.005 pounds of A.I. Permethrin per acre according to vegetation density. The flow rate in heavy vegetation may vary. The flow meter must be used to determine the correct application. The fog should be applied 4 1/2 ft. above ground level. Failure to follow the above directions may result in ineffective control.

Aerial applications should be made at an altitude of 300 feet or more. The effective swath width of 500 feet per minute (3.0 ounces) of

## **NON-THERMAL AEROSOL CONDITION**

PERMETHRIN / PBO	APPL Fl. Oz.s 5 mph
lbs. A.I./Acre	
0.005 / 0.0264	9.0
0.00264 / 0.0132	4.5
0.00088 / 0.0044	1.5

**Plexus Services, Inc.**

**5703 Red Bug Rd.**

**Winter Springs, FL 32708**

4/4

ACCEPTED  
with COMMENTS  
In EPA Letter Dated

JUN 5 2000

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.

72-567-7

1