

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

0

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

AUG 1 0 2009

Ms. Sonya Gissendanner Elanco Animal Health 2001 W. Main Street Greenfield, IN 46140

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant,

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated March 20, 2009 for:

# EPA Registration 72642-3 StandGuard Premise

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely, Ruhel C. Halloman

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

Please read	instructions	on	reverse before	completing	fon
				_	
			*		

Registration
Amendmen
Other

<b>7/ III / 1</b>	United States Environmental Protection Agency Weshington, DC 20460			Registration Amendment Other		OPP Identifier Number
Applicati	on for F	Pesticide - S	Section	I		
Company/Product Number Elanco Animal Health/72642-3		2. EPA Product Manager Kimberly Nesci			F3	posed Classification  None Restricted
4. Company/Product (Name) Elanco Animal Health/StandGuard® Premise		PM# 13 -			ر ک	
5. Name and Address of Applicant (Include ZIP Code)  Elanco Animal Health  2001 W. Main Street  Greenfield, IN 46140  Check if this is a new address	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.					
	Sect	Product Nation - II				
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.  Explanation: Use additional page(s) if necessary. (For section Notification of label change per PR Notice 2007-4. This notification regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and Formula for this product. I understand that it is a violation of 18 U.S amended label is not consistent with the requirements of 40 CFR § FIFRA and I may be subject to enforcement action and penalties understand the second content of the second c	n is consiste I 156.156. N S.C. Sec. 10 §§ 156.10, 1	Agence "Me T Other Other other changes I other	ey letter dat foo" Applica - Explain be nice in PR No have been m ke any false 156.146, ar	oliow.  otice 2007-4 and the labeling statement to EPA	g or the	e Confidential Statement of er understand that if the
Material This Product Will Be Packaged In:	Sect	ion - III				
Child-Resistant Packaging  Yes  No  * Certification must be submitted  Unit Packaging  Yes  No. per Unit Packaging wgt.		Soluble Packaging  Yes  No  No  No. per e wgt container  2. Type of Container  Metal Plastic Glass Paper Other (Specify)			pecify)	
3. Location of Net Contents Information 4. Size(s) Re	etail Contain	ner	5. Lo	cation of Label D on the label	irection	ns
6. Manner in Which Label is Affixed to Product	graph r glued ciled		Other			
		on - IV				ccc
1. Contact Point (Complete items directly below for identification	on of individ	dual to be contac	cted, if nec	essary, to proces	s this e	application.)
Name Sonya Gissendanner	Title Regulato	Telephone No. (Include Area Cocatory Associate				•
Certificate I certify that the statements I have made on this form and I acknowledge that any knowlingly false or misleading states both under applicable law.	d all attachr			* 6.1	té.	6: Duts: Application Received C. (Syamped)
Long Dissenhanne		atory Associate				c ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (
4. Typed Name Sonya Gissendanner		14 January 2009				



Elanco Animal Health A Division of Eli Lilly and Company PO Box 708 2001 W. Main Street Greenfield, IN 46140 (317)276-2000

March 20, 2009

Kimberly Nesci Product Manager #13 U.S. EPA - OPP - BPPD One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202

RE: PRN 2007-4 Updates for StandGuard Premise® (72462-3)

Elanco Animal Health is providing in this notification, updates to storage and disposal statements for StandGuard Premise<sup>®</sup> (72462-3). This change is represented in the attached label by highlights to the changed portion of the label. [PR Notice 2007-4: IV(A)]

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

We appreciate the opportunity to work with you to ensure our product labeling is fully compliant with the requirements of the EPA and its implementing regulations. If there are any questions, please contact me by e-mail (Gissendannersj@lilly.com) or by telephone at (317) 651-4127.

Sincerely,

Sonya Gissendanner Regulatory Associate Elanco Animal Health 2001 W. Main St. Greenfield, IN 46143

(317) 651-4127

Enclosures:



PREMISE INSECTICIDE [For Agricultural Use Onty]-

A controlled release premise insecticide for use in and around livestock/poultry housing; pet kennels, railcars, trucks and trailers for control of files, fleas, mosquitoes, ants, bees, wasps, crickets, pillbogs, scorpions, sowbogs, spiders, ticks and litter beetles.


**Keep Out of** Active Ingredient Reach of Children Gamma-cyhalothrin: Cyclopropanecarboxylic acid, 3-(2-chloro-3.3.3-trifluoro-1propenyl)- 2.2-dimethyl, cyano (3-phenoxyphenyl) methyl ester .. OTHER INGREDIENTS TOTAL..... Contains 0.5 pound of ingredient per of the intents: Contains petrold

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Causes moderate eye imitation. Harmful If swallowed, Avoid contact with eyes, skin or clothing. Wash ! thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.



Skin exposure may also result in a sensation described as a tingling, Itching, burning or prickly feeling. Onset may occur immediately to 4 hours after exposure and may last 2 to 30 hours, without damage. Wash exposed areas thoroughly with soap and water. Relief from skin sensation may be obtained by applying an oil-based cream.



#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish and aquatic organisms, and toxic to wildlife. Do not apply directly to water, or areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply this product only as specified on the label.

#### PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or an open flame.

Notice: Shake well before use. Avoid freezing. Read entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at the end of the label booklet. If terms are unacceptable, return at once unopened. \*Elanco, StandGuard, and the diagonal color bar are trademarks of Ell Lilly and Company

Elanco Animal Health A Division of Eli Lilly & Company Indianapolis, IN 46285 www.elanco.com

Questions or comments call 1-800-428-4441



PREMISE INSECTICIDE lFor Agricultural Use Only)

A controlled release premise insecticide for use in and around livestock/poultry housing, pet kennels, railcars, trucks and trailers for control of files, fleas, mosquitoes, ants, bees, wasps, crickets, pillbugs, scorpions, sowbugs, spiders, ticks and litter beetles.

## Keep Out of Reach of Children CAUTION

Notice: Shake well before use. Avoid freezing, Read entire label, Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at the end of the label booklet. If terms are unacceptable, return at once unopened.

#### FIRST AID

if swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after five minutes, then continue rinsing eye. Call a polson control center or doctor for treatment advice.

Note to Physician: Induced vomiting as a first aid for this product may result in increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should only be induced under professional supervision.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-428-4441 for emergency medical treatment information.

## **DIRECTIONS FOR USE**

it is a violation of Federal law to use this product in a manner inconsistent with its labeling

For use as a general surface (non-food/non-feed grous). crack and crevice or spot treatment in and around livestock/ poultry housing, pet kennels, railcars, trucks and trailers: STANDGUARD insecticide can be reapplied at 21-day intervals if necessary.

STANDGUARD insecticide is intended for dilution with water for application using hand held or power operated application equipment as a coarse spray for crack and crevice or spot and general surface treatments. Application equipment that delivers low volume treatments may also be used to make crack and crevice or spot and general surface treatments. Fill the applicator tank with the desired volume of water and add STANDGUARD Insecticide. Close and shake before use to ensure proper mixing. Shake or re-agitate applicator tank before use if application is interrupted. Make up only amount of treatment volume as required.

- 1. FLIES, FLEAS, MOSQUITOES, BEES AND WASPS: Apply directly to walls, cellings, window screens, and other insect resting areas as a residual surface treatment. May be used in and around equipment storage sheds; also see OUTDOOR SURFACE USE.
- 2. ANTS: Apply to antitrails around doors and windows and other places where ants are found. Apply barrier treatments to prevent infestations as directed in

NOTIFICATION



BARRIER TREATMENTS; also see OUTDOOR SURFACE USE.

- 3. SPIDERS AND CRICKETS: Apply as a coarse, low pressure spray to areas where these pests hide such as corners, storage areas, around water pipes, doors and windows, attics and eaves and baseboards. Pay particular attention to cracks and crevices; also see OUTDOOR SURFACE USE.
- 4. SOWBUGS AND PILLBUGS: Apply around doors and windows and other places where these pests may be found or where they may enter the premises. Treat storage areas and other locations. Apply barrier treatments to prevent infestations as directed in BARRIER TREATMENTS; also see OUTDOOR SURFACE USE.
- 6. LITTER BEETLES (Darkling, Hide and Carrion Beetles) in Animal Housing (such as Poultry Housing): To control adult litter beetles, apply STANDGUARD Insecticide to walls and floors at each grow-out or sanitation procedure, before reintroduction of poultry or other animals. This will suppress beetles that escaped earlier treatment and will also help to delay the onset of further infestations. Pay attention to areas where beetles frequently occur, such as walls, supports, cages, stalls and around feeders; also see LIVESTOCK/ POULTRY HOUSING STRUCTURES.

LIVESTOC	K/POULTRY	HOUSING	STRUC	CTURI	ES
AND PET KENNELS					

Apply as a general surface and/or crack and crevice treatment. Control is enhanced when interior and exterior perimeter applications are made in and around livestock, poultry and pet housing structures. Normal cleaning practices of the structure must also be followed along with applications of STANDGUARD insecticide to effectively control the crawling and flying insects listed in the table. For poultry houses, apply to floor area (birds grown on

For poultry houses, apply to floor area (birds grown on litter) or to walls, posts and cage framing (birds grown in cages). Application should be made into cracks and crevices around insulation. Re-apply after each grow-out or sanitation procedure, indoor control can be enhanced by making perimeter treatments around the outside of the building foundations to prevent immigrating beetles. Maintaining a year round treatment program will prevent background populations from reaching problem levels.

DO NOT make applications of STANDGUARD insecticide in areas where animals are present in the facility. Allow treated surfaces to dry completely before restocking the facility. DO NOT make applications to any animal feedstuffs, water or watering equipment. DO NOT contaminate any animal food, feed or water in and around livestock, poultry or pet housing when making applications.

Pests	Active ingredient	Dilution rate
Files (including House flies, stable flies, little house flies) Ants	0.0075% - 0.015%	0.0075% 0.16 fl oz (5 mL) / gal water 0.5 fl oz (15 mL) / 3 gal water
Bees Fleas' Wasps		0.015% (0.33 fl oz (10 mL) / gal water 1.0 fl oz (30 mL) / 3 gal water

Note: Typical premise spray rates are 1 gal of diluted spray to treat 500 – 1000 sq. ft.

 For outdoor use only and use at 0.015% rate only.

Pests	Active ingredient	Dilution rate
Litter bootles" (including adults/ immature stages of Darkling, Hide and Carrion beetles) Crickets Mosquiloes Pillbugs Sowbugs Scorpions Spiders Ticks	0.03%	0.03% 0.65 (I oz (20 mL) / gal water 2.0 fl oz (60 mL) / 3 gal water

Note: Typical premise spray rates are 1 gal of diluted spray to treat 500 – 1000 sq. ft.

\*\* For control of light infestations of beetles, use 0.015% rate:

#### **OUTDOOR SURFACE USE**

For control of flies, fleas, mosquitoes, ants, bees, wasps, crickets, pillbugs, scorpions, sowbugs, spiders, ticks and other similar perimeter insect pests. Apply with either hand or power application equipment as a residual treatment to surface of buildings, screens, window frames, eaves and other similar areas. Also may be applied to lawn areas around non-residential buildings, refuse dumps and similar areas where these insect pests are active.

#### **BARRIER TREATMENTS**

To help prevent infestation of a building, apply a band 6 to 10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where pests are active and may find an entry into the building. Apply as a coarse spray to thoroughly and uniformly wet the foundation and/or band area using 1-5 gallons of treatment solution applied to 800-1600 square feet.

NOTE: Do not use water-based sprays of STANDGUARD insecticide in conduits, motor housings, junction boxes, switch boxes, or other electrical equipment because of possible shock hazard. For best results thoroughly wash out sprayer and screen with water and detergent before using STANDGUARD insecticide.

- Let treated surfaces dry before allowing humans and pets to contact these surfaces.
- · Do not use this product with oil.

 Do not allow applications to contact water inhabited by fish, such as aquanums and ornamental fish ponds that are located in and around structures being treated.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Notice: Shake well before use, Avoid freezing.

	iato trail perare use, Avoid freezing.
Peslicide Storage:	Store in original container, tightly closed, in a secure place, Keep out of the reach of children and domestic animals, in case of leak or spill, contain material and dispose as waste.
	Nonretillable container. Do not reuse or retill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Triple rinse empty container. Then dispose of empty bag/container in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burner, stay out of smoke.

#### INTEGRATED PEST AND RESISTANCE MANAGEMENT

Flies, beetles and other insects have demonstrated the ability to develop resistance to insect control products. Continual exposure of flies and other insects to a single class of insecticide may lead to the development of resistance to that class of insecticide. The following resistance management strategy will help ensure the prolonged usefulness of STANDGUARD insecticide, as well as other conventional insecticides.

- Apply STANDGUARD insecticide and other insect control agents only according to label directions.
- Do not use less than the labeled rate of any insect control product.
- Include multiple control tactics (cultural and/or biological controls) within an integrated Pest Management Program.
- Rotate STANDGUARD insecticide with other classes of insecticide (naturalytes, phenyl pyrazoles, chloronicotinyls, and organophosphates, etc.) during an insect pest season.

For advice concerning integrated pest management practices in relation to local conditions, consult resources in resistance management programs, your Cooperative Agricultural Extension Service or your Elanco Animal Health representative (1-800-428-4441).

#### **INHERENT RISKS OF USE**

It is impossible to eliminate all risks associated with the use of this product. Lack of performance or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, presence of other materials, the manner of application, or other factors which are beyond the control of Elanco Animal Health or the seller. All such risks are assumed by the buyer.

#### LIMITATION OF REMEDIES

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Elanco Animal Health's election, one of the following:

- Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used

Elanco Animal Health shall not be liable for losses or damages resulting from the handling or use of this product unless Elanco Animal Health is promptly notified of such loss or damage in writing. To the extent permitted by law, Elanco Animal Health shall not be liable for consequential or incidental damages or losses. The terms of the Warranty Disclaimer and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Elanco Animal Health or the seller is authorized to vary or exceed the terms of Warranty Disclaimer of this Limitation of Remedies in any manner.

#### TERMS AND CONDITIONS OF USE

If terms of the Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

#### WARRANTY DISCLAIMER

Elanco warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks previously stated. Elanco MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish and aquatic organisms, and toxic to wildlife. Do not apply directly to water, or areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply this product only as specified on the label.

### PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or an open flame.

Notice: Shake well before use. Avoid freezing. Read entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at the end of the label booklet. If terms are unacceptable, return at once unopened.

\*Elanco, StandGuard, and the diagonal color bar are trademarks of Eli Lilly and Company Elanco Animal Health A Division of Eli Lilly & Company Indianapolis, IN 46285 www.elanco.com Questions or comments call 1-800-428-4441

NOTIFICATION APR 1 0 2009