

72642-10

05/06/2013

1/29



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
CHEMICAL SAFETY
AND POLLUTION PREVENTION

Mr. Aaron Johnson
Elanco Animal Health
2500 Innovation Way
Greenfield, IN 46410

MAY 06 2013
NOTIFICATION

NOTIFICATION
MAY 06 2013

Subject: Notification of primary brand name change
EPA Registration Number: 72642-10
Decision: 476524

Dear Mr. Johnson:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration (PRN)98-10 dated February 12, 2013, for the abovementioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact Samantha Hulkower at (703) 603-0683 or Hulkower.Samantha@epa.gov.

Sincerely,

Mark Suarez
Product Manager 13
Insecticide Branch
Registration Division (7505P)

Enclosures: Copy of Label Stamped "Notification"

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

Print Form

 United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 72642-10	2. EPA Product Manager Mark Suarez	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Elanco Animal Health / Cheristin for cats	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Elanco Animal Health, A Division of Eli Lilly & Co. 2500 Innovation Way, P.O. Box 708, Greenfield, IN 46140 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of a PRIMARY BRAND NAME

See additional page for further explanation

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt No. per container	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
--	--	---	---


* Certification must be submitted

3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Aaron Johnson	Title Principal Consultant	Telephone No. (Include Area Code) 317-276-4021
------------------------------	--------------------------------------	--

<p style="text-align: center;">Certification</p> <p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</p>		6. Date Application Received (Stamped)
2. Signature 	3. Title Principal Consultant, Regulatory Affairs	
4. Typed Name Aaron Johnson	5. Date February 12, 2013	

4/29



Elanco Animal Health

2500 Innovation Way
Greenfield, IN 46140
317.276.2000


RE: Notification of Primary Brand Change [EPA Registration # 72642-10]

Explanation Continued:

“This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.”

Signature  Date 12 Feb 20 13
Aaron E. Johnson

Aaron E. Johnson, DVM, MS
Elanco Animal Health
Principal Consultant, Regulatory Affairs
(317) 276-0421
(317) 277-4167 (fax)
ajohnson@elanco.com



Cheristin™ for cats
Master Label

Marketing claims: see lists at the end of the draft labels.
Alternative language in (parentheses)

NOTIFICATION

MAY 06 2013

CARTON LABEL

FRONT PANEL


Cheristin™ for cats

spinetoram

A ONCE-A-MONTH TOPICAL SOLUTION FOR THE PREVENTION AND TREATMENT OF
FLEA INFESTATIONS

ONLY FOR CATS AND KITTENS EIGHT WEEKS OF AGE (AND OLDER)

Marketing claims: see lists at the end of the draft labels.



ACTIVE INGREDIENT

Spinetoram (CAS# 187166-40-1 & 187166-15-0) 11.2%

OTHER INGREDIENTS 88.8%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS

READ ALL DIRECTIONS BEFORE USING THIS PRODUCT

CONTENTS

1, 2, 3, 4, 6, 8, 12 – 0.026 fl oz (0.77 ml) applicator

BACK PANEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General use pesticide. For use only for further manufacture or repacking of a registered pesticide product for companion animals.

Read the entire label, directions for use and frequency of application each time before using this product. For external use on cats and kittens only.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION**

HAZARDS TO HUMANS

Harmful if swallowed. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contact with eyes or clothing.

HAZARDS TO DOMESTIC ANIMALS

FOR USE ON CATS AND KITTENS ONLY. For external use only. Do not use on kittens less than eight (8) weeks of age or weighing less than 1.8 lb. Do not allow your cat to ingest this product. Use only a single dose on cats weighing greater than 20 lbs. As with any product, consult your veterinarian before using the product on debilitated, aged, pregnant or nursing animals or animals known to be sensitive to pesticides.

SIDE EFFECTS:

Monitor your cat after application. Side effects may include signs of application site reactions such as application site hair loss, hair change (greasy, clumping or matting) or redness, inflammation and itching. Other side effects such as inactivity, vomiting and inappetance have also been reported. If these or any other side effects occur, consult your veterinarian, your cat's health care expert. For technical assistance or to report a side effect, call Elanco at 1-888-545-5973.

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.


IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice. Have the product label with you when you call the poison control center or medical professional.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Rocky Mountain Poison Control at 1-888-767-5023 for emergency medical treatment information.

Manufactured for
Elanco Animal Health
A Division of Eli Lilly and Company
Indianapolis, IN 46285

EPA Reg. No. 72642-10
EPA Est. No.



PACKAGE INSERT LABEL

Cheristin™ for cats

spinetoram

A ONCE-A-MONTH TOPICAL SOLUTION FOR THE PREVENTION AND TREATMENT OF FLEA INFESTATIONS

ONLY FOR CATS AND KITTENS EIGHT WEEKS OF AGE (AND OLDER)

ACTIVE INGREDIENT

Spinetoram [CAS# 187166-40-1 & 187166-15-0] 11.2%

OTHER INGREDIENTS 88.8%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION

HAZARDS TO HUMANS

Harmful if swallowed. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contact with eyes or clothing.

HAZARDS TO DOMESTIC ANIMALS

FOR USE ON CATS AND KITTENS ONLY. For external use only. Do not use on kittens less than eight (8) weeks of age or weighing less than 1.8 lb. Do not allow your cat to ingest this product. Use only a single dose on cats weighing greater than 20 lbs. As with any product, consult your veterinarian before using the product on debilitated, aged, pregnant or nursing animals or animals known to be sensitive to pesticides.

SIDE EFFECTS:
Monitor your cat after application. Side effects may include signs of application site reactions such as application site hair loss, hair change (greasy, clumping or matting) or redness, inflammation and itching. Other side effects such as inactivity, vomiting and inappetance have also been reported. If these or any other side effects occur, consult your veterinarian, your cat's healthcare expert. For technical assistance or to report a side effect, call Elanco at 1-888-545-5973.

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice. Have the product label with you when you call the poison control center or medical professional.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Rocky Mountain Poison Control at 1-888-767-5023 for emergency medical treatment information.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General use pesticide. For use only for further manufacture or repacking of a registered pesticide product for companion animals.

Read the entire label, directions for use and frequency of application each time before using this product. For external use on cats and kittens only.

FREQUENCY OF APPLICATION

To kill fleas and prevent reinfestations, apply to cats and kittens 8 weeks of age and older as follows:

HOW TO APPLY

1. Use only on cats and kittens 8 weeks of age and older and weighing 1.8 lbs or more. Do not use more than a single dose on cats weighing greater than 20 lbs.
2. Remove one applicator tube from the blister package.
3. Hold applicator tube in an upright position.
4. Press cap down until it clicks (indicating the tube has been punctured). Hold upright and remove cap. Check to be sure there is an opening at the tip of tube.
5. Part the hair on the neck at the base of the head until the skin is visible. Place the tip of the tube directly above the skin and squeeze the tube 2-4 times to expel the contents of the tube directly on the skin. For best results, apply at the base of the head, not between the shoulder blades. Avoid getting the product in your pet's eyes or mouth. Treatment at the base of the head will minimize the opportunity for the cat to directly lick the product. Do not allow your cat to ingest this product. (There may be a small residual remaining in the tube after a full dose is expelled.)

6. Discard empty applicator tube in the trash.

Picture/drawing
of opening the
tube.

Picture/drawing
of parting the
hair on neck at
base of head.

Picture/drawing
of applying the
product.

Monthly application is recommended to prevent and treat flea infestations. Cheristin™ for cats starts working in 30 minutes and continues killing fleas for a full month after application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage:

Store in original package in a cool dry place.

Pesticide Disposal:

Call your local solid waste agency or 1-800-CLEANUP or equivalent organization for disposal instructions. Unless otherwise instructed place in trash. Never pour unused product down the drain or on the ground.

Container Handling:

If empty: Non-refillable container. Do not reuse this container. Place in the trash, or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATIONS OF LIABILITY

By using, buying or handling this product, users or buyers accept the following conditions, disclaimer of warranties and limitations of liability. The directions for use of this product are believed to be adequate and must be followed carefully. All risks of product use or handling are assumed by the user or buyer. No agent of Elanco is authorized to make, extend or modify any warranties. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW ELANCO MAKES NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. ELANCO DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. To the extent consistent with applicable law the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, is limited to the purchase price paid or replacement of the product.

Blister Labeling

Cheristin™ for cats
Spinetoram 11.2%

For Cats and Kittens 8 weeks of age (and older)

0.026 fl oz (0.77 mL)


EPA Reg. No 72642-10

CAUTION
Keep Out of Reach of Children

Read Entire Label Before Use

ELANCO

Lot No.





(Calendar) Reminder Stickers

Place stickers on your calendar as a reminder to apply Cheristin™ for cats only to cats and kittens 8 weeks of age and older.

Visit www.CheristinForCats.com to sign up and receive an email reminder from your cat when it is time to receive Cheristin™ for cats.

Graphic of calendar




Optional Marketing Claims

- Once-a-month
- Topical
- Topical Solution
- Single topical (spot-on) application
- For the prevention and treatment of flea infestations [*Ctenocephalides felis*] on cats (and kittens) 8 weeks of age or older only
- Kills fleas
- (Fast Acting) kills fleas on cats within 8 hours
- (Fast Acting) starts killing fleas in 30 minutes
- (Fast Acting) starts working in 30 minutes
- Kills fleas which may cause flea allergy dermatitis (FAD)
- (Long Lasting) one treatment prevents further flea infestations through 6 weeks
- (Long Lasting) one treatment remains effective through 6 weeks
- (Long Lasting) remains effective through 6 weeks
- Fragrance-free
- Quick-drying
- Non-greasy
- Formulated (exclusively) for cats and kittens 8 weeks of age (and older)
- Kills fleas that may carry and transmit *Rickettsia felis* and *Rickettsia typhi*, *Francisella tularensis*
- Kills fleas that may carry and transmit bartonellosis, tapeworm and tularemia
- For indoor and outdoor cats and kittens
- Kills fleas that may cause anemia
- Long-lasting flea control through 6 weeks
- The primary target of action of spinetoram on insects is an activation of nicotinic acetylcholine receptors (nAChRs).
- Spinetoram does not interact with known insecticidal binding sites of other nicotinic or GABAergic insecticides such as neonicotinoids, fiproles, milbemycins, avermectins, and cyclodienes.
- Insects in contact with spinetoram show involuntary muscle contractions and tremors resulting from activation of motor neurons.
- Prolonged spinetoram-induced hyperexcitation results in prostration and paralysis resulting in death of fleas.
- Topical application
- One size for all cats/ kittens 8 weeks of age and older only.
- One (applicator tube, size, package, dose, treatment, application) treats all (any) size(s) of cats and kittens 8 weeks of age and older only.
- 6 Pack
- Single Pack (Single dose, individual dose)
- Topical flea treatment
- Convenient
- Easy to apply (easy to use)
- Spinetoram, the active ingredient in Cheristin™ for cats, is a member of the spinosyn class of pesticide
- Protects cats and kittens 8 weeks of age (and older) (all sizes) from fleas (for one month)
- One size application is effective for all (any) sizes (weight ranges) of cats and kittens 8

16/29

weeks of age (and older) only

- (Flea infestations may vary) Monthly treatment (year-round) is recommended for optimal control and prevention of fleas
- Satisfaction Guaranteed (Call 1-888-545-5973 if you have any questions.)



Cheristin™ for cats
Sub-Label #1 Residential

Marketing claims: see lists at the end of the draft labels.
Alternative language in (parentheses)

CARTON LABEL

FRONT PANEL


Cheristin™ for cats

spinetoram

A ONCE-A-MONTH TOPICAL SOLUTION FOR THE PREVENTION AND TREATMENT OF
FLEA INFESTATIONS

ONLY FOR CATS AND KITTENS EIGHT WEEKS OF AGE (AND OLDER)

Marketing claims: see lists at the end of the draft labels.



ACTIVE INGREDIENT

Spinetoram (CAS# 187166-40-1 & 187166-15-0) 11.2%

OTHER INGREDIENTS 88.8%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS

READ ALL DIRECTIONS BEFORE USING THIS PRODUCT

CONTENTS

1, 2, 3, 4, 6, 8, 12 – 0.026 fl oz (0.77 ml) applicator

BACK PANEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

More detailed directions for use are included in the box. Read the entire label, directions for use and frequency of application each time before using this product.

For prevention and treatment of fleas, part the hair on the neck at the base of the head and apply the contents of the applicator tube to a single spot on the skin of the cat. Do not apply on the surface of the cat's hair coat. Place the empty applicator tube in the trash.

Monthly application is recommended to prevent and treat flea infestations. Cheristin™ for cats starts working in 30 minutes and continues killing fleas for a full month after application.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION**

HAZARDS TO HUMANS

Harmful if swallowed. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contact with eyes or clothing.

HAZARDS TO DOMESTIC ANIMALS

FOR USE ON CATS AND KITTENS ONLY. For external use only. Do not use on kittens less than eight (8) weeks of age or weighing less than 1.8 lb. Do not allow your cat to ingest this product. Use only a single dose on cats weighing greater than 20 lbs. As with any product, consult your veterinarian before using the product on debilitated, aged, pregnant or nursing animals or animals known to be sensitive to pesticides.

SIDE EFFECTS:

Monitor your cat after application. Side effects may include signs of application site reactions such as application site hair loss, hair change (greasy, clumping or matting) or redness, inflammation and itching. Other side effects such as inactivity, vomiting and inappetance have also been reported. If these or any other side effects occur, consult your veterinarian, your cat's healthcare expert. For technical assistance or to report a side effect, call Elanco at 1-888-545-5973.

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:


- Call a poison control center or doctor immediately for treatment advice. Have the product label with you when you call the poison control center or medical professional.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Rocky Mountain Poison Control at 1-888-767-5023 for emergency medical treatment information.

Manufactured for

Elanco Animal Health
A Division of Eli Lilly and Company
Indianapolis, IN 46285

EPA Reg. No. 72642-10
EPA Est. No.



PACKAGE INSERT LABEL

Cheristin™ for cats

spinetoram

A ONCE-A-MONTH TOPICAL SOLUTION FOR THE PREVENTION AND TREATMENT OF FLEA INFESTATIONS

ONLY FOR CATS AND KITTENS EIGHT WEEKS OF AGE (AND OLDER)

ACTIVE INGREDIENT

Spinetoram [CAS# 187166-40-1 & 187166-15-0] 11.2%

OTHER INGREDIENTS 88.8%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION

HAZARDS TO HUMANS

Harmful if swallowed. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contact with eyes or clothing.

HAZARDS TO DOMESTIC ANIMALS

FOR USE ON CATS AND KITTENS ONLY. For external use only. Do not use on kittens less than eight (8) weeks of age or weighing less than 1.8 lb. Do not allow your cat to ingest this product. Use only a single dose on cats weighing greater than 20 lbs. As with any product, consult your veterinarian before using the product on debilitated, aged, pregnant or nursing animals or animals known to be sensitive to pesticides.

SIDE EFFECTS:

Monitor your cat after application. Side effects may include signs of application site reactions such as application site hair loss, hair change (greasy, clumping or matting) or redness, inflammation and itching. Other side effects such as inactivity, vomiting and inappetance have also been reported. If these or any other side effects occur, consult your veterinarian, your cat's healthcare expert. For technical assistance or to report a side effect, call Elanco at 1-888-545-5973.

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice. Have the product label with you when you call the poison control center or medical professional.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Rocky Mountain Poison Control at 1-888-767-5023 for emergency medical treatment information.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.




Read the entire label, directions for use and frequency of application each time before using the product. For external use on cats and kittens only.

FREQUENCY OF APPLICATION

To kill fleas and prevent reinfestations, apply to cats and kittens 8 weeks of age and older as follows:

HOW TO APPLY

1. Use only on cats and kittens 8 weeks of age and older and weighing 1.8 lbs or more. Do not use more than a single dose on cats weighing greater than 20 lbs.
2. Remove one applicator tube from the blister package.
3. Hold applicator tube in an upright position.
4. Press cap down until it clicks (indicating the tube has been punctured). Hold upright and remove cap. Check to be sure there is an opening at the tip of tube.
5. Part the hair on the neck at the base of the head until the skin is visible. Place the tip of the tube directly above the skin and squeeze the tube 2-4 times to expel the contents of the tube directly on the skin. For best results, apply at the base of the head, not between shoulder blades. Avoid getting the product in your pet's eyes or mouth. Treatment at the base of the head will minimize the opportunity for the cat to directly lick the product. Do not allow your cat to ingest this product. (There may be a small residual remaining in the tube after a full dose is expelled.)
6. Discard empty applicator tube in the trash.



Monthly application is recommended to prevent and treat flea infestations. Cheristin™ for cats starts working in 30 minutes and continues killing fleas for a full month after application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage:

Store in original package in a cool dry place.

Pesticide Disposal:

Call your local solid waste agency or 1-800-CLEANUP or equivalent organization for disposal instructions. Unless otherwise instructed place in trash. Never pour unused product down the drain or on the ground.

Container Handling:

If empty: Non-refillable container. Do not reuse this container. Place in the trash, or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATIONS OF LIABILITY

By using, buying or handling this product, users or buyers accept the following conditions, disclaimer of warranties and limitations of liability. The directions for use of this product are believed to be adequate and must be followed carefully. All risks of product use or handling are assumed by the user or buyer. No agent of Elanco is authorized to make, extend or modify any warranties. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW ELANCO MAKES NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. ELANCO DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. To the extent consistent with applicable law the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, is limited to the purchase price paid or replacement of the product.

Manufactured for
Elanco Animal Health
A Division of Eli Lilly and Company
Indianapolis, IN 46285

EPA Reg. No. 72642-10
EPA Est. No.

Applicator Labeling

Cheristin™ for cats
Spinetoram 11.2%

Cats and Kittens 8 weeks & older

0.026 fl oz (0.77 mL)


EPA Reg. No 72642-10

CAUTION
Keep Out of Reach of Children

Read Entire Label Before Use

ELANCO

Lot No.



Blister Labeling

Cheristin™ for cats
Spinetoram 11.2%

For Cats and Kittens 8 weeks of age (and older)

0.026 fl oz (0.77 mL)


EPA Reg. No 72642-10

CAUTION
Keep Out of Reach of Children

Read Entire Label Before Use

ELANCO

Lot No.










(Calendar) Reminder Stickers

Place stickers on your calendar as a reminder to apply Cheristin™ for cats only to cats and kittens 8 weeks of age and older.

Visit www.CheristinForCats.com to sign up and receive an email reminder from your cat when it is time to receive Cheristin™ for cats.

Graphic of calendar



Optional Marketing Claims

- Once-a-month
- Topical
- Topical Solution
- Single topical (spot-on) application
- For the prevention and treatment of flea infestations [*Ctenocephalides felis*] on cats (and kittens) 8 weeks of age or older only
- Kills fleas
- (Fast Acting) kills fleas on cats within 8 hours
- (Fast Acting) starts killing fleas in 30 minutes
- (Fast Acting) starts working in 30 minutes
- Kills fleas which may cause flea allergy dermatitis (FAD)
- (Long Lasting) one treatment prevents further flea infestations through 6 weeks
- (Long Lasting) one treatment remains effective through 6 weeks
- (Long Lasting) remains effective through 6 weeks
- Fragrance-free
- Quick-drying
- Non-greasy
- Formulated (exclusively) for cats and kittens 8 weeks of age (and older)
- Kills fleas that may carry and transmit *Rickettsia felis* and *Rickettsia typhi*, *Francisella tularensis*
- Kills fleas that may carry and transmit bartonellosis, tapeworm and tularemia
- For indoor and outdoor cats and kittens
- Kills fleas that may cause anemia
- Long-lasting flea control through 6 weeks
- The primary target of action of spinetoram on insects is an activation of nicotinic acetylcholine receptors (nAChRs).
- Spinetoram does not interact with known insecticidal binding sites of other nicotinic or GABAergic insecticides such as neonicotinoids, fiproles, milbemycins, avermectins, and cyclodienes.
- Insects in contact with spinetoram show involuntary muscle contractions and tremors resulting from activation of motor neurons.
- Prolonged spinetoram-induced hyperexcitation results in prostration and paralysis resulting in death of fleas.
- Topical application
- One size for all cats/ kittens 8 weeks of age and older only.
- One (applicator tube, size, package, dose, treatment, application) treats all (any) size(s) of cats and kittens 8 weeks of age and older only.
- 6 Pack
- Single Pack (Single dose, individual dose)
- Topical flea treatment
- Convenient
- Easy to apply (easy to use)
- Spinetoram, the active ingredient in Cheristin™ for cats, is a member of the spinosyn class of pesticide
- Protects cats and kittens 8 weeks of age (and older) (all sizes) from fleas (for one month)
- One size application is effective for all (any) sizes (weight ranges) of cats and kittens 8 weeks of age (and older) only
- (Flea infestations may vary) Monthly treatment (year-round) is recommended for optimal control

28/29

(label to be placed near discharge control valve, this statement can be removed from printed label)

Cheristin™ for cats

spinetoram

ACTIVE INGREDIENT

Spinetoram [CAS# 187166-40-1 & 187166-15-0] 11.20%

OTHER INGREDIENTS 88.80%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco or using the toilet. Avoid contact with eyes or clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice. Have the product label with you when you call the poison control center or medical professional.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Rocky Mountain Poison Control at 1-888-767-5023 for emergency medical treatment information.

