03/14/2005

1/0

<u>Please read instructions or</u>	1/-	AAA.	e perore c	477 P.C	ting for	(0)						Form App	koved	J. OM	B No.	2070-	0060	Appl	OVEL S	n Direc	2-28-95
				Ų	Jnited S	States								Reg	jistra	atior	1	OPP N	dentifi	ior Nur	mber
<b>SEPA</b>	!	Env	vironme	enta	l Pro	tecti	on .	Ag	er	icy		}		Am	end:	men	int				
						DC 204		_		•			1	Oth							
	_				Appl	icatir	on 1	for	P	estici	de	- Sect	ion					<u> </u>			
1. Company/Product Numb	187	_							2. EPA Product Manager 3. Proposed Class							Classi	ficatio				
72662-3	) <del>.</del> .								- 1			ouer mane Gebken	No.							٦ .	
4. Company/Product (Name	— رو			<del>.,</del>					-	PM#					·	7		None	L	Kes	tricted
ORO Agri, Inc./Prev-A		Ultr	ra	<b></b>					1			1	10								
5. Name and Address of A				ZIP Co	dej				٦	6. <b>Exp</b>	edi	ited Rev	eiw.	In ac	corda	ince v	vith I	FIFRA	Secti	on 3(1	c)(3)
ORO Agri, Inc.										•		product is									
990 Trophy Club Drive Trophy Club, Texas 76		9							1	to:	<b>س</b> ت	- Ala							•		
	/ <u>~</u> .	_							-	EFA 1	18y	. No									
Check if th	nis i	is a n	new addre	155						Produ	ıct	Name _									
	_							Sec	cti	ion - i											
Amendment - Evolu	-1-1									[ ]	5.		امطما	- in se		~ *^					
Amendment - Expla											Ag	nal printed gency lette	er dat	ted	Paure	e tu 		_NC	HH	CAT	<del>'^\\</del>
Resubmission in res	tbo	nse t	to Agency	/ letter	dated.					- 🔲	<b>"N</b>	An Too" A	pplica	ation.							
Notification - Explai	in b	olow	<b>v.</b>								Ot	ther - Expl	ain be	elow.				MA	R 1	0 20	005
Flandina, Has addition		· ~~						e		- 10 \											<del></del>
Explanation: Use addition					•					•		* ** - 220	'~ine	~£ (2	41	··- 0	~ 4 <b>0</b> /	4 CC	^^ -~	4-44	
Submission of label notile 40 CFR 152.46, and no																					
that it is a violation of 18	JŲ.	.s.c.	. Sec. 100	01 to w	willfully	make.	any	false	e s	stateme	nt to	o EPA. 11	furthe	er und	erstan	id tha	t if thi	is notifi	ication	n is no	
consistent with the terms enforcement action and	s of	í PK naltir	; Notice 9: ies under	8-10 a	nd 40 ns 12	CFR 19 and 14	52.4 of F	16, th	his PA	produc	t ma	ay be in v	riolatio	on of I	FIFRA	and	may	be su	bject 1	to	
Olivioolitoin adadii d	<del></del> -			<del></del>	/10 12 .	3110															
a second This Denduce 18								Sec	:tic	on - i	<u>                                     </u>	<del></del>	<del></del>	<del></del>	<del></del>						
1. Material This Product W	Т		<del> </del>				П,		_	- LI 0				1. +		24-	•				
Child-Resistant Packaging Yes	1	Umi	Packaging	3		,	1,2	Vete.	1	ioluble P	BCK	e0:ng		2. 17	ype of	Conte					
<del>   </del>	1	$\vdash$	No Yes				-	$\dashv$	1	Yes Ma				1		Plas	rtic				
No No	ļ	<u> </u>			<del></del>		- -		,	No			<del></del>	] }	•	Gla					
* Certification must		H "Y	res" : Packaging	a wgt.	No. (	per tainer		'acka				Pap Oth		pecify)_							
be submitted									_		上	-									
3. Location of Net Contents	a In	form	nation		4. Size	e(s) Ret	teil C	conte	aine	81		1	5. Lo	Cetion	of Lab	ool Dir	oction	**			
Label	Co	ntain	ner		l								上			accom	panyin	g produci	l		
6. Manner in Which Label i	<b>s</b> A	ffixe	ed to Prode	uct	F	Lithog	reph	- ·		_	[	Other								_	_
						Paper Stenci															
<u> </u>									_	on - I\											
1. Contact Point (Complete	• it	erns	directly be	elow fr	or iden	tificatio	n of	indin	vidi	uel to be	e co	ntected, it	f nece	essary,	, to pn	oc <b>ess</b>	this a	pplicat	ion.)		
Name						.	Titte	_								•	elephone No. (Include Area Code)			Code)	
James Sullivan					Chief Financial Officer (817)				7) 49	491-2057			1 1								
1				•	Ce	ertifica	ntion	1									1	6. Mate		cstion	-  -
I certify that the statements I have made on this form and all attac														.		bevic		',.			
l acknowledge that a both upder applicable			Wingsy re	/86 Q7 F	THSICAL	nug are	Kern	ant re	may be punishable by fine or imprisonment or					Stam	iped;	· • • • • • • • • • • • • • • • • • • •					
2. Signature 2 // .						$\top$	3. Ti	itle			···						$\neg$	44,			
	11		/	TE	-				Cir.	nancial	Off	East					*				
HUNWI	<u>人</u>	نـــ	-	45			U11	ilei r	۱ ار ا	1ancıaı	<u> </u>	лсег									
4 Typed Name							5. D	ate										• •	•		
James Sullivan							/	18 FEBRUARY 2005													
,									•				ı								



**NOTIFICATION** MAR 1 0 2005

## **ULTRA**

### **FUNGICIDE AND INSECTICIDE**

For the Combined Control of Disease and Insect Infestations on Agricultural Crops, Turf \* and Ornamentals [Alternate Language: Controls Turf \*Diseases and Insect Infestations/

ACTIVE INGREDIENT:	
Sodium Tetraborohydrate Decahydrate	<b>0.99 %</b>
OTHER INGREDIENTS	99.01 %
Total	100.00 %

# **KEEP OUT OF REACH OF CHILDREN**

# WARNING / AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See Side Panel for FIRST AID 2.5 US Gallons / 10 Liters

EPA Reg. No.: 72662-3 EPA Est. No.: 9367-FL-1 **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product n a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any equirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Optional language: Not for use on turf grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. Editor's Note: WPS language would be excluded when this sentence is included and use patterns on carved out "sublabel" are limited to nonagricultural uses only)]

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker protection Standard, 10, CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training and emergency assistance. It also contains specific instructions and exception pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval and a notification to workers. The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow workers entry into treated areas during the restricted-entry (REI) of 12 Hours. PPE Required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is to wear protective eyewear/goggles, coveralls and waterproof gloves.

Personal Protective Equipment Requirements: Applicator and other handlers must wear protective eyewear/goggles, long leeve shirt and long pants, waterproof gloves, shoes and socks. Follow the manufacturer's instructions for leaning/maintaining PPE. Use detergent and hot water. Keep and wash PPE separately from other laundry.

t is recommended apply with an AIR assisted type Sprayer for best results. Do not apply this product through any type of rrigation system. Aerial applications are prohibited. This product is not recommended for application in mid-day sun as emporary leaf burn may occur or during periods of drought when plants are subject to heat and moisture stress.

Do not allow spray to drift from the application site and contact people, structures people occupy at any time and the associated property, parks, and recreation areas, non-target crops, aquatic and wetland areas, woodlands, pastures, rangelands, or animals. The applicator also must use all other measures necessary to control drift.

### **Fo Control Listed Disease and Insects:**

Apply PREV-AM® as shown in "Directions for Application." Use sufficient water to obtain full coverage of foliage. If insect expulations reach economic thresholds or conditions of severe disease pressure exist, the timing and frequency of applications can be as often as every 4 days until control is obtained.

### **Dilution and Mixing Instructions:**

Add PREV-AM® to water for the following concentrations:

	PREV-AM®	Water
To Make a-	(Fl. Oz.)	(Gallons)
0.4 % Concentration	20	40
	50	100
0.8% Concentration	40	40
	100	100

BAR CODE

# **DIRECTIONS FOR APPLICATION:**

(1) Not for Use in California

Recommended Application Rates:

Annuals and Row Crops:

Cotton:

Use 40-50 gallons per acre

Use 10 gallons per acre All other crops:

Turf (\*):

Use a minimum of 40 gallons per acre up to 100 gallons per acre

Use 1 to 2 gallons per 1000 square feet.

Crop:		TARGET DISEASE:	RATE: fl. oz. / 100 gallons	TARGET PEST:	RATE: fl. oz. / 100 gallons	Remarks:
Animal, Feed	d, Non-Grass (	1)				
Alfalfa				Mite (1) Whitefly (1)	50 50	Spray every 7-10 days.
Berries:						
Cane berries Bush berries	Blackberry Raspberry Blueberry	Botrytis Powdery Mildew Downy Mildew	50 50 50	Aphid Leaf hopper (1) Lygus Bug (1) Mealy Bug (1) Mite	100 100 50 50 50	Spray every 7-10 days.
Fruit:						
Pome Stone	Apple Apricot Cherry Peach Plum Nectarine	Powdery Mildew	50	Mite	50	Maximum Gal/acre to be applied according to Tree Row Volume every 7-10 days:  Maximum Gal./acre = Tree height (ft.) X Tree width (ft.) X 30.54/ (divided by)Distance between rows(ft.)
Grapes: (1)						
	Raisin Wine	Bunch rot (1) Powdery Mildew (1) Downy Mildew (1)	50 50 50	Mealy Bug (1) Mite (1)	50 50	Do not use on vineyards after treating with sulfur in the same growing season. Spray every 10 -14 days.
Hops:			Ì			
		Powdery mildew	50	Mite	50	Do not use on plants after treating with sulfur in the same growing season.  Spray every 10-14 days.
Nuts:						

			100	J	100	J
			gallons		gallons	
Tree	Almond Pecan Pistachio Walnut			Mite	50	Maximum Gal/acre to be applied according to Tree Row Volume every 7-10 days: Maximum
						Gal./acre = Tree height (ft.) X Tree width (ft.) X 30.54/ (divided by)Distance between rows(ft.)
Peanut:	· · · · · · · · · · · · · · · · · · ·			<del></del>	<u></u>	1_0000()
· cuitati		Brown Rust (1)	50	Aphid	100	
		Downy Mildew	50	Beet Armyworm (1)	50	Spray every 7-10
		Powdery Mildew	50	Mite	50	days.
			1	Lygus Bug (1)	50	
			•	Thrip (1)	100	
			<u> </u>	Whitefly (1)	50	
Strawberr	y:					<del>,</del>
		Botrytis Powdery Mildew	50 50	Aphid Leaf Hopper (1)	100 100	Spray every 7-10
		Downy Mildew	50	Lygus Bug (1)	50	days.
		Downy window	30	Mealy Bug (1)	50	uays.
				Mite	50	
				Whitefly (1)	50	
Tobacco:			•			
				Mite	50	Spray every 7-10 days.
Vegetables	S <b>:</b>					
Brassica	Broccoli	Downy Mildew	50	Aphid	100	Spray every 7-10
Leafy	Cauliflower	Powdery Mildew	50	Beet Armyworm (1)	50	days.
Leafy	Cauliflower Cabbage	Powdery Mildew	50	Beet Armyworm (1) Cabbage Looper (1)	50	days.
Leafy		Powdery Mildew	50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1)		days.
Leafy		Powdery Mildew	50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported	50 50	days.
Leafy		Powdery Mildew	50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1)	50 50 50	days.
Leafy Bulb		Botrytis	50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1)	50 50	Spray every 7-10
	Cabbage	Botrytis Downy Mildew	50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1)	50 50 50 50	
	Cabbage Garlic	Botrytis Downy Mildew Late Blight	50 50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1)	50 50 50 50	Spray every 7-10
Bulb	Cabbage  Garlic  Onions	Botrytis Downy Mildew Late Blight Powdery Mildew	50 50 50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1) Thrip	50 50 50 50 100	Spray every 7-10 days.
	Cabbage  Garlic Onions  Cucumber	Botrytis Downy Mildew Late Blight Powdery Mildew Downy Mildew	50 50 50 50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1) Thrip  Aphid	50 50 50 50 100	Spray every 7-10 days.  Spray every 7-10
Bulb	Cabbage  Garlic Onions  Cucumber Melon (Not for use on	Botrytis Downy Mildew Late Blight Powdery Mildew	50 50 50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1) Thrip  Aphid Leafhopper (1)	50 50 50 50 100	Spray every 7-10 days.
Bulb	Cabbage  Garlic Onions  Cucumber Melon (Not for use on Cantaloupe in CA)	Botrytis Downy Mildew Late Blight Powdery Mildew Downy Mildew	50 50 50 50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1) Thrip  Aphid Leafhopper (1) Mite	50 50 50 50 100	Spray every 7-10 days.  Spray every 7-10
Bulb	Cabbage  Garlic Onions  Cucumber Melon (Not for use on Cantaloupe in CA) Pumpkin	Botrytis Downy Mildew Late Blight Powdery Mildew Downy Mildew	50 50 50 50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1) Thrip  Aphid Leafhopper (1) Mite Thrip	50 50 50 50 100	Spray every 7-10 days.  Spray every 7-10
Bulb	Cabbage  Garlic Onions  Cucumber Melon (Not for use on Cantaloupe in CA)	Botrytis Downy Mildew Late Blight Powdery Mildew Downy Mildew	50 50 50 50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1) Thrip  Aphid Leafhopper (1) Mite	50 50 50 50 100	Spray every 7-10 days.  Spray every 7-10
Bulb	Cabbage  Garlic Onions  Cucumber Melon (Not for use on Cantaloupe in CA) Pumpkin Squash	Botrytis Downy Mildew Late Blight Powdery Mildew Downy Mildew Powdery Mildew Powdery Mildew Late Blight	50 50 50 50 50 50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1) Thrip  Aphid Leafhopper (1) Mite Thrip Whitefly (1) Aphid Beet Armyworm (1)	50 50 50 100 100 50 50 100 50	Spray every 7-10 days.  Spray every 7-10 days.
Bulb	Cabbage  Garlic Onions  Cucumber Melon (Not for use on Cantaloupe in CA) Pumpkin Squash Egg Plant	Botrytis Downy Mildew Late Blight Powdery Mildew Downy Mildew Powdery Mildew	50 50 50 50 50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1) Thrip  Aphid Leafhopper (1) Mite Thrip Whitefly (1) Aphid Beet Armyworm (1) Cabbage Looper (1)	50 50 50 100 100 50 50 100 50 50 50	Spray every 7-10 days.  Spray every 7-10 days.
Bulb	Cabbage  Garlic Onions  Cucumber Melon (Not for use on Cantaloupe in CA) Pumpkin Squash Egg Plant Pepper	Botrytis Downy Mildew Late Blight Powdery Mildew Downy Mildew Powdery Mildew Powdery Mildew Late Blight	50 50 50 50 50 50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1) Thrip  Aphid Leafhopper (1) Mite Thrip Whitefly (1) Aphid Beet Armyworm (1) Cabbage Looper (1) Mite	50 50 50 100 100 50 50 100 50 50 50 50	Spray every 7-10 days.  Spray every 7-10 days.
Bulb Cucurbits Fruiting	Garlic Onions  Cucumber Melon (Not for use on Cantaloupe in CA) Pumpkin Squash Egg Plant Pepper Tomato	Botrytis Downy Mildew Late Blight Powdery Mildew Downy Mildew Powdery Mildew Downy Mildew Late Blight Powdery Mildew	50 50 50 50 50 50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1)  Thrip  Aphid Leafhopper (1) Mite Thrip Whitefly (1) Aphid Beet Armyworm (1) Cabbage Looper (1) Mite Whitefly (1)	50 50 50 50 100 50 50 100 50 50 50 50	Spray every 7-10 days.  Spray every 7-10 days.  Spray every 7-10 days.
Bulb Cucurbits Fruiting Leafy	Garlic Onions  Cucumber Melon (Not for use on Cantaloupe in CA) Pumpkin Squash Egg Plant Pepper Tomato  Celery	Botrytis Downy Mildew Late Blight Powdery Mildew Downy Mildew Powdery Mildew Downy Mildew Late Blight Powdery Mildew	50 50 50 50 50 50 50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1)  Aphid Leafhopper (1) Mite Thrip Whitefly (1) Aphid Beet Armyworm (1) Cabbage Looper (1) Mite Whitefly (1) Aphid	50 50 50 50 100 50 50 100 50 50 50 50	Spray every 7-10 days.  Spray every 7-10 days.  Spray every 7-10 days.
Bulb Cucurbits Fruiting	Garlic Onions  Cucumber Melon (Not for use on Cantaloupe in CA) Pumpkin Squash Egg Plant Pepper Tomato	Botrytis Downy Mildew Late Blight Powdery Mildew Downy Mildew Powdery Mildew Downy Mildew Late Blight Powdery Mildew	50 50 50 50 50 50 50	Beet Armyworm (1) Cabbage Looper (1) Diamondback moth (1) Imported Cabbageworm (1) Whitefly (1)  Thrip  Aphid Leafhopper (1) Mite Thrip Whitefly (1) Aphid Beet Armyworm (1) Cabbage Looper (1) Mite Whitefly (1)	50 50 50 50 100 50 50 100 50 50 50 50	Spray every 7-10 days.  Spray every 7-10 days.  Spray every 7-10 days.

Citrus Oil Products, Inc. • 990 Trophy Club Drive • Trophy Club, Texas 76262 • www.citrusoilproducts.com

Сгор:			TARGET DISEASE:	RATE: fl. oz. / 100 gallons	TARGET PEST:	RATE: fl. oz. / 100 gallons	Remarks:
Legume	Beans Chickpea Lentil Pea	Dry, Common, Lima, Snap Edible, Garden, Southern	Downy Mildew Powdery Mildew Brown Rust (1)	50 50 50	Aphid Beet Armyworm (1) Mite Lygus Bug (1) Thrip Whitefly (1)	100 50 50 50 50 100 50	Spray every 7-10 days.
Root &Tuber	Root &Tuber Carrot Potato Sugar Beet		Powdery Mildew Late Blight	50 50	Aphid Beet Armyworm (1) Cabbage Looper (1) Leaf Hopper (1)	100 50 50 50 100	Spray every 7-10 days.
OTHER C	CROPS:						
Fiber Crop	ps:						
Cotton					Mite Thrip Whitefly <i>(1)</i>	50 100 50	Spray every 7-10 days.
Grass, For	age, Fod	der & Hay:	(1)				
	Ber Kentuck St. A	ntgrass rmuda sy Varieties ugustine oysia	Anthracnose (1) Dollar Spot (1) Fairy Ring (1)	50 50 50	Armyworm (1)	50	Spray every 7-10 days.
	Bentgrass Bermuda Kentucky Varieties St. Augustine Zoysia		Anthracnose (1) Dollar Spot (1) Fairy Ring (1)	1 fl. oz./1000 sq. ft.	Armyworm (1)	1 fl. oz./1000 sq. ft.	Spray every 7-10 days.
NON-CRO	•	- J.			<u> </u>	<u> </u>	L
<del></del>	-	irse use onl	v)				
	Ber Ber Kentuck St. A	ntgrass rmuda sy Varieties ugustine	Anthracnose (1) Dollar Spot (1) Fairy Ring (1)	50 50 50	Armyworm (1)	50	Spray every 7-10 days.
	Zoysia  Bentgrass Bermuda  Kentucky Varieties  St. Augustine  Zoysia		Anthracnose (1) Dollar Spot (1) Fairy Ring (1)	l fl. oz/1000 sq. ft.	Armyworm (1)	1 fl. oz./1000 sq. fl.	Spray every 7-10 days.
Ornament				<u></u>			·
Outdoor Nursery Plants Greenhouse Nursery Plants	Sperengi, Caladium Croton, Da Foxtail, Fuchsia Hibiscus, i Mandevil Orname Plur	nda, Asp. , Blue Daze, , Carnation, aisy, Heather, Fern, Ficus, , Gardenia, lasmine, Lify, la, Oleander, ntal Citrus, nbago, dendron, a, Snowbush	Downy Mildew Powdery Mildew	50 50	Aphid Mealy Bug (1) Mite Scale (1) Whitefly (1)	100 50 50 50 50 50	Not for use on Roses Spray every 7-10 days.

# **Tank Mixing Instructions:**

PREV-AM® may be mixed with:

Applaud® (buprofezin), Bravo® (chlorothalonil), Dithane® M-45 (mancozeb), Folpan® (folpet), Folicur® (tebuconazole), Karate® (lambda-cyhalothrin), Rubingan® (fenarimol), Ridomil Gold® MZ (mancozeb/metalazxyl-M), Rimon® (nuvaluron), Spintor® (spinosad), Abamectin, Flint® (trifloxystrobin), Quadris® (azoxystrobin), Cypermethrin. Observe the most restrictive of the labeling limitations and precautions of all products used in mixtures.

No label dosage rates should be exceeded. This product cannot be mixed with any product containing a label prohibition against such mixing. Agitate container before mixing. Continuous agitation is recommended during application. Add PREV-AM® to the tank last. DO NOT mix with chemicals containing Sulfur or Oils. When mixing products containing Plant Hormones, it is recommended to test a small area prior to full-scale application to avoid potential damage to crop(s).

PREV-AM® contains surfactants. PREV-AM® should not be added to tanks, spray lines, or containers which may contain Copper or additional adjuvants. Pre-rinse all tanks, spray lines or containers thoroughly before adding PREV-AM®. Do not add adjuvants to PREV-AM®.

Read all product labels and test for compatibility prior to mixing and application with other chemicals. Check with the manufacturers or contact your local State Extension Service if you have questions.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL, DIRECTIONS, WARNINGS, OR CAUTIONS.

Bravo®, Karate®, Ridomil Gold® MZ, and Quadris® are trademarks of Syngenta. Flint® and Folicur® are trademarks of Bayer. Dithane® M-45 and Spintor® are trademarks of Dow Agrosciences. Applaud® and Rubingan® are trademarks of Nichino America, Inc. Folpan® and Rimon® are trademarks of Makhteshim Chemical Works, LTD.

Patent Numbers: US 6,258,369 B1, US 6,277,389 B1

International Patents: Pending

## PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

WARNING / AVISO Causes eye irritation. Harmful if absorbed through skin. Harmful if inhaled. Do not get in eyes or on clothing. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wear protective eyewear/goggles. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

**Environmental Hazards** - Do not apply directly to water or to areas where surface water is present or to inter-tidal areas below mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

User Safety Recommendations: Wear protective eyewear/goggles, long-sleeved shirt, long pants, shoes, socks and waterproof gloves when applying this product. Wear a hat and eye protection when making overhead applications. Remove clothing immediately if pesticide soaks clothing. Change clothing as soon as possible after use. Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet. Do not allow children or pets to contact treated area until sprays have dried.

### First Aid:

If in eyes	*Hold eye open and rinse slowly and gently with water for 15-20 minutes.  *Remove contact lenses, if present, after the first 5 minutes then continue rinsing eye.  *Call a poison control center or doctor for treatment advice.
if Inhaled	*Move person to fresh air.  *If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.  *Call a poison control center or doctor for treatment advice.
If on skin or clothing	*Take off contaminated clothing.  *Rinse skin immediately with plenty of water for 15-20 minutes.  *Call a poison control center or doctor for treatment advice.
Have the product of	container or label with you when calling a poison control center or doctor, or going for treatment.

### STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store out of reach of children. Keep container closed when not in use,

**Disposal:** Wastes resulting from the use of this product may be disposed of on site at an approved waste disposal facility. Rinse container thoroughly then offer for recycling or reconditioning or puncture and dispose of in sanitary landfill, or incineration, or if allowed by state and local authorities by burning. If burned, stay out of smoke.



1

February 18, 2005

COURIER DELIVERY

Richard Gebken (PM 10)

Document Processing Desk (NOTIF)

Office of Pesticide Programs

Room 266A, Crystal Mall 2

1801 Bell Street

RE:

PREV-AM Ultra; EPA Reg. No. 72662-3

Submission of Label Notification per PRN 98-10

Dear Mr. Gebken,

Arlington, VA 22202-4501

Please find the enclosed label notification for PREV-AM Ultra (EPA Reg. No. 72662-3) per PRN 98-10. Changes made to the enclosed labeling include:

- Added the phrase "FUNGICIDE AND INSECTICIDE" to the label front panel
- Added the word "Turf" with an "\*" to denote "for golf course use only" to the label front panel and added alternate language "Controls Turf (\*) Diseases and Insect Infestations".
- Added optional language prohibiting the use of PREV-AM Ultra on turf grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes
- Added the sentence "Turf (\*)...Use 1 to 2 gallons per 1000 square feet" to the Recommended Application Rates table. ORO Agri would like to note this is not a new application rate but merely a conversion from gallons per acre to gallons per 1000 sq. ft.
- ☐ Added a "NON-CROPS" section to the site table.

Allivar

- Added under the "NON-CROPS" section of the use site table (p. 5 of the label) a new section "Turf (\*) for golf course use only". Also repeated are the "Targets" and "Rates" from the Grass, Forage, Fodder & Hay table.
- Added a fl. oz./1000 sq. ft application rate to the Turf table. Please note, this is not a new application rate but is a conversion from fl. oz./100 gallons/acre to fl. oz. per 1000 sq. ft.

Please note that with this notification, ORO Agri is not proposing to add any new use sites or pests. In support of this notification, we submit the following documents:

- 1. Completed Application for Registration (EPA Form 8570-1)
- 2. One copy of the PREV-AM Ultra label with changes tracked [Editors Note: Added text is underlined and deleted text is denoted by strikethrough]
- 3. One copy of the PREV-AM Ultra label with changes incorporated.

Please do not hesitate to contact me if you have any questions or need any additional information. Thank you for all your valuable assistance in this matter. It's greatly appreciated.

. (

Enclosures

Best regards,

Administrative Office 990 Trophy Club Drive • Trophy Club, TX 76262 USA

Phone (877) 773.8268 • Fax (214) 722.0259 • Email jsullivan@oroagri.com