



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 72662-3	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) ORO Agri, Inc./Prev-Am Ultra	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) ORO Agri, Inc. 990 Trophy Club Drive Trophy Club, Texas 76262 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(ii), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION FEB 15 2006
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Submission of label notification per PRN 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal Plastic Glass Paper Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name James Sullivan	Title Chief Financial Officer	Telephone No. (Include Area Code) (817) 491-2057
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Chief Financial Officer	
4. Typed Name James Sullivan	5. Date 2/15/06	

Note to Reviewer: Text appearing in [brackets] indicates alternate text that may appear on final product labeling.

NOTIFICATION

FEB 15 2006

PREV-AM®

ULTRA

FUNGICIDE AND INSECTICIDE

ACTIVE INGREDIENT:

Sodium Tetraborohydrate Decahydrate.....	0.99 %
OTHER INGREDIENTS	99.01 %
Total	100.00 %

KEEP OUT OF REACH OF CHILDREN

WARNING / AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail.)

See Side Panel for **FIRST AID**

2.5 US Gallons / 10 Liters

EPA Reg. No.: 72662-3

EPA Est. No.: 9367-FL-1

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Optional language: Not for use on turf grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.
Editor's Note: WPS language would be excluded when this sentence is included and use patterns on carved out "sublabel" are limited to nonagricultural uses only]]

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker protection Standard, 40, CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training and emergency assistance. It also contains specific instructions and exception pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval and notification to workers. The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow workers entry into treated areas during the restricted-entry (REI) of 12 Hours. PPE Required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is to wear protective eyewear/goggles, coveralls and waterproof gloves.

Personal Protective Equipment Requirements: Applicator and other handlers must wear protective eyewear/goggles, long sleeve shirt and long pants, waterproof gloves, shoes and socks. Follow the manufacturer's instructions for cleaning/maintaining PPE. Use detergent and hot water. Keep and wash PPE separately from other laundry.

It is recommended apply with an AIR assisted type Sprayer for best results. Do not apply this product through any type of irrigation system. Aerial applications are prohibited. This product is not recommended for application in mid-day sun as temporary leaf burn may occur or during periods of drought when plants are subject to heat and moisture stress.

Do not allow spray to drift from the application site and contact people, structures people occupy at any time and the associated property, parks, and recreation areas, non-target crops, aquatic and wetland areas, woodlands, pastures, rangelands, or animals. The applicator also must use all other measures necessary to control drift.


To Control Listed Disease and Insects:

Apply PREV-AM® as shown in "Directions for Application." Use sufficient water to obtain full coverage of foliage. If insect populations reach economic thresholds or conditions of severe disease pressure exist, the timing and frequency of applications can be as often as every 4 days until control is obtained.

Dilution and Mixing Instructions:

Add PREV-AM® to water for the following concentrations:

To Make a-	PREV-AM® (Fl. Oz.)	Water (Gallons)
0.4 % Concentration	20	40
	50	100
0.8% Concentration	40	40
	100	100



DIRECTIONS FOR APPLICATION:
(1) Not for Use in California

Recommended Application Rates:	Annuals and Row Crops:	Use 40-50 gallons per acre
	Cotton:	Use 10 gallons per acre
	All other crops:	Use a minimum of 40 gallons per acre up to 100 gallons per acre Use 1 to 2 gallons per 1000 square feet.

Crop:	TARGET DISEASE:	RATE: fl. oz. / 100 gallons	TARGET PEST:	RATE: fl. oz. / 100 gallons	Remarks:	
Animal, Feed, Non-Grass (1)						
<i>Alfalfa</i>			<i>Mite (1)</i> <i>Whitefly (1)</i>	50 50	<i>Spray every 7-10 days.</i>	
Berries:						
Cane berries	Blackberry	Botrytis	50	Aphid	100	Spray every 7-10 days.
Bush berries	Raspberry	Powdery Mildew	50	<i>Leaf hopper (1)</i>	100	
	Blueberry	Downy Mildew	50	<i>Lygus Bug (1)</i> <i>Mealy Bug (1)</i> Mite	50 50 50	
Fruit:						
Pome Stone	Apple Apricot Cherry Peach Plum Nectarine	Powdery Mildew	50	Mite	50	Maximum Gal/acre to be applied according to Tree Row Volume every 7-10 days: Maximum Gal/acre = Tree height (ft.) X Tree width (ft.) X 30.54/ (divided by)Distance between rows(ft.)
Grapes: (1)						
	Raisin Wine	<i>Bunch rot (1)</i> <i>Powdery Mildew (1)</i> <i>Downy Mildew (1)</i>	50 50 50	<i>Mealy Bug (1)</i> <i>Mite (1)</i>	50 50	Do not use on vineyards after treating with sulfur in the same growing season. Spray every 10 -14 days.
Hops:						
		Powdery mildew	50	Mite	50	Do not use on plants after treating with sulfur in the same growing season. Spray every 10 -14 days.
Nuts:						

Crop:		TARGET DISEASE:	RATE: fl. oz. / 100 gallons	TARGET PEST:	RATE: fl. oz. / 100 gallons	Remarks:
Tree	Almond Pecan Pistachio Walnut			Mite	50	Maximum Gal/acre to be applied according to Tree Row Volume every 7-10 days: Maximum Gal/acre = Tree height (ft.) X Tree width (ft.) X 30.54/ (divided by)Distance between rows(ft.)
Peanut:						
		<i>Brown Rust (I)</i>	50	Aphid	100	Spray every 7-10 days.
		Downy Mildew	50	<i>Beet Armyworm (I)</i>	50	
		Powdery Mildew	50	Mite	50	
				<i>Lygus Bug (I)</i>	50	
				<i>Thrip (I)</i>	100	
				<i>Whitefly (I)</i>	50	
Strawberry:						
		Botrytis	50	Aphid	100	Spray every 7-10 days.
		Powdery Mildew	50	Leaf Hopper (I)	100	
		Downy Mildew	50	Lygus Bug (I)	50	
				Mealy Bug (I)	50	
				Mite	50	
				Whitefly (I)	50	
Tobacco:						
				Mite	50	Spray every 7-10 days.
Vegetables:						
Brassica	Broccoli	Downy Mildew	50	Aphid	100	Spray every 7-10 days.
Leafy	Cauliflower	Powdery Mildew	50	<i>Beet Armyworm (I)</i>	50	
	Cabbage			<i>Cabbage Looper (I)</i>	50	
				<i>Diamondback moth (I)</i>	50	
				Imported Cabbageworm (I)	50	
				Whitefly (I)	50	
Bulb	Garlic	Botrytis	50	Thrip	100	Spray every 7-10 days.
	Onions	Downy Mildew	50			
		Late Blight	50			
		Powdery Mildew	50			
Cucurbits	Cucumber	Downy Mildew	50	Aphid	100	Spray every 7-10 days.
	Melon (Not for use on Cantaloupe in CA)	Powdery Mildew	50	Leafhopper (I)	50	
	Pumpkin			Mite	50	
	Squash			Thrip	100	
				Whitefly (I)	50	
Fruiting	Egg Plant	Downy Mildew	50	Aphid	100	Spray every 7-10 days.
	Pepper	Late Blight	50	<i>Beet Armyworm (I)</i>	50	
	Tomato	Powdery Mildew	50	<i>Cabbage Looper (I)</i>	50	
				Mite	50	
				Whitefly (I)	50	
Leafy (except Brassica)	Celery	Downy Mildew	50	Aphid	100	Spray every 7-10 days.
	Head Lettuce	Powdery Mildew	50	<i>Beet Armyworm (I)</i>	50	
	Leaf Lettuce			<i>Cabbage Looper (I)</i>	50	
	Spinach			Whitefly (I)	50	

Crop:			TARGET DISEASE:	RATE: fl. oz. / 100 gallons	TARGET PEST:	RATE: fl. oz. / 100 gallons	Remarks:
Legume	Beans	Dry, Common, Lima, Snap Edible, Garden, Southern	Downy Mildew	50	Aphid	100	Spray every 7-10 days.
	Chickpea		Powdery Mildew	50	Beet Armyworm (I)	50	
	Lentil		Brown Rust (I)	50	Mite	50	
	Pea				Lygus Bug (I)	50	
					Thrip	100	
					Whitefly (I)	50	
Root & Tuber	Carrot		Powdery Mildew	50	Aphid	100	Spray every 7-10 days.
	Potato		Late Blight	50	Beet Armyworm (I)	50	
	Sugar Beet				Cabbage Looper (I)	50	
					Leaf Hopper (I)	100	

OTHER CROPS:

Fiber Crops:

Cotton		Mite	50	Spray every 7-10 days.
		Thrip	100	
		Whitefly (I)	50	

Turf, Grass, Forage, Fodder & Hay: (I)

	Bentgrass	Anthracnose (I)	50	Armyworm (I)	50	Spray every 7-10 days.
	Bermuda	Dollar Spot (I)	50			
	Kentucky Varieties	Fairy Ring (I)	50			
	St. Augustine					
	Zoysia					
	Bentgrass	Anthracnose (I)	1 fl. oz./1000 sq. ft.	Armyworm (I)	1 fl. oz./1000 sq. ft.	Spray every 7-10 days.
	Bermuda	Dollar Spot (I)				
	Kentucky Varieties	Fairy Ring (I)				
	St. Augustine					
	Zoysia					

Ornamental

Outdoor Nursery Plants	Allamanda (<i>Allamanda spp.</i>), <i>Asparagus densiflorus</i> Sprengeri,	Downy Mildew	50	Aphid	100	Not for use on Roses
	Blue Daze (<i>Evolvulus glomeratus</i>), Caladium (<i>Caladium spp.</i>), Carnation (<i>Dianthus spp.</i>), Croton (<i>Codiaeum spp.</i>), Daisy, Heather, Foxtail, Fern, Ficus (<i>Ficus spp.</i>), Fuchsia (<i>Fuchsia spp.</i>), Gardenia (<i>Gardenia spp.</i>), Hibiscus (<i>Hibiscus spp.</i>), Jasmine (<i>Jasminus spp.</i>), Lily (<i>Lilium spp.</i>), Mandevilla (<i>Mandevilla spp.</i>), Oleander (<i>Oleander spp.</i>), Ornamental Citrus, Plumbago (<i>Ceratostigma plumbaginoides</i>), Philadendron (<i>Philodendron spp.</i>), Schefflera (<i>Schefflera spp.</i>), Snowbush (<i>Brevnia spp.</i>)	Powdery Mildew	50	Mealy Bug (I)	50	
Greenhouse Nursery Plants				Mite	50	Spray every 7-10 days.
				Scale (I)	50	
				Whitefly (I)	50	

Tank Mixing Instructions:

PREV-AM® may be mixed with:

Applaud® (buprofezin), Bravo® (chlorothalonil), Dithane® M-45 (mancozeb), Folpan® (folpet), Folicur® (tebuconazole), Karate® [Talstar®] (lambda-cyhalothrin), Rubingan® (fenarimol), Ridomil Gold® MZ (mancozeb/metalazxyl-M), Rimon® (nuvaluron), Spintor® [Conserve®] (spinosad), [Avid®] Abamectin, Flint® [Compass®] (trifloxystrobin), Quadris® [Heritage®] (azoxystrobin), [Ammo®] Cypermethrin. **Observe the most restrictive of the labeling limitations and precautions of all products used in mixtures.**

No label dosage rates should be exceeded. This product cannot be mixed with any product containing a label prohibition against such mixing. Agitate container before mixing. Continuous agitation is recommended during application. Add PREV-AM® to the tank last. DO NOT mix with chemicals containing Sulfur or Oils. When mixing products containing Plant Hormones, it is recommended to test a small area prior to full-scale application to avoid potential damage to crop(s).

PREV-AM® contains surfactants. PREV-AM® should not be added to tanks, spray lines, or containers which may contain Copper or additional adjuvants. Pre-rinse all tanks, spray lines or containers thoroughly before adding PREV-AM®. Do not add adjuvants to PREV-AM®.

Read all product labels and test for compatibility prior to mixing and application with other chemicals. Check with the manufacturers or contact your local State Extension Service if you have questions.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL, DIRECTIONS, WARNINGS, OR CAUTIONS.

[Avid®, Bravo®, [Heritage®], Karate®, Ridomil Gold® MZ, and Quadris® are trademarks of Syngenta. [Compass®], Flint® and Folicur® are trademarks of Bayer. [Conserve®], Dithane® M-45 and Spintor® are trademarks of Dow Agrosiences. Applaud® and Rubingan® are trademarks of Nichino America, Inc. Folpan® and Rimon® are trademarks of Makhteshim Chemical Works, LTD. [Ammo® and Talstar® are trademarks of FMC Corporation.]

Patent Numbers:
US 6,258,369 B1, US 6,277,389 B1

International Patents:
Pending

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

8/9

WARNING / AVISO

Causes eye irritation. Harmful if absorbed through skin. Harmful if inhaled. Do not get in eyes or on clothing. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wear protective eyewear/goggles. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Environmental Hazards - Do not apply directly to water or to areas where surface water is present or to inter-tidal areas below mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

User Safety Recommendations: Wear protective eyewear/goggles, long-sleeved shirt, long pants, shoes, socks and waterproof gloves when applying this product. Wear a hat and eye protection when making overhead applications. Remove clothing immediately if pesticide soaks clothing. Change clothing as soon as possible after use. Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet. Do not allow children or pets to contact treated area until sprays have dried.

First Aid:

If in eyes	<ul style="list-style-type: none">*Hold eye open and rinse slowly and gently with water for 15-20 minutes.*Remove contact lenses, if present, after the first 5 minutes then continue rinsing eye.*Call a poison control center or doctor for treatment advice.
If Inhaled	<ul style="list-style-type: none">*Move person to fresh air.*If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.*Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none">*Take off contaminated clothing.*Rinse skin immediately with plenty of water for 15-20 minutes.*Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store out of reach of children. Keep container closed when not in use.

Disposal: Wastes resulting from the use of this product may be disposed of on site at an approved waste disposal facility. Rinse container thoroughly then offer for recycling or reconditioning or puncture and dispose of in sanitary landfill, or incineration, or if allowed by state and local authorities by burning. If burned, stay out of smoke.

February 7, 2006

COURIER DELIVERY

Richard Gebken (PM 10)
Document Processing Desk (NOTIF)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1801 Bell Street
Arlington, VA 22202-4501

RE: PREV-AM Ultra; EPA Reg. No. 72662-3
Submission of Label Notification per PRN 98-10

Dear Mr. Gebken,

Please find the enclosed label notification for PREV-AM Ultra (EPA Reg. No. 72662-3) per PRN 98-10. Changes made to the enclosed labeling include:


- Added the following alternate language to the label front panel: *"For the Combined Control of Insect and Disease Infestations on Ornamentals, Nursery and Greenhouse Plants"*
- Added species names to certain ornamental plants
- Under the Tank Mixing Instructions heading, added alternate product trade names with associated trademark references.

In support of this notification, we submit the following documents:

1. Completed Application for Registration (EPA Form 8570-1)
2. One copy of the PREV-AM Ultra label with changes tracked [Editors Note: Added text is underlined and deleted text is denoted by ~~strikethrough~~]
3. One copy of the PREV-AM Ultra label with changes incorporated.

Please do not hesitate to contact me if you have any questions or need any additional information.

Best regards,


Jim Sullivan

Enclosures