



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
1200 Pa Ave NW
Washington, D.C. 20460

EPA Reg. Number

72662-5

Date of Issuance:

SEP 12 2005

**NOTICE OF PESTICIDE
Registration**

Term of Issuance:

Conditional Registration

Name of Pesticide Product

PREV-GARD

(under FIFRA, as amended)

ORO AGRI, INC.
990 Trophy Club Drive
Trophy Club, TX 76262

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
 - a) Change "tank sprayers" to "handheld sprayers".
 - b) In the "To Control Listed Diseases and Insects" section Change "Directions for Application to Table"
 - c) Remove "DIRECTIONS FOR APPLICATION".
 - d) Remove the "NOTE" and associated conversions under the Directions for Application.
 - e) Add the statement "wash all fruits and vegetable before eating or processing."
 - f) Revise the EPA Registration Number to read "EPA Reg 72662-5"
 - g) In the ENVIRONMENTAL HAZARDS section add the statement "Do not apply to outdoor ornamental aquariums or ponds."
3. Submit four(4) copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitute acceptance of these conditions.

A stamped copy of the label "Acceptable with Comments is enclosed for your records.

| | |
|--|-------------------|
| Signature of Approving Official: <i>Richard Gebken</i> | Date: SEP 12 2005 |
| Richard Gebken, Product Manager 10 | |

PREV-GARD®

**Control of Outdoor Insects and Diseases for Home Gardens, Greenhouses,
Lawns, Shrubs and Ornamental Plantings**

| | |
|--|---------------|
| ACTIVE INGREDIENT: | |
| Sodium Tetraborohydrate Decahydrate..... | 0.99% |
| OTHER INGREDIENTS: | <u>99.01%</u> |
| TOTAL: | 100.00% |

KEEP OUT OF REACH OF CHILDREN

WARNING / AVISO

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

See Side Panel for FIRST AID and additional PRECAUTIONARY STATEMENTS

EPA Reg. No.: 72662-

EPA Est. No.

Manufactured For:
ORO AGRI, Inc.
990 Trophy Club Drive
Trophy Club, TX 76262

Net Contents:

ACCEPTED
with **COMMENTS**
by EPA Letter Dated:
SEP 12 2005
under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
72662-5

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PREV-GARD® controls outdoor insects and diseases for home gardens, greenhouses, lawns, shrubs, and ornamental plantings. PREV-GARD® may be applied with pump-up garden type sprayers, trigger sprayers, hose-end sprayers, or tank sprayers.

Keep people and pets out of treated area until sprays have dried.

To Control Listed Diseases and Insects:

Apply PREV-GARD® as shown in the "Directions for Application" section of this label according to the directions for the control of the pest or infection on the desired plant.

Dilution and Mixing Instructions:

Shake PREV-GARD® container well prior to dilution. Mix PREV-GARD® with water according to the directions in the table below; add PREV-GARD® to the container last. Continuous agitation is recommended during application.

This container makes [editor note: will be filled in depending on container size] to [editor note: will be filled in depending on container size] gallons of finished spray.

DIRECTIONS FOR APPLICATION

This product is not recommended for application in mid-day sun or during periods of drought when plants are subject to heat and moisture stress as temporary leaf burn may occur.

Use sufficient water to obtain full coverage of foliage, stems, etc. Spray plants every 7-10 days. If insect infestation or fungal infections are severe, the timing and frequency of applications can be as often as every 4 days until control is obtained.

Use one gallon of diluted solution for every 1000 sq. feet. Thoroughly spray plants to the point of run-off for best results. Flowers, fruits, and vegetables can be picked as soon as spray has dried.

NOTE: 1 fl. oz. = 2 tablespoons
1/2 fl. oz. = 1 tablespoon
1/3 fl. oz. = 2 teaspoons

| FRUIT & VEGETABLES: | |
|---|---|
| Blackberry, Raspberry, Blueberry | |
| | <p>To Control: Botrytis, Powdery Mildew, Downy Mildew, Lygus Bug, Mealy Bug, Mite</p> <p>Mix 1/2 ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> |
| | <p>To Control: Aphid, Leaf hopper</p> <p>Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p> |

| | |
|---|--|
| Strawberry | |
| | <p>To Control: Botrytis, Powdery Mildew, Downy Mildew, Lygus Bug, Mealy Bug, Mite, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid, Leaf Hopper Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p> |
| Broccoli, Cauliflower, Cabbage | |
| | <p>To Control: Downy Mildew, Powdery Mildew, Beet Armyworm, Cabbage Looper, Diamondback moth, Imported Cabbage worm, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p> |
| Garlic, Onions | |
| | <p>To Control: Botrytis, Downy Mildew, Late Blight, Powdery Mildew Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Thrip Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p> |
| Cucumber, Melon, Pumpkin, Squash | |
| | <p>To Control: Downy Mildew, Powdery Mildew, Leafhopper, Mite, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid, Thrip Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p> |
| Eggplant, Pepper, Tomato | |
| | <p>To Control: Downy Mildew, Late Blight, Powdery Mildew, Mite, Whitefly, Beet Armyworm, Cabbage Looper Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p> |

| | |
|---|---|
| Celery, Head Lettuce, Leaf Lettuce, Spinach | |
| | <p>To Control: Downy Mildew, Powdery Mildew, Beet Armyworm, Cabbage Looper, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p> |
| Herbs, such as basil, cilantro, mint, oregano, parsley, rosemary, thyme | |
| | <p>To Control: Downy Mildew, Powdery Mildew, Beet Armyworm, Cabbage Looper, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p> |
| Beans (Dry, Common, Lima, Snap), Lentil, Chickpea, Pea (Southern, Edible, Garden) | |
| | <p>To Control: Downy Mildew, Powdery Mildew, Brown Rust, Mite, Beet Armyworm, Lygus Bug, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid, Thrip Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p> |
| Carrot, Potato, Sugar Beet | |
| | <p>To Control: Powdery Mildew, Late Blight, Beet Armyworm, Cabbage Looper Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid, Leaf Hopper Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p> |
| LAWNS: | |
| Bentgrass, Bermuda, Bluegrass, Fescue, Kentucky Varieties, Ryegrass, St. Augustine, Zoysia, | |
| | <p>To Control: Anthracnose, Dollar Spot, Fairy Ring, Armyworm Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray infected area of the lawn.</p> |
| ORNAMENTAL PLANTINGS (Except Roses see below): | |
| Allamanda, Asp. Sperengi, Blue Daze, Caladium, Carnation, Croton, Daisy, Heather, Foxtail, Fern, Ficus, Fuchsia, Gardenia, Hibiscus, Jasmine, Lily, Mandevilla, Oleander, Ornamental Citrus, Plumbago, Philadendron, Schefflera, Snowbush | |

| | |
|--|--|
| | <p>To Control: Downy Mildew, Powdery Mildew, Mealy Bug, Mite, Scale, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p> |
| Roses | |
| | <p>To Control: Downy Mildew, Powdery Mildew Mix ⅓ ounce (0.33 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> |
| FRUIT & NUT TREES: | |
| <p>General Directions: Spray thoroughly to the point of run-off. Make sure to penetrate dense foliage and cover both sides of leaves and branches for best results. Avoid application during windy conditions and wear eye protection when spraying overhead.</p> | |
| Apple, Apricot, Cherry, Peach, Plum, Nectarine | |
| | <p>To Control: Powdery Mildew and Mite Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray trees.</p> |
| Almond, Pecan, Pistachio, Walnut | |
| | <p>To Control: Mites Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray trees.</p> |

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE:
Store out of reach of children. Keep container closed when not in use. Avoid temperatures below 34°F (5°C) and above 100°F (40°C).

DISPOSAL:
If empty: Do not reuse this container. Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

| FIRST AID | |
|--------------------|---|
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| If inhaled: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. |

| | |
|---|---|
| | <ul style="list-style-type: none"> • Call a poison control center or doctor for further treatment advice. |
| If on skin or clothing: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. |
| HOT LINE NUMBER | |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 800-424-9300 for emergency medical treatment information. | |

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
WARNING / AVISO

Causes substantial but temporary eye irritation. Harmful if inhaled or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin or breathing spray mist. Wear protective eyewear/goggles, long-sleeved shirt, long pants, shoes, socks and waterproof gloves when applying this product. When making overhead applications, also wear a hat.

Wash the outside of gloves before removing. Wash thoroughly with soap and water after handling and before eating, smoking, or using tobacco. Remove and wash contaminated clothing before reuse.

Do not allow children or pets to contact treated area until sprays have dried.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS.

PREV-GARD® is a registered trademark of ORO AGRI, INC.

Patent Numbers: US 6,258,369 B1, US 6,277,389 B1
 International Patents: Pending